


VOL 2 / 2 



New Heating Ranges & Colours – More Available

ISBOURNE



ADDINGTON II TYPE 10



VELINO POLISHED



QUEENSWOOD



NEW ACCESSORIES



RAL Colours / Codes

The RAL codes for the radiator and valve colours in the radiator section are as follows:

Gloss White* : RAL 9016
Matt White* : RAL 9016 Matt
Matt Grey* : RAL 7040 Matt

Matt Cappuccino* : Special Colour (Closest colour RAL 1019 Matt)
Matt Cobalt Blue* : RAL 5013 Matt
Matt Anthracite* : Special colour (Closest colour RAL 7016 Matt)
Matt Black* : RAL 9005 Matt

*Touch Up pens for above colours available, please ask sales/technical for more details.

*Eastbrook radiator colour swatch contains above colours & more colours, please don't forget to ask for your copy.

Correction Factors

Heat outputs are calculated at Delta T30 & T50.

To convert for your requirement, use the multiples from the provided table. (Based on Delta T50).

Delta Δ T	Multiple
25	0.404
30	0.513
35	0.627
40	0.747
45	0.871
50	1
60	1.268
65	1.406
70	1.548

We have tried to ensure that all price and product information is correct at the time of going to print. However, the specifications contained in this catalogue are for information purposes only and are subject to change. Due to our ongoing policy of product development and improvement, all prices, specifications and features are subject to change without prior notice. Errors and omissions excepted.

Heating Contents

P 15 - 6 7	The Multirail Range	A huge variety of contemporary towel rails in a wide variety of sizes and colours
P 68 - 7 7	The Dry Element Range	Using modern technology benefits , the Dry Element Range consists of lighter towel rails and energy efficient daily usage .
P 78 - 8 9	The Stainless Steel Range	Whilst retaining the features of a ladder rail, the stainless steel range produces a stylish contemporary look .
P 90 -189	The Designer Range	Our aim is to offer a statement piece radiator that allows maximum space to keep towels warm. In the designer range you can find a huge variety of towel rail styles and radiators using minimalistic, clean designs .
P190 -205	The Compact Panel Range	Offering a selection of approximately 200 sizes , you can be confident in discovering the ideal solution for efficient home heating that perfectly matches your space.
P206 -287	The Aluminium Range	A huge variety of contemporary aluminium radiators and towel rails, from flat panel to ladder rail styles to suit any room .
P288 -333	The Traditional Range	Our traditional range of radiators offer character and flair to ensure they fit in with your classic design. Most of these radiator can be powered via dual fuel, single fuel and /or all electric .
P336 -349	Elements	A huge variety elements and valves to allow easy control of your radiators heat output , whilst looking stylish .
P350 -365	Valves	Complete the look with coloured pipe shrouds and vent caps to match your radiator colour .
P366 -369	Accessories	To add extra functionality , towel hangers & robe hooks make daily life easy when warming towels.
P370 -455	Technical Tables	

P2 - 13 Visual Contents

RAL Colours / Codes The RAL codes for the radiator and valve colours in the radiator section are as follows:

Gloss White* : RAL 9016
Matt White* : RAL 9016 Matt
Matt Grey* : RAL 7040 Matt

Matt Cappuccino* : Special Colour (Closest colour RAL 1019 Matt)
Matt Cobalt Blue* : RAL 5013 Matt
Matt Anthracite* : Special colour (Closest colour RAL 7016 Matt)

Matt Black* : RAL 9005 Matt

*Touch Up pens for above colours available, please ask sales/technical for more details.
*Eastbrook radiator colour swatch contains these colours, please don't forget to ask for your copy.

Towel Rails & Radiators

MULTIRAIL RANGE

P14-67



Wendover Straight Chrome
P16-17



Wendover Straight Gloss White
P20



Wendover Curved
P18-19 & 21



Wendover Straight
Matt Anthracite P22-23



Wendover Straight
Matt Black P24-25



Wendover Straight
Brushed Brass P26-27



Wendover Straight
Black Gold P28



Wendover Straight
Brushed Gunmetal P29

Please ask your local showroom or installer for a radiator colour swatch to match your preferred colour.



Biava Multirail HV Straight
P30-33



Wingrave Straight Chrome
P34-35



Wingrave Straight Gloss White
P36-37



Wingrave Straight Matt White
P38-39



Wingrave Straight
Matt Anthracite P40-41



Wingrave Straight
Matt Black P42-43



Wingrave Straight
Matt Grey P44



Wingrave Straight
Matt Cobalt Blue P45

Towel Rails & Radiators

MULTIRAIL RANGE

P14-67



Wingrave Curved
P46-47



Biava Multirail Straight
P48



Biava Multirail Curved
P49



Westward Straight
P50-51



Rion Multirail
P52-53



Tuscan Gloss White & Chrome
P54



Biava Round
P55



Corinium Round
P56-57

Please ask your local showroom or installer for a radiator colour swatch to match your preferred colour.



Tuscan Round
P58-59



Biava Tube On Tube Chrome
P60



Biava Square
P61



Tuscan Square Multirail
P62-63



Tuscan Square
P64-65



Launton
P66



Haddenham
P67

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

Radiator Vent Caps
Page 369

Towel Rails & Radiators

DRY ELEMENT RANGE

P68-77




Derwent Aluminium Dry Element
P70-71



Biava Dry Element Straight
P72-73



Loddon Dry Element
P74-75



Kennet Dry Element
P76

STAINLESS STEEL RANGE

P78-89



Emsbury Dry Element
P77



Wendover Straight Polished
P80




Wendover Straight Brushed
P81



Violla II Polished
P82



Violla II Brushed
P83



Rizano
P84



Violla
P85



Biava Flat
P86



Ascona
P87



Velino Polished
P88



Velino Brushed
P89

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

Radiator Vent Caps
Page 369

Towel Rails & Radiators

DESIGNER RANGE

P90-189



Warrington Type 10 Horizontal
P92



Warrington Type 10 Vertical
P93-95



Warrington Type 20 Horizontal
P96



Warrington Type 20 Vertical
P97-99



Leonardo
P100



Brockworth All Electric
P101



Staverton Tube On Tube Straight
P102



Staverton Tube On Tube Curved
P103

Please ask your local showroom or installer for a radiator colour swatch to match your preferred colour.



Biava Corinium
P103




Defford
P104-105



Staverton
P106




Mezzo Tondo
P107



Pesaro
P107



Santero
P108-109



Hurley Towel Rail
P110-113



Helmsley Towel Rail
P114-115

Towel Rails & Radiators

DESIGNER RANGE

P90-189



Platani
P116-117



Reinbach
P118-119



Marlow
P120-121



Marlow E-Style
P122-123



Conwy
P124



Portchester
P125



Lambourne
P126-127



Murano Vertical & Horizontal
P128-129

Please ask your local showroom or installer for a radiator colour swatch.



Ryton Towel Rail
P130



Kenilworth Towel Rail
P131



Loxley Towel Rail
P132



Eshton Towel Rail
P133



Rubano Vertical & Horizontal
P136-138



Rowsham Vertical & Horizontal
P136-138



Rowsham Towel Rail
P139



Wingrave Flat Panel
P140-141

Towel Rails & Radiators

DESIGNER RANGE

P90-189



Tunstall Vertical
P142-143



Tunstall Horizontal
P144



Tunstall Towel Rail
P145



Tunstall Double Vertical
P146-147



Tunstall Double Horizontal
P148-149



Tunstall Double Towel Rail
P150



Tunstall Mirror
P151



Tunstall Double Mirror
P151

Please ask your local showroom or installer for a radiator colour swatch.



Deddington Vertical
P152-153



Deddington Horizontal
P154-155



Deddington Towel Rail
P156-157

RADIATOR KEY

Directional Size Availability




Horizontal
Sizes



Vertical
Sizes

Radiator Vent Caps
Page 369



Addington II Type 10 Vertical & Horizontal
P158-165



Addington II Type 20 Vertical & Horizontal
P166-171



Addington II Type 10 Towel Rail
P172-174



Addington II Type 20 Towel Rail
P175

Towel Rails & Radiators

DESIGNER RANGE

P90-189



Addington Type 10 Vertical & Horizontal P176-179



Addington Type 10 Towel Rail P180



Addington Type 20 Vertical & Horizontal P182-185



Addington Type 21 Radiator P186



Addington Type 22 Radiator P187



Addington Type 20 Towel Rail P188



Addington Type 21 Towel Rail P189

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

Radiator Vent Caps

Page 369

COMPACT PANEL RANGE

P190-205



Type 11 Compact Panel P192



Type 21 Compact Panel P193



Type 22 Compact Panel P194-195



Type 11, 21 & 22 Compact Panel Matt Anthracite P196



Type 11, 21 & 22 Compact Panel Matt Black P197



Type 22 Keynsham Radiator Flat Cover P200



Type 22 Keynsham Radiator Lined Cover P201



Cover Plates - Flat & Lined P202-203

Towel Rails & Radiators

ALUMINIUM RANGE

P206-287



Kingswood Slimline Vertical & Horizontal
P208-209



Kingswood Slimline Towel Rail
P210-211



Queenswood Vertical
P212-213



Queenswood Vertical
P214-215



Mersey Vertical
P216-217



Trent Vertical
P218-219



Addington Aluminium Type 10
P220-223



Addington Aluminium Type 20
P224-227

Please ask your local showroom or installer for a radiator colour swatch.



Charlton Vertical
P228-229



Charlton Horizontal
P230



Withington Vertical
P232-233



Withington Horizontal
P234




Malmesbury Vertical
P236-239



Malmesbury Horizontal
P240



Rosano Vertical
P242-243



Rosano Horizontal
P244-245

Towel Rails & Radiators

ALUMINIUM RANGE

P206-287



Peretti Vertical
P248-249



Peretti Horizontal
P250-251



Sandhurst Vertical
P254-255



Sandhurst Horizontal
P256



Berkeley Horizontal
P257



Tordino Vertical
P258-259



Tordino Horizontal
P260

RADIATOR KEY Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

Radiator Vent Caps
Page 369

Please ask your local showroom or installer for a radiator colour swatch.



Guardia Vertical
P262-263



Guardia Horizontal
P264-265




Hadleigh Vertical
P266-267



Hadleigh Horizontal
P268-269



Vesima Vertical
P270-271



Vesima Horizontal
P272-273



Preston Vertical
P274-275



Berlini Vertical
P276-277

Towel Rails & Radiators

ALUMINIUM RANGE

P206-287



Fairford Vertical
P278



Fairford Horizontal
P279



Burford Vertical
P280



Burford Horizontal
P281



Kelmscott Vertical & Horizontal
P282-283



Witney Vertical & Horizontal
P284-285



Pelago Towel Rail
P286



Velor Towel Rail
P287

TRADITIONAL RANGE

P288-333



Windrush
P290



Stour
P291-293



Painswick
P294



Frome
P294



Thames
P295



Leadon
P296



Sherbourne
P296



Coln
P297

Towel Rails & Radiators

TRADITIONAL RANGE

P288-333



Twyver
P297



Avon
P298-299



Isbourne
P300-301



Isbourne
P300-301



Imperia 2 Column
P302-307



Imperia 3 Column
P310-315



Imperia 4 Column
P316-317



Imperia 6 Column
P318-320



Imperia 6 Column Bench
P321

RADIATOR KEY

Directional Size Availability



Horizontal
Sizes



Vertical
Sizes

Radiator Vent Caps
Page 369

Towel Rails & Radiators

TRADITIONAL RANGE

P288-333



Imperia 2 Column Bare Metal
P308



Imperia Multirail 2 Column
P322-323



Rivassa 2 Column
P324-327



Rivassa 3 Column
P328-331



Imperia 3 Column Bare Metal
P309



Rivassa 4 Column
P332-333

ACCESSORIES

P334-369

Elements
P336-349



Radiator Valves
P350-365



Multirail Towel Hangers
P366



Radiator Robe Hooks
P366



Pipe Shrouds
P367



Multi-Purpose Towel Hangers
P368



Radiator Vent Caps
P369



RADIATOR KEY


Directional Size Availability



Horizontal
Sizes



Vertical
Sizes



Sub Section

Multirail Range

Contents

Wendover Straight, Chrome	16-17
Wendover Curved, Chrome	18-19
Wendover Straight, Gloss White	20
Wendover Curved, Gloss White	21
Wendover Straight, Matt Anthracite	22-23
Wendover Straight, Matt Black	24-25
Wendover Straight, Brushed Brass - NEW SIZES	26-27
Wendover Straight, Black Gold	28
Wendover Straight, Brushed Gunmetal	29
Biava Multirail HV Straight, Available in 5 colours	30-33
Wingrave Straight, Chrome	34-35
Wingrave Straight, Gloss White	36-37
Wingrave Straight, Matt White	38-39
Wingrave Straight, Matt Anthracite	40-41
Wingrave Straight, Matt Black	42-43
Wingrave Straight, Matt Grey	44
Wingrave Straight, Matt Cobalt Blue	45
Wingrave Curved, Chrome	46
Wingrave Curved, Gloss White	47
Biava Multirail Straight, Gloss White	48
Biava Multirail Straight, Chrome	48
Biava Multirail Curved, Gloss White	49
Biava Multirail Curved, Chrome	49
Westward Straight, Gloss White & Chrome	50-51
Rion Multirail, Available in 4 colours	52-53
Tuscan, Gloss White & Chrome	54
Biava Round, Gloss White & Chrome	55
Corinium Round, Available in 5 colours	56-57
Tuscan Round, Available in 5 colours	58-59
Biava Tube on Tube, Chrome	60
Biava Square, Chrome	61
Tuscan Square Multirail, Available in 4 colours	62-63
Tuscan Square, Available in 5 colours	64-65
Launton, Available in 3 colours	66
Haddenham, Available in 3 colours	67



Multirail Range

WENDOVER - STRAIGHT, CHROME



Pictured 41.0245 Chrome



Pictured 41.0015 Chrome

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

Wendover - Straight Chrome 360mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	54	104	150W	A, A+, B	41.0267	74.00	88.80

Wendover - Straight Chrome 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	67	128	100W	A, A+, B, D, E, F, G	41.0085	92.00	110.40
600 x 400mm	83	156	100W	A, A+, B, D, E, F, G	41.0082	100.00	120.00
600 x 500mm	98	185	100W	A, A+, B, D, E, F, G	41.0083	107.00	128.40
600 x 600mm	113	213	150W	A, A+, B, D, E, F, G	41.0084	116.00	139.20
600 x 750mm	134	258	150W	A, A+, B, D, E, F, G	41.0076	131.00	157.20
600 x 1000mm	173	327	150W	A, A+, B, D, E, F, G	41.0244	195.00	234.00
600 x 1200mm	212	392	150W	A, A+, B, D, E, F, G	41.0245	217.00	260.40

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



360mm High



600mm High



Multirail Range

WENDOVER - STRAIGHT, CHROME

Wendover - Straight Chrome 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	73	139	100W	A, A+, B, D, E, F, G	41.0086	112.00	134.40
800 x 400mm	91	173	150W	A, A+, B, D, E, F, G	41.0001	119.00	142.80
800 x 500mm	109	208	150W	A, A+, B, D, E, F, G	41.0003	128.00	153.60
800 x 600mm	124	238	150W	A, A+, B, D, E, F, G	41.0005	136.00	163.20
800 x 750mm	173	327	150W	A, A+, B, D, E, F, G	41.0077	166.00	199.20

Wendover - Straight Chrome 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	103	198	150W	A, A+, B, D, E, F, G	41.0087	130.00	156.00
1000 x 400mm	113*	216*	150W	A, A+, B, D, E, F, G	41.0007	136.00	163.20
1000 x 500mm	132	256	150W	A, A+, B, D, E, F, G	41.0009	146.00	175.20
1000 x 600mm	154	298	150W	A, A+, B, D, E, F, G	41.0011	156.00	187.20
1000 x 750mm	208	396	300W	A, A+, B, D, E, F, G	41.0078	191.00	229.20

Wendover - Straight Chrome 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	109	210	150W	A, A+, B, D, E, F, G	41.0088	153.00	183.60
1200 x 400mm	136	262	150W	A, A+, B, D, E, F, G	41.0013	156.00	187.20
1200 x 500mm	161	311	150W	A, A+, B, D, E, F, G	41.0015	168.00	201.60
1200 x 600mm	205*	393*	300W	A, A+, B, D, E, F, G	41.0017	185.00	222.00
1200 x 750mm	247	473	300W	A, A+, B, D, E, F, G	41.0079	228.00	273.60

* Further heat output information available on eastbrooktrade.com **E&OA**

Wendover - Straight Chrome 1400mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	128	249	150W	A, A+, B, D, E, F, G	41.0620	173.00	207.60
1400 x 400mm	160	311	150W	A, A+, B, D, E, F, G	41.0621	181.00	217.20
1400 x 500mm	190	369	150W	A, A+, B, D, E, F, G	41.0622	193.00	231.60
1400 x 600mm	219	424	300W	A, A+, B, D, E, F, G	41.0623	209.00	250.80
1400 x 750mm	260	504	300W	A, A+, B, D, E, F, G	41.0624	275.00	330.00

Wendover - Straight Chrome 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	155	303	150W	A, A+, B, D, E, F, G	41.0089	187.00	224.40
1600 x 400mm	186	363	300W	A, A+, B, D, E, F, G	41.0019	195.00	234.00
1600 x 500mm	220	431	300W	A, A+, B, D, E, F, G	41.0021	213.00	255.60
1600 x 600mm	240	453	300W	A, A+, B, D, E, F, G	41.0023	231.00	277.20
1600 x 750mm	324	632	450W	A, A+, B, D, E, F, G	41.0080	287.00	344.40


Wendover - Straight Chrome 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	181	353	150W	A, A+, B, D, E, F, G	41.0090	207.00	248.40
1800 x 400mm	222	431	300W	A, A+, B, D, E, F, G	41.0025	217.00	260.40
1800 x 500mm	262	510	300W	A, A+, B, D, E, F, G	41.0027	240.00	288.00
1800 x 600mm	304	576	450W	A, A+, B, D, E, F, G	41.0029	259.00	310.80
1800 x 750mm	370	702	450W	A, A+, B, D, E, F, G	41.0081	321.00	385.20

Round Vent Caps Page 369



Robe Hooks Page 366



Towel Hangers Page 366




Multi-Rail Hangers Page 366



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.

Technical Tables & Drawings Page 372-373



Multirail Range

WENDOVER - CURVED, CHROME



Pictured 41.0035 Chrome



Pictured 41.0051 Chrome

A modern ladder towel rail, with a range of sizes available, from 600 x 400mm to 1800 x 750mm. Wendoover Curved Multirail is available in chrome and gloss white finishes.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 373



Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WENDOVER - CURVED, CHROME

Wendover - Curved Chrome 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	79*	153*	100W	A, A+, B, D, E, F, G	41.0106	101.00	121.20
600 x 500mm	94*	181*	100W	A, A+, B, D, E, F, G	41.0107	109.00	130.80
600 x 600mm	109*	209*	150W	A, A+, B, D, E, F, G	41.0108	119.00	142.80
600 x 750mm	133	251	150W	A, A+, B, D, E, F, G	41.0100	136.00	163.20

Wendover - Curved Chrome 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	91	173	150W	A, A+, B, D, E, F, G	41.0031	124.00	148.80
800 x 500mm	109	206	150W	A, A+, B, D, E, F, G	41.0033	130.00	156.00
800 x 600mm	146	282	150W	A, A+, B, D, E, F, G	41.0035	139.00	166.80
800 x 750mm	182*	348*	150W	A, A+, B, D, E, F, G	41.0101	174.00	208.80

Wendover - Curved Chrome 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 400mm	113	216	150W	A, A+, B, D, E, F, G	41.0037	137.00	164.40
1000 x 500mm	134	257	150W	A, A+, B, D, E, F, G	41.0039	150.00	180.00
1000 x 600mm	155	295	150W	A, A+, B, D, E, F, G	41.0041	158.00	189.60
1000 x 750mm	212*	406*	300W	A, A+, B, D, E, F, G	41.0102	195.00	234.00

* Further heat output information available on eastbrooktrade.com **E&OA**

Wendover - Curved Chrome 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	136	262	150W	A, A+, B, D, E, F, G	41.0043	158.00	189.60
1200 x 500mm	161	311	150W	A, A+, B, D, E, F, G	41.0045	177.00	212.40
1200 x 600mm	204	386	300W	A, A+, B, D, E, F, G	41.0047	189.00	226.80
1200 x 750mm	262*	502*	300W	A, A+, B, D, E, F, G	41.0103	234.00	280.80

Wendover - Curved Chrome 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 400mm	186	363	300W	A, A+, B, D, E, F, G	41.0049	203.00	243.60
1600 x 500mm	220	431	300W	A, A+, B, D, E, F, G	41.0051	222.00	266.40
1600 x 600mm	254	496	300W	A, A+, B, D, E, F, G	41.0053	239.00	286.80
1600 x 750mm	343*	657*	450W	A, A+, B, D, E, F, G	41.0104	296.00	355.20

Wendover - Curved Chrome 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	239*	459*	300W	A, A+, B, D, E, F, G	41.0055	228.00	273.60
1800 x 500mm	283*	543*	300W	A, A+, B, D, E, F, G	41.0057	247.00	296.40
1800 x 600mm	371	703	450W	A, A+, B, D, E, F, G	41.0059	266.00	319.20
1800 x 750mm	403	766	450W	A, A+, B, D, E, F, G	41.0105	332.00	398.40

* Further heat output information available on eastbrooktrade.com **E&OA**


Round Vent Caps

Page 369



Robe Hooks

Page 366



Radiator Valves

Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1800mm High

1600mm High



1200mm High



1000mm High



Multirail Range

WENDOVER - STRAIGHT, GLOSS WHITE



Pictured 41.0028 Gloss White

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

FEATURES


- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 372-373



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.



Wendover - Straight Gloss White 360mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	80	147	150W	A, A+, B	41.0266	47.00	56.40

Wendover - Straight Gloss White 600mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	98	182	100W	A, A+, B, D, E, F, G	41.0070	56.00	67.20
600 x 400mm	120	220	150W	A, A+, B, D, E, F, G	41.0067	62.00	74.40
600 x 500mm	141	260	150W	A, A+, B, D, E, F, G	41.0068	65.00	78.00
600 x 600mm	163	299	150W	A, A+, B, D, E, F, G	41.0069	69.00	82.80
600 x 750mm	193	361	150W	A, A+, B, D, E, F, G	41.0061	79.00	94.80
600 x 1000mm	248	460	300W	A, A+, B, D, E, F, G	41.0246	116.00	139.20
600 x 1200mm	291	541	300W	A, A+, B, D, E, F, G	41.0247	125.00	150.00

Wendover - Straight Gloss White 800mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	99	181	150W	A, A+, B, D, E, F, G	41.0071	66.00	79.20
800 x 400mm	152	281	150W	A, A+, B, D, E, F, G	41.0002	70.00	84.00
800 x 500mm	180	332	150W	A, A+, B, D, E, F, G	41.0004	74.00	88.80
800 x 600mm	204	386	150W	A, A+, B, D, E, F, G	41.0006	79.00	94.80
800 x 750mm	250	461	300W	A, A+, B, D, E, F, G	41.0062	96.00	115.20

Wendover - Straight Gloss White 1000mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	149	277	150W	A, A+, B, D, E, F, G	41.0072	78.00	93.60
1000 x 400mm	184	343	150W	A, A+, B, D, E, F, G	41.0008	79.00	94.80
1000 x 500mm	219	408	150W	A, A+, B, D, E, F, G	41.0010	84.00	100.80
1000 x 600mm	254	472	300W	A, A+, B, D, E, F, G	41.0012	90.00	108.00
1000 x 750mm	303	565	300W	A, A+, B, D, E, F, G	41.0063	107.00	128.40

Wendover - Straight Gloss White 1200mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	176	331	150W	A, A+, B, D, E, F, G	41.0073	88.00	105.60
1200 x 400mm	218	409	300W	A, A+, B, D, E, F, G	41.0014	90.00	108.00
1200 x 500mm	264	497	300W	A, A+, B, D, E, F, G	41.0016	96.00	115.20
1200 x 600mm	294*	560*	300W	A, A+, B, D, E, F, G	41.0018	101.00	121.20
1200 x 750mm	363	680	450W	A, A+, B, D, E, F, G	41.0064	126.00	151.20

Wendover - Straight Gloss White 1400mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	194	371	150W	A, A+, B, D, E, F, G	41.0625	96.00	115.20
1400 x 400mm	245	467	300W	A, A+, B, D, E, F, G	41.0626	101.00	121.20
1400 x 500mm	293	560	300W	A, A+, B, D, E, F, G	41.0627	111.00	133.20
1400 x 600mm	340	649	300W	A, A+, B, D, E, F, G	41.0628	121.00	145.20
1400 x 750mm	407	778	450W	A, A+, B, D, E, F, G	41.0629	152.00	182.40

Wendover - Straight Gloss White 1600mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	237	444	300W	A, A+, B, D, E, F, G	41.0074	102.00	122.40
1600 x 400mm	289	551	300W	A, A+, B, D, E, F, G	41.0020	109.00	130.80
1600 x 500mm	346	657	450W	A, A+, B, D, E, F, G	41.0022	119.00	142.80
1600 x 600mm	398	763	450W	A, A+, B, D, E, F, G	41.0024	128.00	153.60
1600 x 750mm	491	915	600W	A, A+, B, D, E, F, G	41.0065	155.00	186.00

Wendover - Straight Gloss White 1800mm Height							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	261	489	300W	A, A+, B, D, E, F, G	41.0075	116.00	139.20
1800 x 400mm	326	615	300W	A, A+, B, D, E, F, G	41.0026	124.00	148.80
1800 x 500mm	391	741	450W	A, A+, B, D, E, F, G	41.0028	131.00	157.20
1800 x 600mm	459	868	600W	A, A+, B, D, E, F, G	41.0030	141.00	169.20
1800 x 750mm	561	1060	600W	A, A+, B, D, E, F, G	41.0066	176.00	211.20

* Further heat output information available on eastbrooktrade.com **E&OA**

Multirail Range

WENDOVER - CURVED, GLOSS WHITE



Pictured 41.0036 Gloss White

A modern ladder towel rail, with a range of sizes available, from 600 x 400mm to 1800 x 750mm. Wendover Curved Multirail is available in chrome and gloss white finishes.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 373



Wendover - Curved Gloss White 600mm Height								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
600 x 400mm	101*	193*	150W	A, A+, B, D, E, F, G	41.0097	63.00	75.60	
600 x 500mm	119*	229*	150W	A, A+, B, D, E, F, G	41.0098	66.00	79.20	
600 x 600mm	138*	264*	150W	A, A+, B, D, E, F, G	41.0099	70.00	84.00	
600 x 750mm	205	380	150W	A, A+, B, D, E, F, G	41.0091	80.00	96.00	

Wendover - Curved Gloss White 800mm Height								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
800 x 400mm	138*	266*	150W	A, A+, B, D, E, F, G	41.0032	73.00	87.60	
800 x 500mm	164*	315*	150W	A, A+, B, D, E, F, G	41.0034	78.00	93.60	
800 x 600mm	217	405	150W	A, A+, B, D, E, F, G	41.0036	83.00	99.60	
800 x 750mm	229*	440*	300W	A, A+, B, D, E, F, G	41.0092	97.00	116.40	

Wendover - Curved Gloss White 1000mm Height								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1000 x 400mm	164*	315*	150W	A, A+, B, D, E, F, G	41.0038	80.00	96.00	
1000 x 500mm	194*	372*	150W	A, A+, B, D, E, F, G	41.0040	88.00	105.60	
1000 x 600mm	223*	429*	300W	A, A+, B, D, E, F, G	41.0042	91.00	109.20	
1000 x 750mm	268*	514*	300W	A, A+, B, D, E, F, G	41.0093	109.00	130.80	

Wendover - Curved Gloss White 1200mm Height								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1200 x 400mm	202*	387*	300W	A, A+, B, D, E, F, G	41.0044	91.00	109.20	
1200 x 500mm	254	483	300W	A, A+, B, D, E, F, G	41.0046	98.00	117.60	
1200 x 600mm	310	576	300W	A, A+, B, D, E, F, G	41.0048	103.00	123.60	
1200 x 750mm	332*	636*	450W	A, A+, B, D, E, F, G	41.0094	130.00	156.00	

Wendover - Curved Gloss White 1600mm Height								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1600 x 400mm	265*	508*	300W	A, A+, B, D, E, F, G	41.0050	112.00	134.40	
1600 x 500mm	313*	601*	450W	A, A+, B, D, E, F, G	41.0052	124.00	148.80	
1600 x 600mm	386	740	450W	A, A+, B, D, E, F, G	41.0054	131.00	157.20	
1600 x 750mm	434*	832*	600W	A, A+, B, D, E, F, G	41.0095	158.00	189.60	


Wendover - Curved Gloss White 1800mm Height								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
1800 x 400mm	303*	581*	300W	A, A+, B, D, E, F, G	41.0056	125.00	150.00	
1800 x 500mm	358*	687*	450W	A, A+, B, D, E, F, G	41.0058	136.00	163.20	
1800 x 600mm	538	1012	600W	A, A+, B, D, E, F, G	41.0060	146.00	175.20	
1800 x 750mm	594	1116	600W	A, A+, B, D, E, F, G	41.0096	178.00	213.60	

* Further heat output information available on eastbrooktrade.com **E&OA**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps Page 369



Robe Hooks Page 366



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

WENDOVER - STRAIGHT MATT ANTHRACITE



Pictured 41.0324 Matt Anthracite



Pictured 41.0326 Matt Anthracite

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 372-373



Wendover - Straight Matt Anthracite 360mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	80	147	150W	A, A+, B	41.0630	50.00	60.00

Wendover - Straight Matt Anthracite 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	98	182	100W	A, A+, B, D, E, F, G	41.0631	58.00	69.60
600 x 400mm	120	220	150W	A, A+, B, D, E, F, G	41.0320	65.00	78.00
600 x 500mm	141	260	150W	A, A+, B, D, E, F, G	41.0321	69.00	82.80
600 x 600mm	163	299	150W	A, A+, B, D, E, F, G	41.0322	73.00	87.60
600 x 750mm	193	361	150W	A, A+, B, D, E, F, G	41.0632	83.00	99.60
600 x 1000mm	248	460	300W	A, A+, B, D, E, F, G	41.0633	119.00	142.80
600 x 1200mm	291	541	300W	A, A+, B, D, E, F, G	41.0634	130.00	156.00

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric




Dual-Fuel



360mm High



600mm High



Multirail Range

WENDOVER - STRAIGHT MATT ANTHRACITE

Wendover - Straight Matt Anthracite 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	99	181	150W	A, A+, B, D, E, F, G	41.0635	70.00	84.00
800 x 400mm	152	281	150W	A, A+, B, D, E, F, G	41.0636	73.00	87.60
800 x 500mm	180	332	150W	A, A+, B, D, E, F, G	41.0637	79.00	94.80
800 x 600mm	204	386	150W	A, A+, B, D, E, F, G	41.0638	86.00	103.20
800 x 750mm	250	461	300W	A, A+, B, D, E, F, G	41.0639	104.00	124.80

Wendover - Straight Matt Anthracite 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	149	277	150W	A, A+, B, D, E, F, G	41.0640	81.00	97.20
1000 x 400mm	184	343	150W	A, A+, B, D, E, F, G	41.0641	83.00	99.60
1000 x 500mm	219	408	150W	A, A+, B, D, E, F, G	41.0642	91.00	109.20
1000 x 600mm	254	472	300W	A, A+, B, D, E, F, G	41.0643	95.00	114.00
1000 x 750mm	303	565	300W	A, A+, B, D, E, F, G	41.0644	117.00	140.40

Wendover - Straight Matt Anthracite 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	176	331	150W	A, A+, B, D, E, F, G	41.0645	92.00	110.40
1200 x 400mm	218	409	300W	A, A+, B, D, E, F, G	41.0323	96.00	115.20
1200 x 500mm	264	497	300W	A, A+, B, D, E, F, G	41.0324	100.00	120.00
1200 x 600mm	294*	560*	300W	A, A+, B, D, E, F, G	41.0325	107.00	128.40
1200 x 750mm	363	680	450W	A, A+, B, D, E, F, G	41.0646	138.00	165.60

* Further heat output information available on eastbrooktrade.com **E&OA**

Wendover - Straight Matt Anthracite 1400mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	194	371	150W	A, A+, B, D, E, F, G	41.0647	98.00	117.60
1400 x 400mm	245	467	300W	A, A+, B, D, E, F, G	41.0648	103.00	123.60
1400 x 500mm	293	560	300W	A, A+, B, D, E, F, G	41.0649	114.00	136.80
1400 x 600mm	340	649	300W	A, A+, B, D, E, F, G	41.0650	121.00	145.20
1400 x 750mm	407	778	450W	A, A+, B, D, E, F, G	41.0651	151.00	181.20

Wendover - Straight Matt Anthracite 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	237	444	300W	A, A+, B, D, E, F, G	41.0652	108.00	129.60
1600 x 400mm	289	551	300W	A, A+, B, D, E, F, G	41.0653	114.00	136.80
1600 x 500mm	346	657	450W	A, A+, B, D, E, F, G	41.0654	125.00	150.00
1600 x 600mm	398	763	450W	A, A+, B, D, E, F, G	41.0655	137.00	164.40
1600 x 750mm	491	915	600W	A, A+, B, D, E, F, G	41.0656	171.00	205.20

Wendover - Straight Matt Anthracite 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	261	489	300W	A, A+, B, D, E, F, G	41.0657	122.00	146.40
1800 x 400mm	326	615	300W	A, A+, B, D, E, F, G	41.0658	130.00	156.00
1800 x 500mm	391	741	450W	A, A+, B, D, E, F, G	41.0326	139.00	166.80
1800 x 600mm	459	868	600W	A, A+, B, D, E, F, G	41.0327	150.00	180.00
1800 x 750mm	561	1060	600W	A, A+, B, D, E, F, G	41.0659	191.00	229.20


Round Vent Caps

Page 369



Robe Hooks

Page 366



Towel Hangers

Page 366




Multi-Rail Hangers

Page 366



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WENDOVER - STRAIGHT MATT BLACK



Pictured 41.0670 Matt Black



Pictured 41.0681 Matt Black

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendoover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 372-373



Wendoover - Straight Matt Black 360mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	80	147	150W	A, A+, B	41.0660	50.00	60.00

Wendoover - Straight Matt Black 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	98	182	100W	A, A+, B, D, E, F, G	41.0661	58.00	69.60
600 x 400mm	120	220	150W	A, A+, B, D, E, F, G	41.0662	65.00	78.00
600 x 500mm	141	260	150W	A, A+, B, D, E, F, G	41.0663	69.00	82.80
600 x 600mm	163	299	150W	A, A+, B, D, E, F, G	41.0664	73.00	87.60
600 x 750mm	193	361	150W	A, A+, B, D, E, F, G	41.0665	83.00	99.60
600 x 1000mm	248	460	300W	A, A+, B, D, E, F, G	41.0666	119.00	142.80
600 x 1200mm	291	541	300W	A, A+, B, D, E, F, G	41.0667	130.00	156.00

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric




Dual-Fuel



360mm High



600mm High



Multirail Range

WENDOVER - STRAIGHT MATT BLACK

Wendover - Straight Matt Black 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	99	181	150W	A, A+, B, D, E, F, G	41.0668	70.00	84.00
800 x 400mm	152	281	150W	A, A+, B, D, E, F, G	41.0669	73.00	87.60
800 x 500mm	180	332	150W	A, A+, B, D, E, F, G	41.0670	79.00	94.80
800 x 600mm	204	386	150W	A, A+, B, D, E, F, G	41.0671	86.00	103.20
800 x 750mm	250	461	300W	A, A+, B, D, E, F, G	41.0672	104.00	124.80

Wendover - Straight Matt Black 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	149	277	150W	A, A+, B, D, E, F, G	41.0673	81.00	97.20
1000 x 400mm	184	343	150W	A, A+, B, D, E, F, G	41.0674	83.00	99.60
1000 x 500mm	219	408	150W	A, A+, B, D, E, F, G	41.0675	91.00	109.20
1000 x 600mm	254	472	300W	A, A+, B, D, E, F, G	41.0676	95.00	114.00
1000 x 750mm	303	565	300W	A, A+, B, D, E, F, G	41.0677	117.00	140.40

Wendover - Straight Matt Black 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	176	331	150W	A, A+, B, D, E, F, G	41.0678	92.00	110.40
1200 x 400mm	218	409	300W	A, A+, B, D, E, F, G	41.0679	96.00	115.20
1200 x 500mm	264	497	300W	A, A+, B, D, E, F, G	41.0680	100.00	120.00
1200 x 600mm	294*	560*	300W	A, A+, B, D, E, F, G	41.0681	107.00	128.40
1200 x 750mm	363	680	450W	A, A+, B, D, E, F, G	41.0682	138.00	165.60

* Further heat output information available on eastbrooktrade.com **E&OA**

Wendover - Straight Matt Black 1400mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	194	371	150W	A, A+, B, D, E, F, G	41.0683	98.00	117.60
1400 x 400mm	245	467	300W	A, A+, B, D, E, F, G	41.0684	103.00	123.60
1400 x 500mm	293	560	300W	A, A+, B, D, E, F, G	41.0685	114.00	136.80
1400 x 600mm	340	649	300W	A, A+, B, D, E, F, G	41.0686	121.00	145.20
1400 x 750mm	407	778	450W	A, A+, B, D, E, F, G	41.0687	151.00	181.20

Wendover - Straight Matt Black 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	237	444	300W	A, A+, B, D, E, F, G	41.0688	108.00	129.60
1600 x 400mm	289	551	300W	A, A+, B, D, E, F, G	41.0689	114.00	136.80
1600 x 500mm	346	657	450W	A, A+, B, D, E, F, G	41.0690	125.00	150.00
1600 x 600mm	398	763	450W	A, A+, B, D, E, F, G	41.0691	137.00	164.40
1600 x 750mm	491	915	600W	A, A+, B, D, E, F, G	41.0692	171.00	205.20

Wendover - Straight Matt Black 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	261	489	300W	A, A+, B, D, E, F, G	41.0693	122.00	146.40
1800 x 400mm	326	615	300W	A, A+, B, D, E, F, G	41.0694	130.00	156.00
1800 x 500mm	391	741	450W	A, A+, B, D, E, F, G	41.0695	139.00	166.80
1800 x 600mm	459	868	600W	A, A+, B, D, E, F, G	41.0696	150.00	180.00
1800 x 750mm	561	1060	600W	A, A+, B, D, E, F, G	41.0697	191.00	229.20

Round Vent Caps

Page 369



Robe Hooks

Page 366



Towel Hangers

Page 366



Multi-Rail Hangers

Page 366



TECHNICAL INFORMATION


All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75-95mm off the wall. Projection from wall 90-110mm. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WENDOVER - STRAIGHT BRUSHED BRASS

New Sizes Available August 2025



Pictured 41.0361 Brushed Brass

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendoover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

FEATURES

- 22mm diameter horizontal round tubes
- High quality PVD coating
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve
- 5 Year manufacturer's warranty*
- * With conditions

Technical Tables & Drawings

Page 372-373



Wendoover - Straight Brushed Brass 360mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	68	126	100W	A, A+, B	41.1170	99.00	118.80

Wendoover - Straight Brushed Brass 600mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	80	149	100W	A, A+, B	41.1171	140.00	168.00
600 x 400mm	78	150	100W	A, A+, B, D, E, F, G	41.0698	142.00	170.40
600 x 500mm	93	178	100W	A, A+, B, D, E, F, G	41.0699	146.00	175.20
600 x 600mm	108	207	150W	A, A+, B, D, E, F, G	41.0700	151.00	181.20
600 x 750mm	172	321	150W	A, A+, B, D, E, F, G	41.1172	176.00	211.20
600 x 1000mm	218	407	150W	A, A+, B, D, E, F, G	41.1173	209.00	250.80
600 x 1200mm	254	474	150W	A, A+, B, D, E, F, G	41.1174	225.00	270.00



Pictured 41.0363 Brushed Brass

Rear fixing wall brackets

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric




Dual-Fuel



360mm High



600mm High



Multirail Range

WENDOVER - STRAIGHT BRUSHED BRASS

Wendover - Straight Brushed Brass 800mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	102	192	100W	A, A+, B, D, E, F, G	41.1175	168.00	201.60
800 x 400mm	108	207	150W	A, A+, B, D, E, F, G	41.0701	177.00	212.40
800 x 500mm	128	246	150W	A, A+, B, D, E, F, G	41.0361	180.00	216.00
800 x 600mm	149	285	150W	A, A+, B, D, E, F, G	41.0362	192.00	230.40
800 x 750mm	219	412	150W	A, A+, B, D, E, F, G	41.1176	233.00	279.60

Wendover - Straight Brushed Brass 1000mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	125	236	150W	A, A+, B, D, E, F, G	41.1177	203.00	243.60
1000 x 400mm	127	245	150W	A, A+, B, D, E, F, G	41.0702	211.00	253.20
1000 x 500mm	151	290	150W	A, A+, B, D, E, F, G	41.0703	215.00	258.00
1000 x 600mm	186	344	150W	A, A+, B, D, E, F, G	41.0704	219.00	262.80
1000 x 750mm	268	508	300W	A, A+, B, D, E, F, G	41.1178	278.00	333.60


Wendover - Straight Brushed Brass 1200mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	148	284	150W	A, A+, B, D, E, F, G	41.1179	240.00	288.00
1200 x 400mm	157	301	150W	A, A+, B, D, E, F, G	41.0705	249.00	298.80
1200 x 500mm	186	357	150W	A, A+, B, D, E, F, G	41.0363	254.00	304.80
1200 x 600mm	216	414	300W	A, A+, B, D, E, F, G	41.0364	259.00	310.80
1200 x 750mm	319	609	300W	A, A+, B, D, E, F, G	41.1180	331.00	397.20

Wendover - Straight Brushed Brass 1400mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	173	334	150W	A, A+, B, D, E, F, G	41.1181	275.00	330.00
1400 x 400mm	177	339	150W	A, A+, B, D, E, F, G	41.0706	276.00	331.20
1400 x 500mm	209	401	300W	A, A+, B, D, E, F, G	41.0365	283.00	339.60
1400 x 600mm	241	463	300W	A, A+, B, D, E, F, G	41.0366	294.00	352.80
1400 x 750mm	372	717	300W	A, A+, B, D, E, F, G	41.1182	358.00	429.60

Wendover - Straight Brushed Brass 1600mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	200	388	150W	A, A+, B, D, E, F, G	41.1183	313.00	375.60
1600 x 400mm	206	396	300W	A, A+, B, D, E, F, G	41.0707	322.00	386.40
1600 x 500mm	244	469	300W	A, A+, B, D, E, F, G	41.0367	328.00	393.60
1600 x 600mm	282	542	300W	A, A+, B, D, E, F, G	41.0368	334.00	400.80
1600 x 750mm	429	833	450W	A, A+, B, D, E, F, G	41.1184	428.00	513.60

Wendover - Straight Brushed Brass 1800mm Height REDUCED PRICES							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	228	446	150W	A, A+, B, D, E, F, G	41.1185	353.00	423.60
1800 x 400mm	236	452	300W	A, A+, B, D, E, F, G	41.0708	360.00	432.00
1800 x 500mm	280	536	300W	A, A+, B, D, E, F, G	41.0369	366.00	439.20
1800 x 600mm	324	621	450W	A, A+, B, D, E, F, G	41.0370	375.00	450.00
1800 x 750mm	489	958	600W	A, A+, B, D, E, F, G	41.1186	480.00	576.00

Pictured 41.0732



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 59-69mm off the wall. Projection from wall 74-84mm. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WENDOVER - STRAIGHT, BLACK GOLD



Rear fixing wall brackets

Rear fixing wall brackets. Holographic finish, colour may vary depending on lighting.



A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

FEATURES

- 22mm diameter horizontal round tubes
 - High quality PVD coating
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - Can be single or dual fuel, or all electric
 - Comes with same colour blanking plug & bleed valve
 - 5 Year manufacturer's warranty*
- * With conditions

Technical Tables
& Drawings
Page 372-373



Warranty 5 Year	Diameter (Ø) 22 MM Bars	Heating 	All Electric 	Dual-Fuel
-------------------------------------	---	--------------------	-------------------------	----------------------

Wendover - Straight, Black Gold


Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	108	207	150W	A, A+, B, D, E, F, G	41.0856	185.00	222.00
800 x 500mm	128	246	150W	A, A+, B, D, E, F, G	41.0857	197.00	236.40
800 x 600mm	149	285	150W	A, A+, B, D, E, F, G	41.0858	205.00	246.00
1200 x 400mm	157	301	150W	A, A+, B, D, E, F, G	41.0859	269.00	322.80
1200 x 500mm	186	357	150W	A, A+, B, D, E, F, G	41.0860	282.00	338.40
1200 x 600mm	216	414	150W	A, A+, B, D, E, F, G	41.0861	294.00	352.80
1800 x 400mm	236	452	300W	A, A+, B, D, E, F, G	41.0862	402.00	482.40
1800 x 500mm	280	536	300W	A, A+, B, D, E, F, G	41.0863	412.00	494.40
1800 x 600mm	324	621	300W	A, A+, B, D, E, F, G	41.0864	431.00	517.20

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 59-69mm off the wall. Projection from wall 74-84mm. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

WENDOVER - STRAIGHT, BRUSHED GUNMETAL



A modern ladder towel rail, available in a vast array of sizes which is ideal for bathrooms. Wendover Straight range is available in chrome, brushed brass, gloss white, matt anthracite, matt black, black gold and brushed gunmetal along with matching radiator valves and pipe shrouds.

FEATURES

- 22mm diameter horizontal round tubes
- High quality PVD coating
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve
- 5 Year manufacturer's warranty*

* With conditions

Technical Tables & Drawings

Page 372-373



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



Wendover - Straight, Brushed Gunmetal

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	108	207	150W	A, A+, B, D, E, F, G	41.0865	221.00	265.20
800 x 500mm	128	246	150W	A, A+, B, D, E, F, G	41.0866	234.00	280.80
800 x 600mm	149	285	150W	A, A+, B, D, E, F, G	41.0867	244.00	292.80
1200 x 400mm	157	301	150W	A, A+, B, D, E, F, G	41.0868	321.00	385.20
1200 x 500mm	186	357	150W	A, A+, B, D, E, F, G	41.0869	335.00	402.00
1200 x 600mm	216	414	150W	A, A+, B, D, E, F, G	41.0870	350.00	420.00
1800 x 400mm	236	452	300W	A, A+, B, D, E, F, G	41.0871	479.00	574.80
1800 x 500mm	280	536	300W	A, A+, B, D, E, F, G	41.0872	492.00	590.40
1800 x 600mm	324	621	300W	A, A+, B, D, E, F, G	41.0873	513.00	615.60

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 59-69mm off the wall. Projection from wall 74-84mm. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT

Pictured 61.0082 Chrome



Warranty

5

Year

Diameter (Ø)

22

MM Bars

Pictured 61.0088 Gloss White



Heating



All Electric



Dual-Fuel



Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

FEATURES

- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings


Page 374-375




Multirail Range

BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT

Sleek, Minimalistic Tops



Rear Side Hidden Air Vent



Pictured 61.0079 Chrome



Biava Multirail Hidden Vent (HV) Straight - Chrome REDUCED PRICES

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	48	90	150W	B	61.0074	46.00	55.20
688 x 450mm	113	215	150W	A, A+, B, D, E, F, G	61.0075	68.00	81.60
688 x 600mm	144	274	150W	A, A+, B, D, E, F, G	61.0076	78.00	93.60
688 x 750mm	174	332	150W	A, A+, B, D, E, F, G	61.0077	87.00	104.40
1118 x 450mm	180	342	150W	A, A+, B, D, E, F, G	61.0078	100.00	120.00
1118 x 600mm	228	434	300W	A, A+, B, D, E, F, G	61.0079	114.00	136.80
1118 x 750mm	276	527	300W	A, A+, B, D, E, F, G	61.0080	125.00	150.00
1720 x 450mm	276	527	300W	A, A+, B, D, E, F, G	61.0081	135.00	162.00
1720 x 600mm	351	670	450W	A, A+, B, D, E, F, G	61.0082	157.00	188.40
1720 x 750mm	426	813	600W	A, A+, B, D, E, F, G	61.0083	180.00	216.00

Biava Multirail Hidden Vent (HV) Straight - Gloss White REDUCED PRICES

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	61	116	100W	A, A+, B, D, E, F, G	61.0084	39.00	46.80
688 x 450mm	144	274	150W	A, A+, B, D, E, F, G	61.0085	53.00	63.60
688 x 600mm	183	348	150W	A, A+, B, D, E, F, G	61.0086	58.00	69.60
688 x 750mm	222	423	300W	A, A+, B, D, E, F, G	61.0087	64.00	76.80
1118 x 450mm	228	434	300W	A, A+, B, D, E, F, G	61.0088	70.00	84.00
1118 x 600mm	290	552	300W	A, A+, B, D, E, F, G	61.0089	64.00	76.80
1118 x 750mm	351	670	450W	A, A+, B, D, E, F, G	61.0090	86.00	103.20
1720 x 450mm	351	670	450W	A, A+, B, D, E, F, G	61.0091	94.00	112.80
1720 x 600mm	446	851	600W	A, A+, B, D, E, F, G	61.0092	107.00	128.40
1720 x 750mm	542	1034	750W	A, A+, B, D, E, F, G	61.0093	120.00	144.00

Biava Multirail Hidden Vent (HV) Straight - Matt White REDUCED PRICES

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	61	116	100W	A, A+, B, D, E, F, G	61.0114	39.00	46.80
688 x 450mm	144	274	150W	A, A+, B, D, E, F, G	61.0115	53.00	63.60
688 x 600mm	183	348	150W	A, A+, B, D, E, F, G	61.0116	58.00	69.60
688 x 750mm	222	423	300W	A, A+, B, D, E, F, G	61.0117	64.00	76.80
1118 x 450mm	228	434	300W	A, A+, B, D, E, F, G	61.0118	70.00	84.00
1118 x 600mm	290	552	300W	A, A+, B, D, E, F, G	61.0119	78.00	93.60
1118 x 750mm	351	670	450W	A, A+, B, D, E, F, G	61.0120	86.00	103.20
1720 x 450mm	351	670	450W	A, A+, B, D, E, F, G	61.0121	94.00	112.80
1720 x 600mm	446	851	600W	A, A+, B, D, E, F, G	61.0122	107.00	128.40
1720 x 750mm	542	1034	750W	A, A+, B, D, E, F, G	61.0123	120.00	144.00

* Further heat output information available on eastbrooktrade.com **E&OA**


Multi-Rail Hangers
Page 366



Towel Hangers
Page 366



Robe Hooks
Page 366



Room Divider Bracket Sets
Page 367



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1720mm High



1118mm High



688mm High



360mm High



Multirail Range

BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT, MATT ANTHRACITE

Heating



All Electric




Dual-Fuel



Sleek, Minimalistic Tops



Rear Side Hidden Air Vent



Pictured 61.0095 Matt Anthracite



Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

FEATURES

- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Technical Tables
& Drawings
Page 374-375



Pictured 61.0099 Matt Anthracite

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Biava Multirail Hidden Vent (HV) Straight - Matt Anthracite

REDUCED PRICES


Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	61	116	100W	A, A+, B, D, E, F, G	61.0094	39.00	46.80
688 x 450mm	144	274	150W	A, A+, B, D, E, F, G	61.0095	53.00	63.60
688 x 600mm	183	348	150W	A, A+, B, D, E, F, G	61.0096	58.00	69.60
688 x 750mm	222	423	300W	A, A+, B, D, E, F, G	61.0097	64.00	76.80
1118 x 450mm	228	434	300W	A, A+, B, D, E, F, G	61.0098	70.00	84.00
1118 x 600mm	290	552	300W	A, A+, B, D, E, F, G	61.0099	78.00	93.60
1118 x 750mm	351	670	450W	A, A+, B, D, E, F, G	61.0100	86.00	103.20
1720 x 450mm	351	670	450W	A, A+, B, D, E, F, G	61.0101	94.00	112.80
1720 x 600mm	446	851	600W	A, A+, B, D, E, F, G	61.0102	107.00	128.40
1720 x 750mm	542	1034	750W	A, A+, B, D, E, F, G	61.0103	120.00	144.00

* Further heat output information available on eastbrooktrade.com E&OA


Multirail Range

BIAVA MULTIRAIL HIDDEN VENT (HV), STRAIGHT, MATT BLACK

Sleek, Minimalistic Tops



Rear Side Hidden Air Vent



Pictured 61.0108 Matt Black



Biava Multirail HV towel rail rewrites the standards with the air vent hidden at the back of the towel rail and flush finished tops.

FEATURES

- Tested to BS EN 442 standards
- Hidden air vent at the rear
- Tappings only at the bottom
- Flush finished tops
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Biava Multirail Hidden Vent (HV) Straight - Matt Black

REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360 x 400mm	61	116	100W	A, A+, B, D, E, F, G	61.0104	39.00	46.80
688 x 450mm	144	274	150W	A, A+, B, D, E, F, G	61.0105	53.00	63.60
688 x 600mm	183	348	150W	A, A+, B, D, E, F, G	61.0106	58.00	69.60
688 x 750mm	222	423	300W	A, A+, B, D, E, F, G	61.0107	64.00	76.80
1118 x 450mm	228	434	300W	A, A+, B, D, E, F, G	61.0108	70.00	84.00
1118 x 600mm	290	552	300W	A, A+, B, D, E, F, G	61.0109	78.00	93.60
1118 x 750mm	351	670	450W	A, A+, B, D, E, F, G	61.0110	86.00	103.20
1720 x 450mm	351	670	450W	A, A+, B, D, E, F, G	61.0111	94.00	112.80
1720 x 600mm	446	851	600W	A, A+, B, D, E, F, G	61.0112	107.00	128.40
1720 x 750mm	542	1034	750W	A, A+, B, D, E, F, G	61.0113	120.00	144.00

* Further heat output information available on eastbrooktrade.com E&OA

Heating



All Electric



Dual-Fuel



Pictured 61.0112 Matt Black

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 70-85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

WINGRAVE - STRAIGHT, CHROME



Pictured 89.1449 Chrome

Pictured 89.0095 Chrome

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric


*With conditions

Technical Tables & Drawings


Page 374-375



600mm High



800mm High



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

WINGRAVE - STRAIGHT, CHROME

Wingrave - Straight Chrome 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	56	105	100W	A, A+	89.0686	90.00	108.00
600 x 400mm	71	133	100W	A, A+	89.0687	96.00	115.20
600 x 500mm	85	160	100W	A, A+, B, D, E, F, G	89.0688	107.00	128.40
600 x 600mm	99	186	150W	A, A+, B, D, E, F, G	89.0689	118.00	141.60
600 x 1000mm	150	283	150W	A, A+, B, D, E, F, G	89.1449	191.00	229.20
600 x 1200mm	175	330	150W	A, A+, B, D, E, F, G	89.1450	210.00	252.00

Wingrave - Straight Chrome 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	72	136	150W	B, D, E, F, G	89.0690	96.00	115.20
800 x 400mm	91	172	150W	A, A+, B, D, E, F, G	89.0083	101.00	121.20
800 x 500mm	109	207	150W	A, A+, B, D, E, F, G	89.0088	116.00	139.20
800 x 600mm	127	241	150W	A, A+, B, D, E, F, G	89.0093	126.00	151.20

Wingrave - Straight Chrome 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	88	168	150W	A, A+, B, D, E, F, G	89.0691	112.00	134.40
1000 x 400mm	112	214	150W	A, A+, B, D, E, F, G	89.0084	121.00	145.20
1000 x 500mm	135	257	150W	A, A+, B, D, E, F, G	89.0089	135.00	162.00
1000 x 600mm	156	299	150W	A, A+, B, D, E, F, G	89.0094	146.00	175.20

Wingrave - Straight Chrome 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	105	203	150W	A, A+, B, D, E, F, G	89.0692	131.00	157.20
1200 x 400mm	134	257	150W	A, A+, B, D, E, F, G	89.0085	139.00	166.80
1200 x 500mm	161	309	150W	A, A+, B, D, E, F, G	89.0090	156.00	187.20
1200 x 600mm	187	359	300W	A, A+, B, D, E, F, G	89.0095	174.00	208.80

Wingrave - Straight Chrome 1400mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	123	239	150W	A, A+, B, D, E, F, G	89.0693	168.00	201.60
1400 x 400mm	156	303	150W	A, A+, B, D, E, F, G	89.0530	178.00	213.60
1400 x 500mm	188	364	150W	A, A+, B, D, E, F, G	89.0531	193.00	231.60
1400 x 600mm	219	424	300W	A, A+, B, D, E, F, G	89.0532	208.00	249.60

Wingrave - Straight Chrome 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	142	277	150W	A, A+, B, D, E, F, G	89.0694	174.00	208.80
1600 x 400mm	180	352	150W	A, A+, B, D, E, F, G	89.0086	185.00	222.00
1600 x 500mm	217	423	300W	A, A+, B, D, E, F, G	89.0091	203.00	243.60
1600 x 600mm	252	492	300W	A, A+, B, D, E, F, G	89.0096	219.00	262.80

Wingrave - Straight Chrome 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	163	318	150W	A, A+, B, D, E, F, G	89.0695	192.00	230.40
1800 x 400mm	206	404	300W	A, A+, B, D, E, F, G	89.0087	205.00	246.00
1800 x 500mm	247	486	300W	A, A+, B, D, E, F, G	89.0092	229.00	274.80
1800 x 600mm	288	565	450W	A, A+, B, D, E, F, G	89.0097	246.00	295.20

Tube Diameter
22mm



Room Divider Bracket Sets
Page 367



Robe Hooks & Hangers
Page 366



Multi-Rail Hangers
Page 366



Vent Caps
Page 369



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1000mm High



1200mm High



1400mm High



1600mm High



1800mm High



Multirail Range

WINGRAVE - STRAIGHT, GLOSS WHITE



Pictured 89.0127 Gloss White

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions


Technical Tables & Drawings

Page 374-375



Pictured 89.0122 Gloss White with 16.153 Room Divider Bracket Set

600mm High



800mm High



Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

WINGRAVE - STRAIGHT, GLOSS WHITE

Wingrave - Straight Gloss White 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	87	163	100W	A, A+, B, D, E, F, G	89.0646	60.00	72.00
600 x 400mm	110	206	150W	A, A+, B, D, E, F, G	89.0647	61.00	73.20
600 x 500mm	132	247	150W	A, A+, B, D, E, F, G	89.0648	65.00	78.00
600 x 600mm	153	286	150W	A, A+, B, D, E, F, G	89.0649	69.00	82.80
600 x 1000mm	231	434	300W	A, A+, B, D, E, F, G	89.1439	125.00	150.00
600 x 1200mm	268	503	300W	A, A+, B, D, E, F, G	89.1440	137.00	164.40

Wingrave - Straight Gloss White 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	113	213	150W	A, A+, B, D, E, F, G	89.0650	61.00	73.20
800 x 400mm	143	269	150W	A, A+, B, D, E, F, G	89.0113	69.00	82.80
800 x 500mm	171	322	150W	A, A+, B, D, E, F, G	89.0118	73.00	87.60
800 x 600mm	198	374	300W	A, A+, B, D, E, F, G	89.0123	78.00	93.60

Wingrave - Straight Gloss White 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	139	264	150W	A, A+, B, D, E, F, G	89.0651	69.00	82.80
1000 x 400mm	176	333	150W	A, A+, B, D, E, F, G	89.0114	78.00	93.60
1000 x 500mm	211	400	300W	A, A+, B, D, E, F, G	89.0119	84.00	100.80
1000 x 600mm	245	464	300W	A, A+, B, D, E, F, G	89.0124	89.00	106.80

Wingrave - Straight Gloss White 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	167	317	150W	A, A+, B, D, E, F, G	89.0652	79.00	94.80
1200 x 400mm	210	400	300W	A, A+, B, D, E, F, G	89.0115	89.00	106.80
1200 x 500mm	252	480	300W	A, A+, B, D, E, F, G	89.0120	92.00	110.40
1200 x 600mm	293	557	300W	A, A+, B, D, E, F, G	89.0125	100.00	120.00

Wingrave - Straight Gloss White 1400mm Height


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	195	372	150W	A, A+, B, D, E, F, G	89.0653	96.00	115.20
1400 x 400mm	246	470	300W	A, A+, B, D, E, F, G	89.0536	102.00	122.40
1400 x 500mm	295	564	300W	A, A+, B, D, E, F, G	89.0537	110.00	132.00
1400 x 600mm	342	654	450W	A, A+, B, D, E, F, G	89.0538	121.00	145.20

Wingrave - Straight Gloss White 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	224	429	300W	A, A+, B, D, E, F, G	89.0654	97.00	116.40
1600 x 400mm	283	543	300W	A, A+, B, D, E, F, G	89.0116	107.00	128.40
1600 x 500mm	339	651	450W	A, A+, B, D, E, F, G	89.0121	118.00	141.60
1600 x 600mm	393	755	450W	A, A+, B, D, E, F, G	89.0126	126.00	151.20

Wingrave - Straight Gloss White 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	254	490	300W	A, A+, B, D, E, F, G	89.0655	107.00	128.40
1800 x 400mm	321	619	450W	A, A+, B, D, E, F, G	89.0117	121.00	145.20
1800 x 500mm	385	742	450W	A, A+, B, D, E, F, G	89.0122	137.00	164.40
1800 x 600mm	446	861	600W	A, A+, B, D, E, F, G	89.0127	138.00	165.60



Vent Caps
Page 369



Multi-Rail Hangers
Page 366



Robe Hooks & Hangers
Page 366



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, MATT WHITE



Pictured 89.0066 Matt White

Pictured 89.1441 Matt White

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 374-375



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating




All Electric



Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT WHITE

Wingrave - Straight Matt White 600mm Height


Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	87	163	100W	A, A+, B, D, E, F, G	89.0656	61.00	73.20
600 x 400mm	110	206	150W	A, A+, B, D, E, F, G	89.0657	63.00	75.60
600 x 500mm	132	247	150W	A, A+, B, D, E, F, G	89.0658	69.00	82.80
600 x 600mm	153	286	150W	A, A+, B, D, E, F, G	89.0659	72.00	82.80
600 x 1000mm	231	434	300W	A, A+, B, D, E, F, G	89.1441	125.00	150.00
600 x 1200mm	268	503	300W	A, A+, B, D, E, F, G	89.1442	137.00	164.40

Wingrave - Straight Matt White 800mm Height

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	113	213	150W	A, A+, B, D, E, F, G	89.0660	63.00	75.60
800 x 400mm	143	269	150W	A, A+, B, D, E, F, G	89.0053	74.00	88.80
800 x 500mm	171	322	150W	A, A+, B, D, E, F, G	89.0058	80.00	96.00
800 x 600mm	198	374	300W	A, A+, B, D, E, F, G	89.0063	84.00	100.80

Wingrave - Straight Matt White 1000mm Height

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	139	264	150W	A, A+, B, D, E, F, G	89.0661	72.00	86.40
1000 x 400mm	176	333	150W	A, A+, B, D, E, F, G	89.0054	84.00	100.80
1000 x 500mm	211	400	300W	A, A+, B, D, E, F, G	89.0059	90.00	108.00
1000 x 600mm	245	464	300W	A, A+, B, D, E, F, G	89.0064	97.00	116.40



Vent Caps

Page 369



Wingrave - Straight Matt White 1200mm Height

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	167	317	150W	A, A+, B, D, E, F, G	89.0662	83.00	99.60
1200 x 400mm	210	400	300W	A, A+, B, D, E, F, G	89.0055	97.00	116.40
1200 x 500mm	252	480	300W	A, A+, B, D, E, F, G	89.0060	101.00	121.20
1200 x 600mm	293	557	300W	A, A+, B, D, E, F, G	89.0065	109.00	130.80

Wingrave - Straight Matt White 1400mm Height

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	195	372	150W	A, A+, B, D, E, F, G	89.0663	96.00	115.20
1400 x 400mm	246	470	300W	A, A+, B, D, E, F, G	89.0539	109.00	130.80
1400 x 500mm	295	564	300W	A, A+, B, D, E, F, G	89.0540	118.00	141.60
1400 x 600mm	342	654	450W	A, A+, B, D, E, F, G	89.0541	126.00	151.20

Wingrave - Straight Matt White 1600mm Height

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	224	429	300W	A, A+, B, D, E, F, G	89.0664	100.00	120.00
1600 x 400mm	283	543	300W	A, A+, B, D, E, F, G	89.0056	119.00	142.80
1600 x 500mm	339	651	450W	A, A+, B, D, E, F, G	89.0061	128.00	153.60
1600 x 600mm	393	755	450W	A, A+, B, D, E, F, G	89.0066	135.00	162.00

Wingrave - Straight Matt White 1800mm Height

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	254	490	300W	A, A+, B, D, E, F, G	89.0665	112.00	134.40
1800 x 400mm	321	619	450W	A, A+, B, D, E, F, G	89.0057	130.00	156.00
1800 x 500mm	385	742	450W	A, A+, B, D, E, F, G	89.0062	153.00	183.60
1800 x 600mm	446	861	600W	A, A+, B, D, E, F, G	89.0067	154.00	184.80

Multi-Rail Hangers

Page 366




Robe Hooks & Hangers

Page 366



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, MATT ANTHRACITE



Pictured 89.1446 Matt Anthracite

Pictured 89.0074 Matt Anthracite

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES


- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions


**Technical Tables
& Drawings**
Page 374-375



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT ANTHRACITE

Wingrave - Straight Matt Anthracite 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	87	163	100W	A, A+, B, D, E, F, G	89.0666	61.00	73.20
600 x 400mm	110	206	150W	A, A+, B, D, E, F, G	89.0667	63.00	75.60
600 x 500mm	132	247	150W	A, A+, B, D, E, F, G	89.0668	69.00	82.80
600 x 600mm	153	286	150W	A, A+, B, D, E, F, G	89.0669	72.00	86.40
600 x 1000mm	231	434	300W	A, A+, B, D, E, F, G	89.1445	125.00	150.00
600 x 1200mm	268	503	300W	A, A+, B, D, E, F, G	89.1446	137.00	164.40

Wingrave - Straight Matt Anthracite 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	113	213	150W	A, A+, B, D, E, F, G	89.0670	63.00	75.60
800 x 400mm	143	269	150W	A, A+, B, D, E, F, G	89.0668	74.00	88.80
800 x 500mm	171	322	150W	A, A+, B, D, E, F, G	89.0073	80.00	96.00
800 x 600mm	198	374	300W	A, A+, B, D, E, F, G	89.0078	84.00	100.80

Wingrave - Straight Matt Anthracite 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	139	264	150W	A, A+, B, D, E, F, G	89.0671	72.00	86.40
1000 x 400mm	176	333	150W	A, A+, B, D, E, F, G	89.0069	84.00	100.80
1000 x 500mm	211	400	300W	A, A+, B, D, E, F, G	89.0074	90.00	108.00
1000 x 600mm	245	464	300W	A, A+, B, D, E, F, G	89.0079	97.00	116.40

Wingrave - Straight Matt Anthracite 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	167	317	150W	A, A+, B, D, E, F, G	89.0672	83.00	99.60
1200 x 400mm	210	400	300W	A, A+, B, D, E, F, G	89.0070	97.00	116.40
1200 x 500mm	252	480	300W	A, A+, B, D, E, F, G	89.0075	101.00	121.20
1200 x 600mm	293	557	300W	A, A+, B, D, E, F, G	89.0080	109.00	130.80

Wingrave - Straight Matt Anthracite 1400mm Height


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	195	372	150W	A, A+, B, D, E, F, G	89.0673	96.00	115.20
1400 x 400mm	246	470	300W	A, A+, B, D, E, F, G	89.0533	109.00	130.80
1400 x 500mm	295	564	300W	A, A+, B, D, E, F, G	89.0534	118.00	141.60
1400 x 600mm	342	654	450W	A, A+, B, D, E, F, G	89.0535	126.00	151.20

Wingrave - Straight Matt Anthracite 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	224	429	300W	A, A+, B, D, E, F, G	89.0674	100.00	120.00
1600 x 400mm	283	543	300W	A, A+, B, D, E, F, G	89.0071	119.00	142.80
1600 x 500mm	339	651	450W	A, A+, B, D, E, F, G	89.0076	128.00	153.60
1600 x 600mm	393	755	450W	A, A+, B, D, E, F, G	89.0081	135.00	162.00

Wingrave - Straight Matt Anthracite 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	254	490	300W	A, A+, B, D, E, F, G	89.0675	112.00	134.40
1800 x 400mm	321	619	450W	A, A+, B, D, E, F, G	89.0072	130.00	156.00
1800 x 500mm	385	742	450W	A, A+, B, D, E, F, G	89.0077	153.00	183.60
1800 x 600mm	446	861	600W	A, A+, B, D, E, F, G	89.0082	154.00	184.80



Robe Hooks & Hangers

Page 366



Multi-Rail Hangers

Page 366




Vent Caps

Page 369




TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, MATT BLACK



Pictured 89.1447 Matt Black

Pictured 89.0606 Matt Black

A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

**Technical Tables
& Drawings**
Page 374-375



Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric




Dual-Fuel



600mm High



800mm High



Multirail Range

WINGRAVE - STRAIGHT, MATT BLACK

Wingrave - Straight Matt Black 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	87	163	100W	A, A+, B, D, E, F, G	89.0676	61.00	73.20
600 x 400mm	110	206	150W	A, A+, B, D, E, F, G	89.0677	63.00	75.60
600 x 500mm	132	247	150W	A, A+, B, D, E, F, G	89.0678	69.00	82.80
600 x 600mm	153	286	150W	A, A+, B, D, E, F, G	89.0679	72.00	86.40
600 x 1000mm	231	434	300W	A, A+, B, D, E, F, G	89.1447	125.00	150.00
600 x 1200mm	268	503	300W	A, A+, B, D, E, F, G	89.1448	137.00	164.40

Wingrave - Straight Matt Black 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	113	213	150W	A, A+, B, D, E, F, G	89.0680	63.00	75.60
800 x 400mm	143	269	150W	A, A+, B, D, E, F, G	89.0596	74.00	88.80
800 x 500mm	171	322	150W	A, A+, B, D, E, F, G	89.0597	80.00	96.00
800 x 600mm	198	374	300W	A, A+, B, D, E, F, G	89.0598	84.00	100.80

Wingrave - Straight Matt Black 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	139	264	150W	A, A+, B, D, E, F, G	89.0681	72.00	86.40
1000 x 400mm	176	333	150W	A, A+, B, D, E, F, G	89.0599	84.00	100.80
1000 x 500mm	211	400	300W	A, A+, B, D, E, F, G	89.0600	90.00	108.00
1000 x 600mm	245	464	300W	A, A+, B, D, E, F, G	89.0601	97.00	116.40

Wingrave - Straight Matt Black 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	167	317	150W	A, A+, B, D, E, F, G	89.0682	83.00	99.60
1200 x 400mm	210	400	300W	A, A+, B, D, E, F, G	89.0602	97.00	116.40
1200 x 500mm	252	480	300W	A, A+, B, D, E, F, G	89.0603	101.00	121.20
1200 x 600mm	293	557	300W	A, A+, B, D, E, F, G	89.0604	109.00	130.80

Wingrave - Straight Matt Black 1400mm Height


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	195	372	150W	A, A+, B, D, E, F, G	89.0683	96.00	115.20
1400 x 400mm	246	470	300W	A, A+, B, D, E, F, G	89.0605	109.00	130.80
1400 x 500mm	295	564	300W	A, A+, B, D, E, F, G	89.0606	118.00	141.60
1400 x 600mm	342	654	450W	A, A+, B, D, E, F, G	89.0607	126.00	151.20

Wingrave - Straight Matt Black 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	224	429	300W	A, A+, B, D, E, F, G	89.0684	100.00	120.00
1600 x 400mm	283	543	300W	A, A+, B, D, E, F, G	89.0608	119.00	142.80
1600 x 500mm	339	651	450W	A, A+, B, D, E, F, G	89.0609	128.00	153.60
1600 x 600mm	393	755	450W	A, A+, B, D, E, F, G	89.0610	135.00	162.00

Wingrave - Straight Matt Black 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	254	490	300W	A, A+, B, D, E, F, G	89.0685	112.00	134.40
1800 x 400mm	321	619	450W	A, A+, B, D, E, F, G	89.0611	130.00	156.00
1800 x 500mm	385	742	450W	A, A+, B, D, E, F, G	89.0612	153.00	183.60
1800 x 600mm	446	861	600W	A, A+, B, D, E, F, G	89.0613	154.00	184.80




Vent Caps

Page 369



Multi-Rail Hangers

Page 366




Robe Hooks & Hangers

Page 366



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

WINGRAVE - STRAIGHT, MATT GREY



A contemporary straight towel radiator range which comes in chrome, matt anthracite, matt cobalt blue, matt black, matt grey, gloss white and matt white finishes. With a wide variety of sizes, this range not only adds to your bathroom with design simplicity but also keeps your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Wide range of sizes to fit in all spaces
- Horizontal sizes to fit under windows
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 374-375



Warranty
5
 Year

Diameter (Ø)
22
 MM Bars

Heating

All Electric

Dual-Fuel



Wingrave - Straight Matt Grey 600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	87	163	100W	A, A+, B, D, E, F, G	89.1411	61.00	73.20
600 x 400mm	110	206	150W	A, A+, B, D, E, F, G	89.1412	63.00	75.60
600 x 500mm	132	247	150W	A, A+, B, D, E, F, G	89.1413	69.00	82.80
600 x 600mm	153	286	150W	A, A+, B, D, E, F, G	89.1414	72.00	86.40
600 x 1000mm	231	434	300W	A, A+, B, D, E, F, G	89.1443	125.00	150.00
600 x 1200mm	268	503	300W	A, A+, B, D, E, F, G	89.1444	137.00	164.40

Wingrave - Straight Matt Grey 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 300mm	113	213	150W	A, A+, B, D, E, F, G	89.1415	63.00	75.60
800 x 400mm	143	269	150W	A, A+, B, D, E, F, G	89.1416	74.00	88.80
800 x 500mm	171	322	150W	A, A+, B, D, E, F, G	89.1417	80.00	96.00
800 x 600mm	198	374	300W	A, A+, B, D, E, F, G	89.1418	84.00	100.80

Wingrave - Straight Matt Grey 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 300mm	139	264	150W	A, A+, B, D, E, F, G	89.1419	72.00	86.40
1000 x 400mm	176	333	150W	A, A+, B, D, E, F, G	89.1420	84.00	100.80
1000 x 500mm	211	400	300W	A, A+, B, D, E, F, G	89.1421	90.00	108.00
1000 x 600mm	245	464	300W	A, A+, B, D, E, F, G	89.1422	97.00	116.40

Wingrave - Straight Matt Grey 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 300mm	167	317	150W	A, A+, B, D, E, F, G	89.1423	83.00	99.60
1200 x 400mm	210	400	300W	A, A+, B, D, E, F, G	89.1424	97.00	116.40
1200 x 500mm	252	480	300W	A, A+, B, D, E, F, G	89.1425	101.00	121.20
1200 x 600mm	293	557	300W	A, A+, B, D, E, F, G	89.1426	109.00	130.80

Wingrave - Straight Matt Grey 1400mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 300mm	195	372	150W	A, A+, B, D, E, F, G	89.1427	96.00	115.20
1400 x 400mm	246	470	300W	A, A+, B, D, E, F, G	89.1428	109.00	130.80
1400 x 500mm	295	564	300W	A, A+, B, D, E, F, G	89.1429	118.00	141.60
1400 x 600mm	342	654	450W	A, A+, B, D, E, F, G	89.1430	126.00	151.20

Wingrave - Straight Matt Grey 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 300mm	224	429	300W	A, A+, B, D, E, F, G	89.1431	100.00	120.00
1600 x 400mm	283	543	300W	A, A+, B, D, E, F, G	89.1432	119.00	142.80
1600 x 500mm	339	651	450W	A, A+, B, D, E, F, G	89.1433	128.00	153.60
1600 x 600mm	393	755	450W	A, A+, B, D, E, F, G	89.1434	135.00	162.00

Wingrave - Straight Matt Grey 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	254	490	300W	A, A+, B, D, E, F, G	89.1435	112.00	134.40
1800 x 400mm	321	619	450W	A, A+, B, D, E, F, G	89.1436	130.00	156.00
1800 x 500mm	385	742	450W	A, A+, B, D, E, F, G	89.1437	153.00	183.60
1800 x 600mm	446	861	600W	A, A+, B, D, E, F, G	89.1438	154.00	184.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

WINGRAVE - STRAIGHT, MATT COBALT BLUE



Pictured 89.1607 Matt Cobalt Blue

A modern towel rail in a stunning matt cobalt blue finish. This rail will add a touch of class to finish off your bathroom.

FEATURES

- 22mm diameter horizontal round tubes
 - Wide range of sizes to fit in all spaces
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 374-375



Pictured 89.1602 Matt Cobalt Blue

Tube Diameter
22mm

I I I

Wingrave - Straight Matt Cobalt Blue

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	252	480	300W	A, A+, B, D, E, F, G	89.1602	101.00	121.20
1200 x 600mm	293	557	300W	A, A+, B, D, E, F, G	89.1603	109.00	130.80
1600 x 500mm	339	651	450W	A, A+, B, D, E, F, G	89.1604	128.00	153.60
1600 x 600mm	393	755	450W	A, A+, B, D, E, F, G	89.1605	135.00	162.00
1800 x 500mm	385	742	450W	A, A+, B, D, E, F, G	89.1606	153.00	183.60
1800 x 600mm	446	861	600W	A, A+, B, D, E, F, G	89.1607	154.00	184.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric




Dual-Fuel



Multirail Range

WINGRAVE - CURVED CHROME

Technical Tables
& Drawings
Page 374-375



Pictured 89.0392 Chrome

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



A high quality contemporary range available in a curved design and chrome finish. Available with robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

D Shape Vent Caps

Page 369



Radiator Valves

Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Wingrave - Curved Chrome 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	91	172	150W	A, A+, B, D, E, F, G	89.0384	107.00	128.40
800 x 500mm	108	207	150W	A, A+, B, D, E, F, G	89.0385	124.00	148.80
800 x 600mm	127	241	150W	A, A+, B, D, E, F, G	89.0386	132.00	158.40

Wingrave - Curved Chrome 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 400mm	112	214	150W	A, A+, B, D, E, F, G	89.0387	128.00	153.60
1000 x 500mm	135	257	150W	A, A+, B, D, E, F, G	89.0388	139.00	166.80
1000 x 600mm	156	299	150W	A, A+, B, D, E, F, G	89.0389	155.00	186.00

Wingrave - Curved Chrome 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	134	257	150W	A, A+, B, D, E, F, G	89.0390	149.00	178.80
1200 x 500mm	161	309	150W	A, A+, B, D, E, F, G	89.0391	164.00	196.80
1200 x 600mm	187	359	300W	A, A+, B, D, E, F, G	89.0392	182.00	218.40

Wingrave - Curved Chrome 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 400mm	180	352	150W	A, A+, B, D, E, F, G	89.0393	194.00	232.80
1600 x 500mm	217	423	300W	A, A+, B, D, E, F, G	89.0394	213.00	255.60
1600 x 600mm	252	492	300W	A, A+, B, D, E, F, G	89.0395	231.00	277.20

Wingrave - Curved Chrome 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	206	404	300W	A, A+, B, D, E, F, G	89.0396	217.00	260.40
1800 x 500mm	257	486	300W	A, A+, B, D, E, F, G	89.0397	240.00	288.00
1800 x 600mm	288	565	450W	A, A+, B, D, E, F, G	89.0398	258.00	309.60

Multirail Range

WINGRAVE - CURVED GLOSS WHITE

Technical Tables
& Drawings
Page 374-375



Pictured 89.0704 Gloss White

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel



A high quality contemporary range available in a curved gloss white finish. Available with robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Radiator Valves

Page 350-365



D Shape Vent Caps

Page 369



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Wingrave - Curved Gloss White 800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	143	269	150W	A, A+, B, D, E, F, G	89.0696	72.00	86.40
800 x 500mm	171	322	150W	A, A+, B, D, E, F, G	89.0697	78.00	93.60
800 x 600mm	198	374	300W	A, A+, B, D, E, F, G	89.0698	83.00	99.60

Wingrave - Curved Gloss White 1000mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 400mm	176	333	150W	A, A+, B, D, E, F, G	89.0699	83.00	99.60
1000 x 500mm	211	400	300W	A, A+, B, D, E, F, G	89.0700	89.00	106.80
1000 x 600mm	245	464	300W	A, A+, B, D, E, F, G	89.0701	92.00	110.40

Wingrave - Curved Gloss White 1200mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	210	400	300W	A, A+, B, D, E, F, G	89.0702	92.00	110.40
1200 x 500mm	252	480	300W	A, A+, B, D, E, F, G	89.0703	98.00	117.60
1200 x 600mm	293	557	300W	A, A+, B, D, E, F, G	89.0704	103.00	123.60

Wingrave - Curved Gloss White 1600mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 400mm	283	543	300W	A, A+, B, D, E, F, G	89.0705	113.00	135.60
1600 x 500mm	339	651	450W	A, A+, B, D, E, F, G	89.0706	125.00	150.00
1600 x 600mm	393	755	450W	A, A+, B, D, E, F, G	89.0707	132.00	158.40

Wingrave - Curved Gloss White 1800mm Height

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	321	619	450W	A, A+, B, D, E, F, G	89.0708	128.00	153.60
1800 x 500mm	385	742	450W	A, A+, B, D, E, F, G	89.0709	144.00	172.80
1800 x 600mm	446	861	600W	A, A+, B, D, E, F, G	89.0710	146.00	175.20

Multirail Range

BIAVA MULTIRAIL - STRAIGHT GLOSS WHITE



Pictured 41.0278 Gloss White

BIAVA MULTIRAIL - STRAIGHT CHROME



Pictured 41.0272 Chrome

Biava Multirail - Straight Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	80	147	100W	A, A+, B, D, E, F, G	41.0278	62.00	74.40
688x450mm	146	269	150W	A, A+, B, D, E, F, G	41.0279	112.00	134.40
688x600mm	183	336	150W	A, A+, B, D, E, F, G	41.0280	116.00	139.20
688x750mm	219	403	300W	A, A+, B, D, E, F, G	41.0281	119.00	142.80
1118x450mm	223	418	300W	A, A+, B, D, E, F, G	41.0282	135.00	162.00
1118x600mm	281	525	300W	A, A+, B, D, E, F, G	41.0283	138.00	165.60
1118x750mm	339	633	450W	A, A+, B, D, E, F, G	41.0284	150.00	180.00
1720x450mm	348*	668*	450W	A, A+, B, D, E, F, G	41.0285	187.00	224.40
1720x600mm	443*	850*	600W	A, A+, B, D, E, F, G	41.0286	195.00	234.00
1720x750mm	526	1001	750W	A, A+, B, D, E, F, G	41.0287	208.00	249.60

* Further heat output information available on eastbrooktrade.com **E&OA**

A high quality contemporary range available in straight and curved designs, and gloss white or chrome finishes. Available with towel hangers or robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 376-377



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Biava Multirail - Straight Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	54	104	150W	B	41.0268	100.00	120.00
688x450mm	101	192	150W	A, A+, B, D, E, F, G	41.0269	207.00	248.40
688x600mm	123	238	150W	A, A+, B, D, E, F, G	41.0270	231.00	277.20
688x750mm	152	287	150W	A, A+, B, D, E, F, G	41.0271	258.00	309.60
1118x450mm	172	293	150W	A, A+, B, D, E, F, G	41.0272	259.00	310.80
1118x600mm	192	368	300W	A, A+, B, D, E, F, G	41.0273	283.00	339.60
1118x750mm	231	442	300W	A, A+, B, D, E, F, G	41.0274	306.00	367.20
1720x450mm	275*	528*	300W	A, A+, B, D, E, F, G	41.0275	359.00	430.80
1720x600mm	350*	671*	450W	A, A+, B, D, E, F, G	41.0276	372.00	446.40
1720x750mm	425	674	600W	A, A+, B, D, E, F, G	41.0277	405.00	486.00

* Further heat output information available on eastbrooktrade.com **E&OA**

Warranty

5
Year

Diameter (Ø)

22
MM Bars

Heating



All Electric



Dual-Fuel




Robe Hooks

Page 366



Multi-Rail Hangers

Page 366



Multirail Range

BIAVA MULTIRAIL - CURVED CHROME



Pictured 41.0296 Chrome

Biava Multirail - Curved Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	47	91	150W	B	41.0288	96.00	115.20
688x450mm	114	218	150W	A, A+, B, D, E, F, G	41.0289	229.00	274.80
688x600mm	144	277	150W	A, A+, B, D, E, F, G	41.0290	257.00	308.40
688x750mm	175	336	150W	A, A+, B, D, E, F, G	41.0291	283.00	339.60
1118x450mm	181	347	150W	A, A+, B, D, E, F, G	41.0292	284.00	340.80
1118x600mm	229	439	300W	A, A+, B, D, E, F, G	41.0293	308.00	369.60
1118x750mm	277	532	300W	A, A+, B, D, E, F, G	41.0294	339.00	406.80
1720x450mm	352	607	300W	A, A+, B, D, E, F, G	41.0295	404.00	484.80
1720x600mm	354	679	450W	A, A+, B, D, E, F, G	41.0296	410.00	492.00
1720x750mm	429	822	600W	A, A+, B, D, E, F, G	41.0297	444.00	532.80

* Further heat output information available on eastbrooktrade.com **E&OA**

A high quality contemporary range available in straight and curved designs, and gloss white or chrome finishes. Available with towel hangers or robe hook accessories. This range is the ultimate in simplicity of style and practicality for your bathroom, keeping your towels warm.

FEATURES

- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 376-377



BIAVA MULTIRAIL - CURVED GLOSS WHITE



Pictured 41.0303 Gloss White

Biava Multirail - Curved Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
360x400mm	60	116	100W	A, A+, B, D, E, F, G	41.0298	63.00	75.60
688x450mm	144	276	150W	A, A+, B, D, E, F, G	41.0299	128.00	153.60
688x600mm	183	351	150W	A, A+, B, D, E, F, G	41.0300	131.00	157.20
688x750mm	222	366	300W	A, A+, B, D, E, F, G	41.0301	132.00	158.40
1118x450mm	229	387	300W	A, A+, B, D, E, F, G	41.0302	146.00	175.20
1118x600mm	249	439	300W	A, A+, B, D, E, F, G	41.0303	150.00	180.00
1118x750mm	277	532	450W	A, A+, B, D, E, F, G	41.0304	162.00	194.40
1720x450mm	279	637	450W	A, A+, B, D, E, F, G	41.0305	208.00	249.60
1720x600mm	448	859	600W	A, A+, B, D, E, F, G	41.0306	215.00	258.00
1720x750mm	543	1041	750W	A, A+, B, D, E, F, G	41.0307	230.00	276.00

* Further heat output information available on eastbrooktrade.com **E&OA**

Warranty
5
 Year

Diameter (Ø)
22
 MM Bars

Heating

All Electric

Dual-Fuel

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

WESTWARD - STRAIGHT

High Output



Pictured 89.0592 Chrome

D Shape Vent Caps

Page 369



Towel Hangers

Page 366



Room Divider Bracket Sets

Page 367



Robe Hooks

Page 366




Multi-Rail Hangers

Page 366



Tube Diameter

25mm



Pictured 89.0576 Gloss White

Warranty

5
Year

In addition to the Wingrave & Wendover ranges, this straight multirail boasts a higher output for the larger bathrooms. **Each horizontal tube is 25mm diameter, which produces a higher heat output in less space compared to a standard 22mm tube.**

FEATURES

- 25mm diameter horizontal round tubes
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Diameter (Ø)

25
MM Bars

Heating



All Electric



Dual-Fuel



Multirail Range

WESTWARD - STRAIGHT

Gloss White

Westward - Straight Gloss White 600mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	155	295	150W	A, A+, B, D, E, F, G	89.0572	80.00	96.00
600 x 600mm	181	345	150W	A, A+, B, D, E, F, G	89.0573	86.00	103.20
600 x 800mm	233	445	300W	A, A+, B, D, E, F, G	89.0574	101.00	121.20

Westward - Straight Gloss White 800mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	166	317	150W	A, A+, B, D, E, F, G	89.0575	79.00	94.80
800 x 500mm	200	381	300W	A, A+, B, D, E, F, G	89.0576	86.00	103.20
800 x 600mm	250	476	300W	A, A+, B, D, E, F, G	89.0577	89.00	106.80

Westward - Straight Gloss White 1200mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	229	437	300W	A, A+, B, D, E, F, G	89.0578	101.00	121.20
1200 x 500mm	275	524	300W	A, A+, B, D, E, F, G	89.0579	109.00	130.80
1200 x 600mm	320	610	450W	A, A+, B, D, E, F, G	89.0580	118.00	141.60

Westward - Straight Gloss White 1800mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	340	648	450W	A, A+, B, D, E, F, G	89.0581	139.00	166.80
1800 x 500mm	407	777	600W	A, A+, B, D, E, F, G	89.0582	161.00	193.20
1800 x 600mm	474	905	600W	A, A+, B, D, E, F, G	89.0583	162.00	194.40

* Further heat output information available on eastbrooktrade.com **E&OA**

Chrome

Westward - Straight Chrome 600mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	103	195	150W	A, A+, B, D, E, F, G	89.0584	125.00	150.00
600 x 600mm	120	228	150W	A, A+, B, D, E, F, G	89.0585	137.00	164.40
600 x 800mm	155	295	150W	A, A+, B, D, E, F, G	89.0586	162.00	194.40

Westward - Straight Chrome 800mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 400mm	110	209	150W	A, A+, B, D, E, F, G	89.0587	118.00	141.60
800 x 500mm	132	251	150W	A, A+, B, D, E, F, G	89.0588	131.00	157.20
800 x 600mm	154	294	150W	A, A+, B, D, E, F, G	89.0589	143.00	171.60

Westward - Straight Chrome 1200mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 400mm	157	298	150W	A, A+, B, D, E, F, G	89.0590	158.00	189.60
1200 x 500mm	188	358	150W	A, A+, B, D, E, F, G	89.0591	180.00	216.00
1200 x 600mm	218	416	300W	A, A+, B, D, E, F, G	89.0592	195.00	234.00

Westward - Straight Chrome 1800mm Height

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 400mm	235	448	300W	A, A+, B, D, E, F, G	89.0593	237.00	284.40
1800 x 500mm	282	538	300W	A, A+, B, D, E, F, G	89.0594	259.00	310.80
1800 x 600mm	328	626	450W	A, A+, B, D, E, F, G	89.0595	280.00	336.00

* Further heat output information available on eastbrooktrade.com **E&OA**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 44mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Technical Tables & Drawings


Page 376-377




800mm High




600mm High



1200mm High



1800mm High



Multirail Range

RION MULTIRAIL

Bar Dimensions (mm)

Horizontal Bars 20 x 20mm

Vertical Bars D Shape 40 x 30mm



Pictured 89.1691 Chrome

Rear fixing metal wall brackets



Pictured 89.1677 Matt Anthracite

D Shaped vertical bars meet square 20x20mm horizontal bars in this modern and elegant designed towel rail. Available in 3 heights and 2 widths with 4 colour options.

FEATURES

- 40x30mm D shape vertical bars with 20x20mm square horizontal bars
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - 5 Year Manufacturer's Warranty*
- *With conditions

Technical Tables & Drawings


Page 376-377



SWATCHES AVAILABLE

Round Vent Caps

Page 369



Multirail Range

RION MULTIRAIL

Rion Multirail - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	173	332	150W	A, A+, B, D, E, F, G	89.1671	135.00	162.00
800 x 600mm	197	378	150W	A, A+, B, D, E, F, G	89.1672	153.00	183.60
1200 x 500mm	269	515	150W	A, A+, B, D, E, F, G	89.1673	224.00	268.80
1200 x 600mm	307	587	300W	A, A+, B, D, E, F, G	89.1674	245.00	294.00
1800 x 500mm	413	784	300W	A, A+, B, D, E, F, G	89.1675	315.00	378.00
1800 x 600mm	471	893	300W	A, A+, B, D, E, F, G	89.1676	347.00	416.40

Rion Multirail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	173	332	150W	A, A+, B, D, E, F, G	89.1677	135.00	162.00
800 x 600mm	197	378	150W	A, A+, B, D, E, F, G	89.1678	153.00	183.60
1200 x 500mm	269	515	150W	A, A+, B, D, E, F, G	89.1679	224.00	268.80
1200 x 600mm	307	587	300W	A, A+, B, D, E, F, G	89.1680	245.00	294.00
1800 x 500mm	413	784	300W	A, A+, B, D, E, F, G	89.1681	315.00	378.00
1800 x 600mm	471	893	300W	A, A+, B, D, E, F, G	89.1682	347.00	416.40

Rion Multirail - Matt Black



Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	173	332	150W	A, A+, B, D, E, F, G	89.1683	135.00	162.00
800 x 600mm	197	378	150W	A, A+, B, D, E, F, G	89.1684	153.00	183.60
1200 x 500mm	269	515	150W	A, A+, B, D, E, F, G	89.1685	224.00	268.80
1200 x 600mm	307	587	300W	A, A+, B, D, E, F, G	89.1686	245.00	294.00
1800 x 500mm	413	784	300W	A, A+, B, D, E, F, G	89.1687	315.00	378.00
1800 x 600mm	471	893	300W	A, A+, B, D, E, F, G	89.1688	347.00	416.40

Rion Multirail - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	109	212	100W	A, A+, B, D, E, F, G	89.1689	197.00	236.40
800 x 600mm	123	240	100W	A, A+, B, D, E, F, G	89.1690	223.00	267.60
1200 x 500mm	170	331	150W	A, A+, B, D, E, F, G	89.1691	329.00	394.80
1200 x 600mm	192	374	150W	A, A+, B, D, E, F, G	89.1692	359.00	430.80
1800 x 500mm	265	515	150W	A, A+, B, D, E, F, G	89.1693	462.00	554.40
1800 x 600mm	299	582	300W	A, A+, B, D, E, F, G	89.1694	509.00	610.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

TUSCAN - GLOSS WHITE / CHROME



Pictured 41.0317 Gloss White



Pictured 41.0309 Chrome

Warranty
5
 Year

Diameter (Ø)
22
 MM Bars

Heating

All Electric

Dual-Fuel

A simple design straight ladder rail which is the ideal combination of modern style and practicality. The range includes chrome and gloss white options in a range of sizes.

FEATURES


- 22mm diameter horizontal round tubes
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 378-379



Round Vent Caps

Page 369



Room Divider Bracket Sets

Page 367



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Tuscan - Gloss White							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
650 x 450mm	105	198	100W	A, A+, B, D, E, F, G	41.0314	63.00	75.60
650 x 600mm	120	226	100W	A, A+, B, D, E, F, G	41.0315	70.00	84.00
1200 x 450mm	177	334	150W	A, A+, B, D, E, F, G	41.0316	84.00	100.80
1200 x 600mm	185*	348*	150W	A, A+, B, D, E, F, G	41.0317	90.00	108.00
1750 x 450mm	252	476	150W	A, A+, B, D, E, F, G	41.0318	109.00	130.80
1750 x 600mm	282	534	300W	A, A+, B, D, E, F, G	41.0319	113.00	135.60

*Further heat output information available on eastbrooktrade.com E&OA

Tuscan - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
650 x 450mm	60	115	100W	A, A+, B, D, E, F, G	41.0308	89.00	106.80
650 x 600mm	77	151	100W	A, A+, B, D, E, F, G	41.0309	97.00	116.40
1200 x 450mm	105	204	150W	A, A+, B, D, E, F, G	41.0310	137.00	164.40
1200 x 600mm	130	246	150W	A, A+, B, D, E, F, G	41.0311	149.00	178.80
1750 x 450mm	168	321	150W	A, A+, B, D, E, F, G	41.0312	187.00	224.40
1750 x 600mm	206	392	150W	A, A+, B, D, E, F, G	41.0313	202.00	242.40

Multirail Range

BIAVA ROUND



Pictured 41.0159 Gloss White



Pictured 41.0152 Chrome

Rear fixing wall brackets

A high quality modern, straight towel rail with a durable shiny chrome finish and round rails. A functional radiator with spacing to allow the warming of many towels yet with style that is aesthetically pleasing and will fit into any bathroom.

Biava Round - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	107	197	100W	A, A+, B, D, E, F, G	41.0154	91.00	109.20
600 x 500mm	128	236	150W	A, A+, B, D, E, F, G	41.0157	96.00	115.20
600 x 600mm	149	274	150W	A, A+, B, D, E, F, G	41.0160	100.00	120.00
1200 x 400mm	197	370	150W	A, A+, B, D, E, F, G	41.0155	137.00	164.40
1200 x 500mm	236	444	300W	A, A+, B, D, E, F, G	41.0158	149.00	178.80
1200 x 600mm	274	516	300W	A, A+, B, D, E, F, G	41.0161	156.00	187.20
1800 x 400mm	201	388	300W	A, A+, B, D, E, F, G	41.0156	187.00	224.40
1800 x 500mm	356	684	450W	A, A+, B, D, E, F, G	41.0159	202.00	242.40
1800 x 600mm	414	794	450W	A, A+, B, D, E, F, G	41.0162	215.00	258.00

FEATURES

- 19mm diameter horizontal round tubes
- 38mm diameter vertical profiles
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 378-379



Biava Round - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	70	130	100W	A, A+, B, D, E, F, G	41.0145	155.00	186.00
600 x 500mm	84	155	100W	A, A+, B, D, E, F, G	41.0148	161.00	193.20
600 x 600mm	97	179	150W	A, A+, B, D, E, F, G	41.0151	174.00	208.80
1200 x 400mm	132	249	150W	A, A+, B, D, E, F, G	41.0146	247.00	296.40
1200 x 500mm	157	296	150W	A, A+, B, D, E, F, G	41.0149	264.00	316.80
1200 x 600mm	181	342	150W	A, A+, B, D, E, F, G	41.0152	284.00	340.80
1800 x 400mm	297	569	300W	A, A+, B, D, E, F, G	41.0147	345.00	414.00
1800 x 500mm	239	462	300W	A, A+, B, D, E, F, G	41.0150	372.00	446.40
1800 x 600mm	276	533	300W	A, A+, B, D, E, F, G	41.0153	416.00	499.20

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 40mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Diameter (Ø)

19
MM Bars

Heating



All Electric



Dual-Fuel



Radiator Valves

Page 350-365



Multirail Range

CORINIUM ROUND

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



Eastbrook

The Radiator
Collection
COLOUR
SWATCHSWATCHES
AVAILABLE

Pictured 89.1571 Chrome

Rear fixing metal wall brackets



Pictured 89.1556 Matt Anthracite

Available in a wide range of colours to complement any bathroom decoration, Corinium Round is designed with both style and functionality in mind. The ample spacing between the horizontal tubes ensures optimal air circulation, allowing for maximum towel drying efficiency.

FEATURES


- 22mm diameter horizontal round tubes
 - 42mm diameter vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 378-379



Round Vent Caps

Page 369



Multirail Range

CORINIUM ROUND

Corinium Round - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	164	312	150W	A, A+, B, D, E, F, G	89.1542	119.00	142.80
800 x 600mm	192	364	150W	A, A+, B, D, E, F, G	89.1543	137.00	164.40
1200 x 500mm	250	474	300W	A, A+, B, D, E, F, G	89.1544	154.00	184.80
1200 x 600mm	292	554	300W	A, A+, B, D, E, F, G	89.1545	178.00	213.60
1800 x 500mm	380	721	600W	A, A+, B, D, E, F, G	89.1546	212.00	254.40
1800 x 600mm	444	842	600W	A, A+, B, D, E, F, G	89.1547	246.00	295.20

Corinium Round - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	164	312	150W	A, A+, B, D, E, F, G	89.1548	119.00	142.80
800 x 600mm	192	364	150W	A, A+, B, D, E, F, G	89.1549	137.00	164.40
1200 x 500mm	250	474	300W	A, A+, B, D, E, F, G	89.1550	154.00	184.80
1200 x 600mm	292	554	300W	A, A+, B, D, E, F, G	89.1551	178.00	213.60
1800 x 500mm	380	721	600W	A, A+, B, D, E, F, G	89.1552	212.00	254.40
1800 x 600mm	444	842	600W	A, A+, B, D, E, F, G	89.1553	246.00	295.20

Corinium Round - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	109	207	100W	A, A+, B, D, E, F, G	89.1566	180.00	216.00
800 x 600mm	127	242	100W	A, A+, B, D, E, F, G	89.1567	207.00	248.40
1200 x 500mm	164	314	150W	A, A+, B, D, E, F, G	89.1568	255.00	306.00
1200 x 600mm	192	366	300W	A, A+, B, D, E, F, G	89.1569	296.00	355.20
1800 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.1570	340.00	408.00
1800 x 600mm	292	560	300W	A, A+, B, D, E, F, G	89.1571	395.00	474.00

Corinium Round - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	164	312	150W	A, A+, B, D, E, F, G	89.1554	119.00	142.80
800 x 600mm	192	364	150W	A, A+, B, D, E, F, G	89.1555	137.00	164.40
1200 x 500mm	250	474	300W	A, A+, B, D, E, F, G	89.1556	154.00	184.80
1200 x 600mm	292	554	300W	A, A+, B, D, E, F, G	89.1557	178.00	213.60
1800 x 500mm	380	721	600W	A, A+, B, D, E, F, G	89.1558	212.00	254.40
1800 x 600mm	444	842	600W	A, A+, B, D, E, F, G	89.1559	246.00	295.20

Corinium Round - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	164	312	150W	A, A+, B, D, E, F, G	89.1560	119.00	142.80
800 x 600mm	192	364	150W	A, A+, B, D, E, F, G	89.1561	137.00	164.40
1200 x 500mm	250	474	300W	A, A+, B, D, E, F, G	89.1562	154.00	184.80
1200 x 600mm	292	554	300W	A, A+, B, D, E, F, G	89.1563	178.00	213.60
1800 x 500mm	380	721	600W	A, A+, B, D, E, F, G	89.1564	212.00	254.40
1800 x 600mm	444	842	600W	A, A+, B, D, E, F, G	89.1565	246.00	295.20

Radiator Valves Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 42mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Grey



Chrome



Matt Anthracite



Matt Black



State-of-the-Art welding



Multirail Range

TUSCAN ROUND

Warranty

5

Year

Diameter (Ø)

22

MM Bars

Heating



All Electric



Dual-Fuel



Pictured 89.1601 Chrome

Rear fixing metal wall brackets



Pictured 89.1574 Gloss White

SWITCHES
AVAILABLE

A popular addition to the Multirail Range. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

FEATURES

- 22mm diameter horizontal round tubes
 - 42mm diameter vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions


Technical Tables & Drawings

Page 378-379



Round Vent Caps

Page 369



Multirail Range

TUSCAN ROUND

Tuscan Round - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	129	243	150W	A, A+, B, D, E, F, G	89.1572	112.00	134.40
800 x 600mm	148	281	150W	A, A+, B, D, E, F, G	89.1573	131.00	157.20
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1574	144.00	172.80
1200 x 600mm	223	422	300W	A, A+, B, D, E, F, G	89.1575	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1576	200.00	240.00
1800 x 600mm	335	632	450W	A, A+, B, D, E, F, G	89.1577	230.00	276.00

Tuscan Round - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	129	243	150W	A, A+, B, D, E, F, G	89.1578	112.00	134.40
800 x 600mm	148	281	150W	A, A+, B, D, E, F, G	89.1579	131.00	157.20
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1580	144.00	172.80
1200 x 600mm	223	422	300W	A, A+, B, D, E, F, G	89.1581	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1582	200.00	240.00
1800 x 600mm	335	632	450W	A, A+, B, D, E, F, G	89.1583	230.00	276.00

Tuscan Round - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	83	159	100W	A, A+, B, D, E, F, G	89.1596	165.00	198.00
800 x 600mm	96	184	100W	A, A+, B, D, E, F, G	89.1597	191.00	229.20
1200 x 500mm	126	240	150W	A, A+, B, D, E, F, G	89.1598	239.00	286.80
1200 x 600mm	145	277	150W	A, A+, B, D, E, F, G	89.1599	278.00	333.60
1800 x 500mm	189	361	300W	A, A+, B, D, E, F, G	89.1600	320.00	384.00
1800 x 600mm	218	417	300W	A, A+, B, D, E, F, G	89.1601	370.00	444.00

Tuscan Round - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	129	243	150W	A, A+, B, D, E, F, G	89.1584	112.00	134.40
800 x 600mm	148	281	150W	A, A+, B, D, E, F, G	89.1585	131.00	157.20
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1586	144.00	172.80
1200 x 600mm	223	422	300W	A, A+, B, D, E, F, G	89.1587	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1588	200.00	240.00
1800 x 600mm	335	632	450W	A, A+, B, D, E, F, G	89.1589	230.00	276.00

Tuscan Round - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	129	243	150W	A, A+, B, D, E, F, G	89.1590	112.00	134.40
800 x 600mm	148	281	150W	A, A+, B, D, E, F, G	89.1591	131.00	157.20
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1592	144.00	172.80
1200 x 600mm	223	422	300W	A, A+, B, D, E, F, G	89.1593	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1594	200.00	240.00
1800 x 600mm	335	632	450W	A, A+, B, D, E, F, G	89.1595	230.00	276.00



Radiator Valves

Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 42mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

BIAVA - TUBE ON TUBE, CHROME



Pictured 41.0171 Chrome

A contemporary tubular design towel rail in a range of sizes and both chrome and white finishes. The tube on tube features produces a higher heat output.

FEATURES

- 19mm diameter horizontal round tubes
- 32mm diameter vertical profiles
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 380-381



Biava - Tube on Tube - Chrome

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	81	148	100W	A, A+, B, D, E, F, G	41.0163	174.00	208.80
600 x 500mm	94	175	100W	A, A+, B, D, E, F, G	41.0166	182.00	218.40
600 x 600mm	109	199	150W	A, A+, B, D, E, F, G	41.0169	192.00	230.40
1200 x 400mm	177	328	150W	A, A+, B, D, E, F, G	41.0164	314.00	376.80
1200 x 500mm	209	388	300W	A, A+, B, D, E, F, G	41.0167	345.00	414.00
1200 x 600mm	240	450	300W	A, A+, B, D, E, F, G	41.0170	369.00	442.80
1800 x 400mm	278	514	300W	A, A+, B, D, E, F, G	41.0165	460.00	552.00
1800 x 500mm	486	875	450W	A, A+, B, D, E, F, G	41.0168	500.00	600.00
1800 x 600mm	366	696	450W	A, A+, B, D, E, F, G	41.0171	542.00	650.40

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 55mm off the wall. Price includes radiator and wall fixing sets, valves extra.


Radiator Valves

Page 350-365



Round Vent Caps

Page 369



Multi-Rail Hangers

Page 366



Robe Hooks

Page 366



Towel Hangers

Page 366



Multirail Range

BIAVA SQUARE - CHROME




Pictured 41.0116 Chrome

Bar Dimensions (mm)

Horizontal Bars 22 x 22mm
Vertical Bars 40 x 40mm



Round Vent Caps Page 369



A modern style square rail that still allows maximum space for keeping your towels warm.

Biava Square - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	79	150	100W	A, A+, B, D, E, F, G	41.0109	239.00	286.80
600 x 500mm	94	178	150W	A, A+, B, D, E, F, G	41.0112	259.00	310.80
600 x 600mm	108	206	150W	A, A+, B, D, E, F, G	41.0115	280.00	336.00
1200 x 400mm	165	321	300W	A, A+, B, D, E, F, G	41.0110	455.00	546.00
1200 x 500mm	190	373	300W	A, A+, B, D, E, F, G	41.0113	516.00	619.20
1200 x 600mm	215	424	300W	A, A+, B, D, E, F, G	41.0116	555.00	666.00
1800 x 400mm	244	468	450W	A, A+, B, D, E, F, G	41.0111	636.00	763.20
1800 x 500mm	294	566	450W	A, A+, B, D, E, F, G	41.0114	711.00	853.20
1800 x 600mm	342	663	600W	A, A+, B, D, E, F, G	41.0117	783.00	939.60

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings Page 380-381




TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 40mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

COMPLETE THE LOOK

Radiator Valves
Page: 350-365



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Multirail Range

TUSCAN SQUARE MULTIRAIL



Pictured 89.1667 Chrome



Pictured 89.1648 Gloss White

Rear fixing metal wall brackets

Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

The very popular Tuscan Square towel rail is now available as Multirail. Available in 3 heights and 2 widths with 4 colour options.

FEATURES


- 30x30mm square vertical bars with 20x20mm square horizontal bars
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - 5 Year Manufacturer's Warranty*
- *With conditions

Technical Tables
& Drawings
Page 380-381



Round Vent Caps

Page 369



Multirail Range

TUSCAN SQUARE MULTIRAIL

Tuscan Square Multirail - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	171	334	150W	A, A+, B, D, E, F, G	89.1647	135.00	162.00
800 x 600mm	200	391	300W	A, A+, B, D, E, F, G	89.1648	153.00	183.60
1200 x 500mm	271	523	450W	A, A+, B, D, E, F, G	89.1649	224.00	268.80
1200 x 600mm	318	613	450W	A, A+, B, D, E, F, G	89.1650	245.00	294.00
1800 x 500mm	412	780	600W	A, A+, B, D, E, F, G	89.1651	315.00	378.00
1800 x 600mm	482	913	600W	A, A+, B, D, E, F, G	89.1652	347.00	416.40

Tuscan Square Multirail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	171	334	150W	A, A+, B, D, E, F, G	89.1653	135.00	162.00
800 x 600mm	200	391	300W	A, A+, B, D, E, F, G	89.1654	153.00	183.60
1200 x 500mm	271	523	450W	A, A+, B, D, E, F, G	89.1655	224.00	268.80
1200 x 600mm	318	613	450W	A, A+, B, D, E, F, G	89.1656	245.00	294.00
1800 x 500mm	412	780	600W	A, A+, B, D, E, F, G	89.1657	315.00	378.00
1800 x 600mm	482	913	600W	A, A+, B, D, E, F, G	89.1658	347.00	416.40

Tuscan Square Multirail - Matt Black


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	171	334	150W	A, A+, B, D, E, F, G	89.1659	135.00	162.00
800 x 600mm	200	391	300W	A, A+, B, D, E, F, G	89.1660	153.00	183.60
1200 x 500mm	271	523	450W	A, A+, B, D, E, F, G	89.1661	224.00	268.80
1200 x 600mm	318	613	450W	A, A+, B, D, E, F, G	89.1662	245.00	294.00
1800 x 500mm	412	780	600W	A, A+, B, D, E, F, G	89.1663	315.00	378.00
1800 x 600mm	482	913	600W	A, A+, B, D, E, F, G	89.1664	347.00	416.40

Tuscan Square Multirail - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	109	215	150W	A, A+, B, D, E, F, G	89.1665	197.00	236.40
800 x 600mm	125	248	150W	A, A+, B, D, E, F, G	89.1666	223.00	267.60
1200 x 500mm	171	335	300W	A, A+, B, D, E, F, G	89.1667	329.00	394.80
1200 x 600mm	197	386	300W	A, A+, B, D, E, F, G	89.1668	359.00	430.80
1800 x 500mm	262	509	450W	A, A+, B, D, E, F, G	89.1669	462.00	554.40
1800 x 600mm	302	587	450W	A, A+, B, D, E, F, G	89.1670	509.00	610.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Multirail Range

TUSCAN SQUARE



Evenly placed square bars of Tuscan Square is the new definition of minimalism.

Tuscan Square - Chrome							
Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	83	159	100W	A, A+, B, D, E, F, G	89.1268	159.00	190.80
800 x 600mm	96	183	100W	A, A+, B, D, E, F, G	89.1269	173.00	207.60
1200 x 500mm	125	239	150W	A, A+, B, D, E, F, G	89.1270	208.00	249.60
1200 x 600mm	143	275	150W	A, A+, B, D, E, F, G	89.1271	227.00	272.40
1800 x 500mm	189	363	300W	A, A+, B, D, E, F, G	89.1272	297.00	356.40
1800 x 600mm	217	416	300W	A, A+, B, D, E, F, G	89.1273	320.00	384.00

FEATURES

- Tested to BS EN 442 standards
- Rear fixing metal wall brackets
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings
Page 380-381




TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 80mm off the wall. Projection from wall is approx. 95mm. Price includes radiator and wall fixing sets, valves extra.



Round Vent Caps
Page 369



Radiator Valves
Page 350-365



Multirail Range

TUSCAN SQUARE

Gloss White

Pictured 89.1244 Gloss White

Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm




Tuscan Square - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	128	242	150W	A, A+, B, D, E, F, G	89.1244	121.00	145.20
800 x 600mm	146	278	150W	A, A+, B, D, E, F, G	89.1245	133.00	159.60
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1246	155.00	186.00
1200 x 600mm	221	419	300W	A, A+, B, D, E, F, G	89.1247	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1248	208.00	249.60
1800 x 600mm	332	628	450W	A, A+, B, D, E, F, G	89.1249	227.00	272.40

Matt Grey


Pictured 89.1253 Matt Grey



Rear fixing metal wall brackets

Tuscan Square - Matt Grey

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	128	242	150W	A, A+, B, D, E, F, G	89.1250	121.00	145.20
800 x 600mm	146	278	150W	A, A+, B, D, E, F, G	89.1251	133.00	159.60
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1252	155.00	186.00
1200 x 600mm	221	419	300W	A, A+, B, D, E, F, G	89.1253	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1254	208.00	249.60
1800 x 600mm	332	628	450W	A, A+, B, D, E, F, G	89.1255	227.00	272.40




Matt Anthracite

Pictured 89.1257 Matt Anthracite

Tuscan Square - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	128	242	150W	A, A+, B, D, E, F, G	89.1256	121.00	145.20
800 x 600mm	146	278	150W	A, A+, B, D, E, F, G	89.1257	133.00	159.60
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1258	155.00	186.00
1200 x 600mm	221	419	300W	A, A+, B, D, E, F, G	89.1259	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1260	208.00	249.60
1800 x 600mm	332	628	450W	A, A+, B, D, E, F, G	89.1261	227.00	272.40



Matt Black

Pictured 89.1266 Matt Black

Tuscan Square - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	128	242	150W	A, A+, B, D, E, F, G	89.1262	121.00	145.20
800 x 600mm	146	278	150W	A, A+, B, D, E, F, G	89.1263	133.00	159.60
1200 x 500mm	193	366	300W	A, A+, B, D, E, F, G	89.1264	155.00	186.00
1200 x 600mm	221	419	300W	A, A+, B, D, E, F, G	89.1265	167.00	200.40
1800 x 500mm	290	548	450W	A, A+, B, D, E, F, G	89.1266	208.00	249.60
1800 x 600mm	332	628	450W	A, A+, B, D, E, F, G	89.1267	227.00	272.40

Multirail Range

LAUNTON

Pictured 61.0067 Chrome

Heated Shelves Square Profiles 

Bar Dimensions (mm)

Horizontal Bars 20 x 20mm
Vertical Bars 30 x 30mm

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Launton - Matt White REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	183	349	150W	A, A+, B, D, E, F, G	61.0062	317.00	380.40
1200 x 600mm	204	389	300W	A, A+, B, D, E, F, G	61.0063	330.00	396.00

Launton - Matt Anthracite REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	183	349	150W	A, A+, B, D, E, F, G	61.0064	317.00	380.40
1200 x 600mm	204	389	300W	A, A+, B, D, E, F, G	61.0065	330.00	396.00

Launton - Chrome REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	121	231	150W	A, A+, B, D, E, F, G	61.0066	361.00	433.20
1200 x 600mm	136	258	150W	A, A+, B, D, E, F, G	61.0067	375.00	450.00

* Further heat output information available on eastbrooktrade.com E&OA

Launton towel radiator has built-in shelves that are also heated. This model will be the solution to dry all the towels of a big family.

FEATURES

- Tested to BS EN 442 standards
- Built-in heated shelves
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 382-383



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 70-85mm off the wall. Projection from the wall is 255-270mm. Price includes radiator and wall fixing sets, valves extra.

Multirail Range

HADDENHAM

Pictured 61.0073 Chrome

Heated Shelves 

D Shape Profiles 



Pictured 61.0069 Matt White

Warranty
5
Year

Diameter (Ø)
22
MM Bars

Heating


All Electric


Dual-Fuel


Haddenham - Matt White REDUCED PRICES							
Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	269	512	450W	A, A+, B, D, E, F, G	61.0068	227.00	272.40
1200 x 600mm	305	581	450W	A, A+, B, D, E, F, G	61.0069	236.00	283.20

Haddenham - Matt Anthracite REDUCED PRICES							
Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	269	512	450W	A, A+, B, D, E, F, G	61.0070	227.00	272.40
1200 x 600mm	305	581	450W	A, A+, B, D, E, F, G	61.0071	236.00	283.20

Haddenham - Chrome REDUCED PRICES							
Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	178	339	150W	A, A+, B, D, E, F, G	61.0072	258.00	309.60
1200 x 600mm	202	385	300W	A, A+, B, D, E, F, G	61.0073	277.00	332.40

* Further heat output information available on eastbrooktrade.com E&OA

Haddenham towel radiator is a perfect alternative for standard towel radiators thanks to its heated shelves and big capacity of drying many towels at once.

FEATURES


- 22mm diameter horizontal round tubes
- Tested to BS EN 442 standardss
- Built-in heated shelves
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 382-383



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70-85mm off the wall. Projection from the wall is approx. 255-270mm. Price includes radiator and wall fixing sets, valves extra.



Dry Element Range

Using modern technology benefits, the Dry Element Range consists of lighter towel rails and energy efficient daily usage.

Contents

Derwent Aluminium Dry Element - Available in 3 colours	70-71
Biava Dry Element Straight, Available in 4 colours	72-73
Loddon Dry Element, Available in 4 colours	74-75
Kennet Dry Element, Matt Anthracite & Chrome	76
Emsbury Dry Element, Polished Stainless Steel	77



Dry Element Range

DERWENT ALUMINIUM DRY ELEMENT




Pictured 41.0491 Matt White with 41.0503 Towel Hangers

A dry element aluminium radiator with sharp lines in the front and chrome cover caps at the top and bottom that will add fashion to your desired room. With a choice of towel hangers, your bathroom can also be heated while drying your towels. Available in vertical style and 3 colours options.

FEATURES

- No fluid filling required, just Connect and Go
- Comes with built-in thermostat, 35° C - 70°C temperature setting
- Comes with built-in timer, 2 - 8 hour setting
- Comes with concealed wiring
- IPX4 certificate (Zone 2 and 3)
- Radiators come with chrome cover caps on top and bottom
- Tested to BS EN 442 standards
- 2 Year Manufacturer's Warranty*
- * With conditions



Pictured 41.0494 Matt Anthracite

This product is electric only installation and cannot be used on a central heating system.

TECHNICAL INFORMATION

All measurements in Height by Width.
Cannot be fitted upside down. Cannot be fitted horizontally.
Each vertical aluminium panel is 100mm wide.
Projection from wall is 115mm.
Radiator material is aluminium.
Towel Hanger material is Stainless Steel.

Technical Tables
& Drawings
Page 382-383



Dry Element Range

DERWENT ALUMINIUM DRY ELEMENT

Derwent Dry Element Vertical Aluminium Radiators - Matt White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	600	2047	41.0489	326.00	391.20
1800 x 404mm	800	2730	41.0490	402.00	482.40
1800 x 504mm	1000	3412	41.0491	476.00	571.20
1800 x 604mm	1200	4094	41.0492	533.00	639.60

Derwent Dry Element Vertical Aluminium Radiators - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	600	2047	41.0493	326.00	391.20
1800 x 404mm	800	2730	41.0494	402.00	482.40
1800 x 504mm	1000	3412	41.0495	476.00	571.20
1800 x 604mm	1200	4094	41.0496	533.00	639.60

Derwent Dry Element Vertical Aluminium Radiators - Matt Black

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	600	2047	41.0497	326.00	391.20
1800 x 404mm	800	2730	41.0498	402.00	482.40
1800 x 504mm	1000	3412	41.0499	476.00	571.20
1800 x 604mm	1200	4094	41.0500	533.00	639.60

Prices include radiator and wall fixing sets, towel hangers are extra.



THERMOSTAT FUNCTION
Comes with built-in thermostat
35° C - 70° C temperature setting

TIMING FUNCTION
Comes with built-in timer
2 - 8 hour setting
* Not programmable

IPX4 certificate (Zone 2 and 3)




Warranty

2

Year

All Electric





Towel Hanger - Mirror Polished Premium

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 304mm	41.0501	54.00	64.80
Towel Hanger 404mm	41.0502	57.00	68.40
Towel Hanger 504mm	41.0503	66.00	79.20
Towel Hanger 604mm	41.0504	72.00	86.40

Derwent Towel Hangers must be fitted before installation.

Dry Element Range

BIAVA DRY ELEMENT - STRAIGHT

Chrome



Pictured 47.0002 Chrome with 67.0013

Integrated On/Off Button



Pictured 47.0015 Chrome

Biava Dry Element Towel Rail - Chrome [Integrated On/Off Button]

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1100 x 500mm	400	1365	47.0015	297.00	356.40

Biava Dry Element Towel Rail - Matt Black [Integrated On/Off Button]

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
1100 x 500mm	400	1365	47.0055	249.00	298.80

Biava Dry Element Towel Rail - Chrome

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm	250	853	47.0001	202.00	242.40
700 x 600mm	300	1024	47.0003	222.00	266.40
1100 x 500mm	400	1365	47.0002	268.00	321.60
1100 x 600mm	500	1706	47.0004	305.00	366.00

Biava Dry Element Towel Rail - Gloss White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm	250	853	47.0005	154.00	184.80
700 x 600mm	300	1024	47.0007	174.00	208.80
1100 x 500mm	400	1365	47.0006	210.00	252.00
1100 x 600mm	500	1706	47.0008	238.00	285.60

Biava Dry Element Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm	250	853	47.0009	171.00	205.20
700 x 600mm	300	1024	47.0011	191.00	229.20
1100 x 500mm	400	1365	47.0010	226.00	271.20
1100 x 600mm	500	1706	47.0012	262.00	314.40

Biava Dry Element Towel Rail - Matt Black

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm	250	853	47.0051	171.00	205.20
700 x 600mm	300	1024	47.0052	191.00	229.20
1100 x 500mm	400	1365	47.0053	226.00	271.20
1100 x 600mm	500	1706	47.0054	262.00	314.40

FEATURES

- 19mm diameter horizontal round tubes
- No fluid filling required
- Just Connect and Go
- Material of towel rail: Mild Steel
- IPX4 Certificates (Zone 2 and 3)
- Compatible with the Crafton & Crafton II Temperature Control Plates
- 2 Year Manufacturer's Warranty*

* With conditions

**Technical Tables
& Drawings**
Page 382-383



This product is electric only installation and cannot be used on a central heating system.

TECHNICAL INFORMATION

All measurements in Height by Width. This rail is reversible. Can not be fitted upside down.

Warranty

2
Year

Diameter (Ø)

19
MM Bars

All Electric



Dry Element Range

BIAVA DRY ELEMENT - STRAIGHT

Gloss White



Pictured 47.0007 Gloss White with 67.0004

Matt Black



Pictured 47.0054 Matt Black with 67.0012

Matt Anthracite



Pictured 47.0012 Matt Anthracite with 67.0011



White Panel



Anthracite Panel



Chrome Effect Panel

Crafton II Temperature Control Panel

Description	Code	£ Ex VAT	£ Inc VAT
Crafton II Temperature Control Panel White	67.0010	82.00	98.40
Crafton II Temperature Control Panel Anthracite	67.0011	93.00	111.60
Crafton II Temperature Control Panel Black	67.0012	93.00	111.60
Crafton II Temperature Control Panel Chrome Effect	67.0013	88.00	105.60
Crafton II Temperature Control Panel Brass Effect	67.0014	97.00	116.40

This item is an additional extra that can be used with all colours of the Biava Dry Element Towel Rails. Please see page 349 for more product details and more colours.



Wi-Fi On/Off Spur Switch

Description	Code	£ Ex VAT	£ Inc VAT
Wi-Fi On/Off Spur Switch White	41.0799	39.00	46.80

This item is an additional extra that can be used with all colours of the Biava Dry Element Towel Rails. Please see page 349 for more product details.

Dry Element Range

LODDON DRY ELEMENT



Pictured 47.0042 Chrome



Pictured 47.0035 Matt Black

FEATURES

- No fluid filling required
 - Just connect and Go
 - Material of Towel Rail : Mild Steel
 - IPX4 certificates (Zone 2 and 3)
 - 4 colours available from stock
 - 2 Year Manufacturer's Warranty*
- *With conditions

**Technical Tables
& Drawings**
Page 384-385



Warranty

2
Year

All Electric



This product is electric only installation and cannot be used on a central heating system.

Dry Element Range

LODDON DRY ELEMENT

Loddon Dry Element Towel Rail - Matt White

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0027	423.00	507.60
800 x 600mm*	350	1195	47.0028	446.00	535.20
1200 x 500mm	450	1536	47.0029	520.00	624.00
1200 x 600mm	500	1707	47.0030	549.00	658.80

Loddon Dry Element Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0031	423.00	507.60
800 x 600mm*	350	1195	47.0032	446.00	535.20
1200 x 500mm	450	1536	47.0033	520.00	624.00
1200 x 600mm	500	1707	47.0034	549.00	658.80

*The total height of this rail is 780mm

Loddon Dry Element Towel Rail - Matt Black

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0035	423.00	507.60
800 x 600mm*	350	1195	47.0036	446.00	535.20
1200 x 500mm	450	1536	47.0037	520.00	624.00
1200 x 600mm	500	1707	47.0038	549.00	658.80

Loddon Dry Element Towel Rail - Chrome

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm*	300	1024	47.0039	502.00	602.40
800 x 600mm*	350	1195	47.0040	561.00	673.20
1200 x 500mm	450	1536	47.0041	588.00	705.60
1200 x 600mm	500	1707	47.0042	646.00	775.20

*The total height of this rail is 780mm


TECHNICAL INFORMATION

All measurements in Height by Width. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 100mm.

Colour Coded Boost Function

The Loddon Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set.

It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.



Blue: Standby

Green: 1 Hour

Yellow: 2 Hours

Pink: 3 Hours

Red: Continuous

Concealed or Exposed Wiring Option

The Loddon Dry Element towel rail can be installed with two different wiring options; an exposed wiring installation or concealed wiring installation.



Exposed Wiring

Concealed Wiring

Matt White



Matt Anthracite



Matt Black



Chrome



Dry Element Range

KENNET DRY ELEMENT



Pictured 47.0049 Chrome



Pictured 47.0044 Matt Anthracite

Warranty
2
Year

All Electric

FEATURES

- No fluid filling required
- Just connect and Go
- Material of Towel Rail : Mild Steel
- IPX4 certificates (Zone 2 and 3)
- 2 colours available from stock
- 2 Year Manufacturer's Warranty*
- *With conditions

**Technical Tables
& Drawings**
Page 384-385



This product is electric only installation and cannot be used on a central heating system.

Kennet Dry Element Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm*	120	410	47.0043	395.00	474.00
700 x 600mm*	150	512	47.0044	418.00	501.60
1200 x 500mm**	200	683	47.0045	469.00	562.80
1200 x 600mm**	230	785	47.0046	508.00	609.60

Kennet Dry Element Towel Rail - Chrome

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
700 x 500mm*	120	410	47.0047	451.00	541.20
700 x 600mm*	150	512	47.0048	470.00	564.00
1200 x 500mm**	200	683	47.0049	532.00	638.40
1200 x 600mm**	230	785	47.0050	572.00	686.40

* Height shown excludes bottom control leg. Total height is 744.5mm

** Height shown excludes bottom control leg. Total height is 1253mm

TECHNICAL INFORMATION

All measurements in Height by Width. Can not be fitted upside down. Comes with an information label in the front that can be removed. Projection from wall 130mm.

Colour Coded Boost Function

The Kennet Dry Element towel rail has a colour coded boost function which allows the length of time the rail runs for to be set. It can be on standby, 1 hour, 2 hours, 3 hours or continuously running.



Standby

1 Hour


2 Hours

3 Hours

Continuous

Dry Element Range

EMSBURY DRY ELEMENT



Pictured 47.0025 Polished

Rear fixing metal wall brackets

FEATURES

- No fluid filling required
- Comes with integrated On/Off button
- Just connect and Go
- Material of Towel Rail : Grade 304 Stainless Steel
- Rear fixing metal wall brackets
- IPX4 certificates (Zone 2 and 3)
- Only available as polished surface finishing
- 2 Year Manufacturer's Warranty*

**Technical Tables
& Drawings**
Page 384-385



This product is electric only installation and cannot be used on a central heating system.

TECHNICAL INFORMATION

All measurements in Height by Width. Can not be fitted upside down. Projection from wall 92mm.



Pictured 47.0024 Polished

Warranty

2


Year

All Electric



Emsbury Dry Element Towel Rail - Polished

Size H x W	Watts	BTU	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	150	512	47.0023	411.00	493.20
800 x 600mm	200	683	47.0024	443.00	531.60
1200 x 500mm	250	854	47.0025	471.00	565.20
1200 x 600mm	300	1024	47.0026	491.00	589.20



Integrated On/Off Button



Stainless Steel Range

Whilst retaining the features of a towel rail, the stainless steel range produces a stylish contemporary look.

Contents

Wendover Straight, Polished	80
Wendover Straight, Brushed	81
Violla II, Polished - NEW PRODUCT	82
Violla II, Brushed - NEW PRODUCT	83
Rizano, Polished	84
Violla, Polished	85
Biava Flat, Polished	86
Ascona, Polished	87
Velino, Polished - NEW PRODUCT	88
Velino, Brushed - NEW PRODUCT	89



Stainless Steel Range

WENDOVER STRAIGHT STAINLESS STEEL - POLISHED



Pictured 41.0787 Polished

Wendover Straight Stainless Steel Multirail - Polished							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	106	203	150W	A, A+, B, D, E, F, G	41.0787	198.00	237.60
800 x 600mm	126	241	150W	A, A+, B, D, E, F, G	41.0788	213.00	255.60
1200 x 500mm	163	313	300W	A, A+, B, D, E, F, G	41.0789	268.00	321.60
1200 x 600mm	194	371	300W	A, A+, B, D, E, F, G	41.0790	289.00	346.80
1800 x 500mm	254	489	450W	A, A+, B, D, E, F, G	41.0791	366.00	439.20
1800 x 600mm	301	580	450W	A, A+, B, D, E, F, G	41.0792	396.00	475.20



Tube Diameter
22mm

Warranty

5

Year

Heating

All Electric

Dual-Fuel



Pictured 41.0790 Polished

Rear fixing wall brackets

Introducing the Wendover Straight Multirail, now available in a sleek stainless steel version. Combining the practicality of a towel rail with the durability and modern elegance of stainless steel, it's the perfect addition to any stylish bathroom.

FEATURES

- Grade 304 Stainless Steel material
 - 22mm diameter horizontal round tubes
 - 40 x 30mm vertical profiles
 - Mirror polished surface (Chrome effect)
 - Tested to BS EN 442 standards
 - Can be single or dual fuel, or all electric
 - 5 Year manufacturer's warranty*
- * With conditions

Technical Tables
& Drawings
Page 384-385



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 50mm less than the width of the rail and approx. 75-100mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

Stainless Steel Range

WENDOVER STRAIGHT STAINLESS STEEL - BRUSHED



Pictured 41.0797 Brushed

Introducing the Wendover Straight Multirail, now available in a sleek stainless steel version. Combining the practicality of a towel rail with the durability and modern elegance of stainless steel, it's the perfect addition to any stylish bathroom.

FEATURES

- Grade 304 Stainless Steel material
- 22mm diameter horizontal round tubes
- 40 x 30mm vertical profiles
- Brushed finished surface
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*
- * With conditions

Technical Tables & Drawings

Page 384-385



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 50mm less than the width of the rail and approx. 75-100mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.



Pictured 41.0795 Brushed

Rear fixing wall brackets

Wendover Straight Stainless Steel Multirail - Brushed

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	106	203	150W	A, A+, B, D, E, F, G	41.0793	209.00	250.80
800 x 600mm	126	241	150W	A, A+, B, D, E, F, G	41.0794	223.00	267.60
1200 x 500mm	163	313	300W	A, A+, B, D, E, F, G	41.0795	284.00	340.80
1200 x 600mm	194	371	300W	A, A+, B, D, E, F, G	41.0796	305.00	366.00
1800 x 500mm	254	489	450W	A, A+, B, D, E, F, G	41.0797	389.00	466.80
1800 x 600mm	301	580	450W	A, A+, B, D, E, F, G	41.0798	419.00	502.80



Tube Diameter

22mm



Stainless Steel Range

VIOLLA II - POLISHED



Pictured 41.0882 Polished

Violla II Stainless Steel Towel Rail - Polished							
Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 500mm	90	172	100W	A, A+, B, D, E, F, G	41.0880	212.00	254.40
790 x 600mm	104	200	150W	A, A+, B, D, E, F, G	41.0881	226.00	271.20
1210 x 500mm	145	277	150W	A, A+, B, D, E, F, G	41.0882	295.00	354.00
1210 x 600mm	169	321	150W	A, A+, B, D, E, F, G	41.0883	318.00	381.60
1630 x 500mm	200	376	150W	A, A+, B, D, E, F, G	41.0884	363.00	435.60
1630 x 600mm	232	436	300W	A, A+, B, D, E, F, G	41.0885	392.00	470.40



Tube Diameter
19mm

Warranty

5 Year

Heating

All Electric

Dual-Fuel



Pictured 41.0885 Polished

Rear fixing wall brackets

Building on the simplicity of the classic ladder rail, Violla II combines sleek minimalism with enhanced functionality. Thoughtfully spaced rails ensure effortless towel placement on every bar. Designed for modern living, blending style and practicality seamlessly.

FEATURES

- Grade 304 Stainless Steel material
 - 19mm diameter horizontal round tubes
 - 32mm diameter vertical profiles
 - Mirror polished surface (Chrome effect)
 - Tested to BS EN 442 standards
 - Can be single or dual fuel, or all electric
 - 5 Year manufacturer's warranty*
- * With conditions

Technical Tables
& Drawings
Page 386-387



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 32mm less than the width of the rail and approx. 76-101mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

Stainless Steel Range

VIOLLA II - BRUSHED

Available August 2025



Pictured 41.0886 Brushed

Rear bleed valve

Building on the simplicity of the classic ladder rail, Viola II combines sleek minimalism with enhanced functionality. Thoughtfully spaced rails ensure effortless towel placement on every bar. Designed for modern living, blending style and practicality seamlessly.

FEATURES

- Grade 304 Stainless Steel material
- 19mm diameter horizontal round tubes
- 32mm diameter vertical profiles
- Brushed surface
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 386-387



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 32mm less than the width of the rail and approx. 76-101mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.



Pictured 41.0889 Brushed

Rear fixing wall brackets

Viola II Stainless Steel Towel Rail - Brushed

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 500mm	90	172	100W	A, A+, B, D, E, F, G	41.0886	227.00	272.40
790 x 600mm	104	200	150W	A, A+, B, D, E, F, G	41.0887	241.00	289.20
1210 x 500mm	145	277	150W	A, A+, B, D, E, F, G	41.0888	317.00	380.40
1210 x 600mm	169	321	150W	A, A+, B, D, E, F, G	41.0889	339.00	406.80
1630 x 500mm	200	376	150W	A, A+, B, D, E, F, G	41.0890	392.00	470.40
1630 x 600mm	232	436	300W	A, A+, B, D, E, F, G	41.0891	421.00	505.20



Tube Diameter
19mm



Stainless Steel Range

RIZANO

Can be reverse handed
(Left or Right)

Technical Tables & Drawings

Page 386-387



Furniture for illustration
purposes only

Pictured 41.0250 Polished



Twin TRV's
Page 352



Tappings: 50mm

Bar Dimensions (mm)

Horizontal Bars 30 x 15mm

This sophisticated, ultra modern radiator adds a hugely useful feature with its single sided towel bars.

Rizano Stainless Steel Towel Rail - Polished

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 500mm	133	262	300W	A, A+, B, D, E	41.0250	640.00	768.00
1000 x 600mm	157	307	300W	A, A+, B, D, E	41.0251	880.00	1056.00

FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Tappings at the top and bottom. Can be reverse handed (left or right)
- Twin valves can be used with this towel rail
- 5 Year Manufacturer's Warranty*

* With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D or E. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 50mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Stainless Steel Range

WHILE STOCKS LAST

VIOLLA

Pictured 91.0177 Polished

Technical Tables
& Drawings
Page 386-387



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Rear fixing wall brackets

Pictured 91.0174 Polished



FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom
- Hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 32mm less than the width of the rail and approx. 79mm off the wall. Prices include radiator and wall fixings sets, valves extra. Maximum working pressure: 4 bars.


A take on the simple ladder rail design this radiator is both functional and minimalist. Rail spacing makes it easy to put a towel on all of the bars, making it the perfect family bathroom solution.

Violla Stainless Steel Towel Rail - Polished				REDUCED PRICES			
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
590 x 1000mm	95	182	150W	A, A+, B, D, E, F, G	91.0171	212.00	254.40
790 x 500mm	80	153	100W	A, A+, B, D, E, F, G	91.0172	207.00	248.40
790 x 600mm	90	173	150W	A, A+, B, D, E, F, G	91.0173	221.00	265.20
1210 x 500mm	124	237	150W	A, A+, B, D, E, F, G	91.0174	234.00	280.80
1210 x 600mm	141	270	150W	A, A+, B, D, E, F, G	91.0175	245.00	294.00
1630 x 500mm	158	302	150W	A, A+, B, D, E, F, G	91.0176	306.00	367.20
1630 x 600mm	180	344	300W	A, A+, B, D, E, F, G	91.0177	361.00	433.20

* Further heat output information available on eastbrooktrade.com E&OA

Stainless Steel Range

BIAVA FLAT



Bar Dimensions (mm)

Horizontal Bars 50 x 10mm

Pictured 41.0253 Polished

Rear fixing wall brackets

Whilst retaining the features of a ladder rail, this flat panelled radiator produces a stylish and contemporary look. The larger surface area of the flat panels allow for a higher heat output with no compromise on design.

Biava Flat Stainless Steel Towel Rail - Polished

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1190 x 500mm	163	312	300W	A, A+, B, D, E	41.0252	728.00	873.60
1190 x 600mm	190	359	450W	A, A+, B, D, E	41.0253	793.00	951.60

FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom
- Hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables

& Drawings

Page 386-387



TECHNICAL INFORMATION

All measurements in Height by Width.. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D or E. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 80mm less than the width of the rail and approx. 65mm off the wall. Prices include radiator and wall fixings sets, valves extra. Maximum working pressure: 4 bars.

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Stainless Steel Range

ASCONA

Rear fixing wall brackets

Furniture for illustration purposes only

Pictured 41.0254 Polished

Bar Dimensions (mm)

Horizontal Bars 50 x 10mm

This sophisticated, ultra modern radiator adds a hugely useful feature with its single sided towel bars.

Ascona Stainless Steel Towel Rail - Polished

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
420 x 500mm	80	146	150W	A, A+, B, D, E	41.0254	500.00	600.00

FEATURES

- Grade 304 Stainless Steel material
- Mirror polished surface (Chrome effect)
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Rear fixing wall brackets
- Tappings only at the bottom, with hidden air vent at the back
- Flush finished tops
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables
& Drawings**
Page 388-389



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D or E. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 60mm less than the width of the rail and approx. 45mm off the wall. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars.

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Stainless Steel Range

VELINO - POLISHED

Heated Shelves 

Available August 2025



Pictured 41.1113 Polished

Rear fixing wall brackets

Pictured 41.1111 Polished

Velino Stainless Steel Towel Rail - Polished							
Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	125	235	150W	A, A+, B, D, E, F, G	41.1111	340.00	408.00
800 x 600mm	143	268	150W	A, A+, B, D, E, F, G	41.1112	374.00	448.80
1200 x 500mm	167	317	150W	A, A+, B, D, E, F, G	41.1113	435.00	522.00
1200 x 600mm	189	358	300W	A, A+, B, D, E, F, G	41.1114	470.00	564.00

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Elevate your bathroom with the Velino, crafted from premium stainless steel for durability. Designed with built-in shelves for added convenience, it offers ample space to dry multiple towels at once while enhancing your space with effortless elegance. Experience the perfect blend of style and functionality with Velino.

FEATURES

- Grade 304 Stainless Steel material
 - 19mm diameter horizontal round tubes
 - 35 x 35mm vertical profiles
 - Mirror polished surface (Chrome effect)
 - Tested to BS EN 442 standards
 - Can be single or dual fuel, or all electric
 - 5 Year manufacturer's warranty*
- * With conditions

Technical Tables
& Drawings
Page 386-387



TECHNICAL INFORMATION


All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 35mm less than the width of the rail and approx. 97.5mm off the wall. Projection from the wall is 290mm. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars

Stainless Steel Range

VELINO - BRUSHED

Available August 2025

Heated Shelves 



Pictured 41.1116 Brushed



Rear fixing wall brackets

Pictured 41.1118 Brushed

Velino Stainless Steel Towel Rail - Brushed							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	125	235	150W	A, A+, B, D, E, F, G	41.1115	356.00	427.20
800 x 600mm	143	268	150W	A, A+, B, D, E, F, G	41.1116	390.00	468.00
1200 x 500mm	167	317	150W	A, A+, B, D, E, F, G	41.1117	459.00	550.80
1200 x 600mm	189	358	300W	A, A+, B, D, E, F, G	41.1118	494.00	592.80

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Elevate your bathroom with the Velino, crafted from premium stainless steel for durability. Designed with built-in shelves for added convenience, it offers ample space to dry multiple towels at once while enhancing your space with effortless elegance. Experience the perfect blend of style and functionality with Velino.

FEATURES


- Grade 304 Stainless Steel material
- 19mm diameter horizontal round tubes
- 35 x 35mm vertical profiles
- Brushed surface
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year manufacturer's warranty*
- * With conditions

Technical Tables
& Drawings
Page 386-387



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For direct & indirect heating systems. Tappings are approx. 35mm less than the width of the rail and approx. 97.5mm off the wall. Projection from the wall is 290mm. Price includes radiator and wall fixing sets, valves extra. Maximum working pressure: 4 bars



Sub Section

Designer Range

Our aim is to offer a statement piece radiator or towel rail that allows maximum space to keep towels warm. In the designer range you can find a huge variety of towel rail styles and radiators using minimalistic, clean designs.

Contents


Warrington Type10, Available in 5 colours - NEW COLOUR & SIZES	92-95	Wingrave Flat Panel, Available in 3 colours	140-141
Warrington Type20, Available in 3 colours - NEW SIZES	96-99	Tunstall Vertical, Available in 4 colours	142-143
Leonardo, Chrome & Brushed Brass	100	Tunstall Horizontal, Available in 3 colours	144
Brockworth All Electric Available in 3 colours	101	Tunstall Towel Rail, Available in 4 colours	145
Staverton Tube on Tube Straight, Available in 3 colours	102	Tunstall Double Vertical, Available in 3	146-147
Staverton Tube on Tube Curved, Chrome	103	Tunstall Double Horizontal, Available in 3 colours	148-149
Biava Corinium, Chrome	103	Tunstall Double Towel Rail, Available in 3 colours	150
Defford, Available in 5 colours	104-105	Tunstall Mirror & Tunstall Double Mirror, Available in 3 colours	151
Staverton, Available in 3 colours	106	Deddington Vertical, Available in 5 colours	152-153
Mezzo Tondo, Chrome	107	Deddington Horizontal, Available in 5	154-155
Pesaro, Chrome	107	Deddington Towel Rail, Available in 5 colours	156-157
Santero, Available in 4 colours	108-109	Addington II Type 10, Available in 4 colours - NEW PRODUCT	158-165
Hurley, Available in 6 colours	110-113	Addington II Type 20, Available in 3 colours - NEW PRODUCT	166-171
Helmsley, Available in 4 colours	114-115	Addington II Type 10 Towel Rail, Available in 4 colours - NEW PRODUCT	172-174
Platani, Available in 5 colours	116-117	Addington II Type 20 Towel Rail, Available in 3 colours - NEW PRODUCT	175
Reinbach, Available in 5 colours - NEW SIZES	118-119	Addington Type10, Gloss White & Matt Anthracite	176-179
Marlow, Available in 5 colours	120-121	Addington Type10 Towel Rail, Gloss White & Matt Anthracite	180
Marlow E-Style, Available in 5 colours	122-123	Addington Type10 Towel Hangers	181
Conwy, Available in 4 colours	124	Addington Type20, Gloss White & Matt Anthracite	182-185
Portchester, Available in 4 colours	125	Addington Type21 Horizontal, Gloss White & Matt Anthracite	186
Lambourne, Available in 4 colours	126-127	Addington Type22 Horizontal, Gloss White & Matt Anthracite	187
Murano Vertical & Horizontal, Available in 4 colours	128-129	Addington Type20 Towel Rail, Gloss White & Matt Anthracite	188
Ryton, Available in 3 colours	130	Addington Type21 Towel Rail, Gloss White & Matt Anthracite	189
Kenilworth, Available in 3 colours	131		
Loxley, Available in 3 colours	132		
Eshton, Available in 3 colours	133		
Rubano Vertical & Horizontal, Gloss White & Matt Anthracite	134-135		
Rowsham Vertical & Horizontal, Matt White & Matt Anthracite	136-138		
Rowsham Towel Rail, Matt White & Matt Anthracite	139		

Designer Range

WARRINGTON TYPE 10 - HORIZONTAL



Pictured 41.0532 Gloss White



Pictured 41.0528 Matt Black

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 4 colours in total.

FEATURES

- 68x12mm vertical bars
 - Tested to BS EN 442 standards
 - Single profile construction
 - 4 colours available from stock
 - Not suitable for elements
 - Comes with same colour blanking plug & bleed valve (brushed brass finish only)
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 388-389



600mm Height - Horizontal

Warrington Type 10 Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 452mm	169	321	41.0520	123.00	147.60
600 x 604mm	225	427	41.0523	152.00	182.40
600 x 832mm	310	588	41.0526	195.00	234.00
600 x 1060mm	394	748	41.0529	237.00	284.40
600 x 1212mm	450	854	41.0532	265.00	318.00
600 x 1440mm	535	1015	41.0841	306.00	367.20
600 x 1668mm	619	1175	41.0844	349.00	418.80

Warrington Type 10 Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 452mm	169	321	41.0521	126.00	151.20
600 x 604mm	225	427	41.0524	156.00	187.20
600 x 832mm	310	588	41.0527	200.00	240.00
600 x 1060mm	394	748	41.0530	243.00	291.60
600 x 1212mm	450	854	41.0533	272.00	326.40
600 x 1440mm	535	1015	41.0842	314.00	376.80
600 x 1668mm	619	1175	41.0845	359.00	430.80

Warrington Type 10 Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 452mm	169	321	41.0522	126.00	151.20
600 x 604mm	225	427	41.0525	156.00	187.20
600 x 832mm	310	588	41.0528	200.00	240.00
600 x 1060mm	394	748	41.0531	243.00	291.60
600 x 1212mm	450	854	41.0534	272.00	326.40
600 x 1440mm	535	1015	41.0843	314.00	376.80
600 x 1668mm	619	1175	41.0846	359.00	430.80

TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

Designer Range

WARRINGTON TYPE 10 - VERTICAL

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 5 colours in total, including the brand new stunning chrome finish.

FEATURES

- 68x12mm vertical bars
 - Tested to BS EN 442 standards
 - Single profile construction
 - 5 colours available from stock
 - Not suitable for elements
 - Comes with same colour blanking plug & bleed valve (brushed brass finish only)
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 388-389



New Sizes Available August 2025

TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

1500mm Height - Vertical

NEW! Warrington Type 10 Vertical Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	258	490	41.1119	155.00	186.00
1500 x 376mm	322	612	41.1120	186.00	223.20
1500 x 452mm	387	735	41.1121	216.00	259.20
1500 x 528mm	451	857	41.1122	247.00	296.40
1500 x 604mm	516	980	41.1123	277.00	332.40
1500 x 680mm	580	1102	41.1124	308.00	369.60

NEW! Warrington Type 10 Vertical Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	258	490	41.1125	159.00	190.80
1500 x 376mm	322	612	41.1126	190.00	228.00
1500 x 452mm	387	735	41.1127	221.00	265.20
1500 x 528mm	451	857	41.1128	253.00	303.60
1500 x 604mm	516	980	41.1129	284.00	340.80
1500 x 680mm	580	1102	41.1130	315.00	378.00

NEW! Warrington Type 10 Vertical Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	258	490	41.1131	159.00	190.80
1500 x 376mm	322	612	41.1132	190.00	228.00
1500 x 452mm	387	735	41.1133	221.00	265.20
1500 x 528mm	451	857	41.1134	253.00	303.60
1500 x 604mm	516	980	41.1135	284.00	340.80
1500 x 680mm	580	1102	41.1136	315.00	378.00

NEW! Warrington Type 10 Vertical Radiators - Chrome

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	151	293	41.1137	244.00	292.80
1500 x 376mm	188	366	41.1138	295.00	354.00
1500 x 452mm	226	439	41.1139	346.00	415.20
1500 x 528mm	263	512	41.1140	397.00	476.40
1500 x 604mm	301	585	41.1141	449.00	538.80


NEW! Warrington Type 10 Vertical Radiators - Brushed Brass

Size H x W	△ T30 Watts*	△ T50 Watts*	Code	£ Ex VAT	£ Inc VAT
1500 x 300mm	151	293	41.1142	363.00	435.60
1500 x 376mm	188	366	41.1143	414.00	496.80
1500 x 452mm	226	439	41.1144	465.00	558.00
1500 x 528mm	263	512	41.1145	516.00	619.20
1500 x 604mm	301	585	41.1146	567.00	680.40

* Further heat output information available on eastbrooktrade.com E&OA



Pictured 41.1134 Matt Black



Warranty

5

Year

Heating



Single profile construction

Designer Range

WARRINGTON TYPE 10 - VERTICAL



Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 5 colours in total.

FEATURES

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Single profile construction
- 5 colours available from stock
- Not suitable for elements
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 388-389



NEW

New Colour Available August 2025



Bar Dimensions (mm)

Vertical Bars 68 x 12mm



Designer Range

WARRINGTON TYPE 10 - VERTICAL

1800mm Height - Vertical

Warrington Type 10 Vertical Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	322	616	41.0505	172.00	206.40
1800 x 376mm	403	769	41.0508	205.00	246.00
1800 x 452mm	483	923	41.0511	239.00	286.80
1800 x 528mm	564	1077	41.0514	271.00	325.20
1800 x 604mm	644	1231	41.0517	305.00	366.00
1800 x 680mm	725	1385	41.0838	341.00	409.20

Warrington Type 10 Vertical Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	322	616	41.0506	177.00	212.40
1800 x 376mm	403	769	41.0509	212.00	254.40
1800 x 452mm	483	923	41.0512	245.00	294.00
1800 x 528mm	564	1077	41.0515	280.00	336.00
1800 x 604mm	644	1231	41.0518	314.00	376.80
1800 x 680mm	725	1385	41.0839	350.00	420.00

Warrington Type 10 Vertical Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	322	616	41.0507	177.00	212.40
1800 x 376mm	403	769	41.0510	212.00	254.40
1800 x 452mm	483	923	41.0513	245.00	294.00
1800 x 528mm	564	1077	41.0516	280.00	336.00
1800 x 604mm	644	1231	41.0519	314.00	376.80
1800 x 680mm	725	1385	41.0840	350.00	420.00

NEW! Warrington Type 10 Vertical Radiators - Chrome


Size H x W	△T30 Watts*	△T50 Watts*	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	192	383	41.1147	279.00	334.80
1800 x 376mm	240	479	41.1148	339.00	406.80
1800 x 452mm	288	575	41.1149	397.00	476.40
1800 x 528mm	336	670	41.1150	457.00	548.40
1800 x 604mm	384	766	41.1151	516.00	619.20

Warrington Type 10 Vertical Radiators - Brushed Brass

Size H x W	△T30 Watts*	△T50 Watts*	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	192	383	41.0779	438.00	525.60
1800 x 376mm	240	479	41.0780	491.00	589.20
1800 x 452mm	288	575	41.0781	543.00	651.60
1800 x 528mm	336	670	41.0782	596.00	715.20
1800 x 604mm	384	766	41.0783	648.00	777.60

* Further heat output information available on eastbrooktrade.com **E&OA**

Brushed Brass Finish



Single profile construction

High quality PVD coating

WARRINGTON TOWEL HANGERS TYPE10 & TYPE20



Towel Hanger - Mirror Polished Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0565	53.00	63.60
300mm	41.0569	57.00	68.40
380mm	41.0573	62.00	74.40
500mm	41.0577	71.00	85.20




Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0566	50.00	60.00
300mm	41.0570	53.00	63.60
380mm	41.0574	58.00	69.60
500mm	41.0578	65.00	78.00



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0567	50.00	60.00
300mm	41.0571	53.00	63.60
380mm	41.0575	58.00	69.60
500mm	41.0579	65.00	78.00



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0568	50.00	60.00
300mm	41.0572	53.00	63.60
380mm	41.0576	58.00	69.60
500mm	41.0580	65.00	78.00



Towel Hanger - Brushed Brass Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0800	67.00	80.40
300mm	41.0801	72.00	86.40
380mm	41.0802	78.00	93.60
500mm	41.0803	89.00	106.80

Pictured 41.0732



Bleed Valve & Blanking Plug Set - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.0732	11.00	13.20

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

Warrington radiators do not come with towel hanger locations. Towel hangers can be fitted on any desired height, left or right handed and with the quantity chosen. Warrington Towel Hangers can be fitted on vertical & horizontal sizes.

Must be fitted before installation. Warrington Towel Hangers are only compatible with Warrington Type 10 & Type 20 radiators.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

WARRINGTON TYPE 20 - HORIZONTAL



Pictured 41.0564 Matt Black



Pictured 41.0553 Gloss White

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Double panel Warrington Radiator is available in vertical & horizontal sizes and 3 colours.

FEATURES

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Double profile construction
- 3 colours available from stock
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables
& Drawings**
Page 388-389



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

600mm Height - Horizontal

Warrington Type 20 Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 456mm	268	510	41.0550	182.00	218.40
600 x 608mm	358	680	41.0553	230.00	276.00
600 x 836mm	492	935	41.0556	303.00	363.60
600 x 1064mm	626	1190	41.0559	374.00	448.80
600 x 1216mm	715	1360	41.0562	423.00	507.60
600 x 1444mm	849	1615	41.0850	493.00	591.60
600 x 1672mm	983	1870	41.0853	565.00	678.00

Warrington Type 20 Horizontal Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 456mm	268	510	41.0551	187.00	224.40
600 x 608mm	358	680	41.0554	237.00	284.40
600 x 836mm	492	935	41.0557	311.00	373.20
600 x 1064mm	626	1190	41.0560	385.00	462.00
600 x 1216mm	715	1360	41.0563	434.00	520.80
600 x 1444mm	849	1615	41.0851	507.00	608.40
600 x 1672mm	983	1870	41.0854	581.00	697.20

Warrington Type 20 Horizontal Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 456mm	268	510	41.0552	187.00	224.40
600 x 608mm	358	680	41.0555	237.00	284.40
600 x 836mm	492	935	41.0558	311.00	373.20
600 x 1064mm	626	1190	41.0561	385.00	462.00
600 x 1216mm	715	1360	41.0564	434.00	520.80
600 x 1444mm	849	1615	41.0852	507.00	608.40
600 x 1672mm	983	1870	41.0855	581.00	697.20

Designer Range

WARRINGTON TYPE 20 - VERTICAL



Pictured 41.1154 Gloss White

1500mm Height - Vertical

NEW! Warrington Type 20 Vertical Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 304mm	372	721	41.1152	242.00	290.40
1500 x 380mm	466	902	41.1153	294.00	352.80
1500 x 456mm	559	1082	41.1154	346.00	415.20
1500 x 532mm	652	1262	41.1155	397.00	476.40
1500 x 608mm	745	1443	41.1156	450.00	540.00
1500 x 684mm	838	1623	41.1157	502.00	602.40

NEW! Warrington Type 20 Vertical Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 304mm	372	721	41.1158	249.00	298.80
1500 x 380mm	466	902	41.1159	301.00	361.20
1500 x 456mm	559	1082	41.1160	355.00	426.00
1500 x 532mm	652	1262	41.1161	408.00	489.60
1500 x 608mm	745	1443	41.1162	462.00	554.40
1500 x 684mm	838	1623	41.1163	515.00	618.00

NEW! Warrington Type 20 Vertical Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1500 x 304mm	372	721	41.1164	249.00	298.80
1500 x 380mm	466	902	41.1165	301.00	361.20
1500 x 456mm	559	1082	41.1166	355.00	426.00
1500 x 532mm	652	1262	41.1167	408.00	489.60
1500 x 608mm	745	1443	41.1168	462.00	554.40
1500 x 684mm	838	1623	41.1169	515.00	618.00



Pictured 41.1167 Matt Black with 41.0803 Towel Hanger



Double profile construction

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Single panel Warrington Radiator is available in vertical & horizontal sizes and 4 colours in total.

FEATURES

- 68x12mm vertical bars
 - Tested to BS EN 442 standards
 - Single profile construction
 - 4 colours available from stock
 - Not suitable for elements
 - Comes with same colour blanking plug & bleed valve (brushed brass finish only)
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 390-391



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.

Designer Range

WARRINGTON TYPE 20 - VERTICAL



Pictured 41.0547 Gloss White

Warrington Designer Radiator will be the centre of attention in any room with its perfectly crafted elliptical front panels. Completing your radiator with the extra towel hangers has never been easier. Double panel Warrington Radiator is available in vertical & horizontal sizes and 3 colours.

FEATURES

- 68x12mm vertical bars
- Tested to BS EN 442 standards
- Double profile construction
- 3 colours available from stock
- Not suitable for elements
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables
& Drawings**
Page 390-391



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx. 51mm off the wall. Projection from wall 84mm.



Bar Dimensions (mm)

Vertical Bars 68 x 12mm

Pictured 41.0539 Matt Anthracite with 41.0569 Towel Hanger



Double profile construction

Designer Range

WARRINGTON TYPE 20 - VERTICAL

1800mm Height - Vertical

Warrington Type 20 Vertical Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	468	902	41.0535	271.00	325.20
1800 x 380mm	584	1127	41.0538	340.00	408.00
1800 x 456mm	701	1352	41.0541	398.00	477.60
1800 x 532mm	818	1578	41.0544	458.00	549.60
1800 x 608mm	935	1803	41.0547	519.00	622.80
1800 x 684mm	1052	2028	41.0847	580.00	696.00

Warrington Type 20 Vertical Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	468	902	41.0536	287.00	344.40
1800 x 380mm	584	1127	41.0539	349.00	418.80
1800 x 456mm	701	1352	41.0542	410.00	492.00
1800 x 532mm	818	1578	41.0545	471.00	565.20
1800 x 608mm	935	1803	41.0548	533.00	639.60
1800 x 684mm	1052	2028	41.0848	595.00	714.00

Warrington Type 20 Vertical Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 304mm	468	902	41.0537	287.00	344.40
1800 x 380mm	584	1127	41.0540	349.00	418.80
1800 x 456mm	701	1352	41.0543	410.00	492.00
1800 x 532mm	818	1578	41.0546	471.00	565.20
1800 x 608mm	935	1803	41.0549	533.00	639.60
1800 x 684mm	1052	2028	41.0849	595.00	714.00



Pictured 41.0847 Gloss White

WARRINGTON TOWEL HANGERS TYPE10 & TYPE20

Towel Hanger - Mirror Polished Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0565	53.00	63.60
300mm	41.0569	57.00	68.40
380mm	41.0573	62.00	74.40
500mm	41.0577	71.00	85.20

Towel Hanger - Gloss White

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0566	50.00	60.00
300mm	41.0570	53.00	63.60
380mm	41.0574	58.00	69.60
500mm	41.0578	65.00	78.00

Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0567	50.00	60.00
300mm	41.0571	53.00	63.60
380mm	41.0575	58.00	69.60
500mm	41.0579	65.00	78.00

Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0568	50.00	60.00
300mm	41.0572	53.00	63.60
380mm	41.0576	58.00	69.60
500mm	41.0580	65.00	78.00

Towel Hanger - Brushed Brass Premium

Size	Code	£ Ex VAT	£ Inc VAT
239mm	41.0800	67.00	80.40
300mm	41.0801	72.00	86.40
380mm	41.0802	78.00	93.60
500mm	41.0803	89.00	106.80

Pictured 41.0732



Bleed Valve & Blanking Plug Set - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.0732	11.00	13.20

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

Warrington radiators do not come with towel hanger locations. Towel hangers can be fitted on any desired height, left or right handed and with the quantity chosen. Warrington Towel Hangers can be fitted on vertical & horizontal sizes.


Must be fitted before installation. Warrington Towel Hangers are only compatible with Warrington Type 10 & Type 20 radiators.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

LEONARDO

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 41.0261 Chrome

Can be reverse handed
(Left or Right)

The single sided pipes on this wonderfully stylish Leonardo rail allows maximum hanging space.

FEATURES

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- Can be reverse handed (left or right)
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year manufacturer's warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 390-391




Leonardo - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	68	135	150W	A, A+, B, D, E, F, G	41.0255	286.00	343.20
600 x 500mm	82	162	150W	A, A+, B, D, E, F, G	41.0258	310.00	372.00
600 x 600mm	95	189	150W	A, A+, B, D, E, F, G	41.0263	339.00	406.80
688 x 500mm	93	182	150W	A, A+, B, D, E, F, G	41.0261	323.00	387.60
1200 x 400mm	128	255	300W	A, A+, B, D, E, F, G	41.0256	481.00	577.20
1200 x 500mm	153	305	300W	A, A+, B, D, E, F, G	41.0259	534.00	640.80
1200 x 600mm	175	350	300W	A, A+, B, D, E, F, G	41.0264	580.00	696.00
1450 x 500mm	184	370	450W	A, A+, B, D, E, F, G	41.0262	627.00	752.40
1800 x 400mm	192	389	450W	A, A+, B, D, E, F, G	41.0257	670.00	804.00
1800 x 500mm	230	466	450W	A, A+, B, D, E, F, G	41.0260	739.00	886.80
1800 x 600mm	276	540	600W	A, A+, B, D, E, F, G	41.0265	807.00	968.40

Bar Dimensions (mm)

Horizontal Bars 42 x 14mm



Pictured 41.0371 Brushed Brass

High quality PVD coating

Leonardo - Brushed Brass

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	184	366	300W	A, A+, B, D, E, F, G	41.0371	713.00	855.60
1200 x 600mm	228	442	450W	A, A+, B, D, E, F, G	41.0372	770.00	924.00

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 82mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Designer Range

BROCKWORTH ALL ELECTRIC

Bar Dimensions (mm)

Horizontal Bars 60 x 12mm



Pictured 41.0784 Matt White



Pictured 41.0785 Matt Anthracite



Pictured 41.0786 Matt Black



Type B Wi-Fi Element specifications Page 337

The sophisticated design of this towel rail perfectly combines elegance with practicality. Comes with a pre-fitted Wi-Fi enabled heating element and pre-filled with fluid, it's ready to use straight away. Simply connect, and you're all set. Available in three colours; matt white, matt anthracite and matt black.

FEATURES

- 60 x 12mm. horizontal bars
- Comes ready to use, fitted with Type B Wi-Fi element (700W) & fluid filled
- Element fitted to left hand side
- Element with IP rating X4
- Tested to BS EN 442 standards
- Can **not** be reverse handed
- All electric only
- 2 Year manufacturer's warranty*
- * With conditions

Technical Tables
& Drawings
Page 390-391



Brockworth All Electric Towel Rail - Matt White

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	700	2387	700W	Type B Wi-Fi	41.0784	429.00	514.80

Brockworth All Electric Towel Rail - Matt Anthracite

Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	700	2387	700W	Type B Wi-Fi	41.0785	429.00	514.80

Brockworth All Electric Towel Rail - Matt Black


Size H x W	Watts	BTU	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	700	2387	700W	Type B Wi-Fi	41.0786	429.00	514.80

TECHNICAL INFORMATION

All measurements in Height by Width. Brockworth All Electric towel rail is all electric and to be used all electric only. Type B Wi-Fi Element (700W) is factory fitted & fluid filled. Element fitted to left hand side. For element technical information refer to Page 299. This towel rail is approx. 96-106mm off the wall. Price includes radiator and wall fixing sets.

Designer Range

STAVERTON - TUBE ON TUBE - STRAIGHT



Pictured 41.0334 Chrome

Bar Dimensions (mm)

Horizontal Bars 68 x 12mm



Rear fixing wall brackets

High quality PVD coating

Pictured 41.0375 Brushed Brass

Staverton Tube on Tube towel rails feature stylish flat horizontal bars, offering a clean and contemporary look. Available in three popular colour options, they combine everyday practicality with on-trend design. A customer favourite, they're the perfect finishing touch for any bathroom.

Staverton - Tube on Tube - Straight Gloss White							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	139	260	150W	A, A+, B, D, E, F, G	41.0190	231.00	277.20
600 x 500mm	166	310	150W	A, A+, B, D, E, F, G	41.0193	251.00	301.20
600 x 600mm	193	358	300W	A, A+, B, D, E, F, G	41.0196	273.00	327.60
1200 x 400mm	244	467	300W	A, A+, B, D, E, F, G	41.0191	372.00	446.40
1200 x 500mm	295	556	450W	A, A+, B, D, E, F, G	41.0194	387.00	464.40
1200 x 600mm	332	626	450W	A, A+, B, D, E, F, G	41.0197	425.00	510.00
1800 x 400mm	373	702	600W	A, A+, B, D, E, F, G	41.0192	535.00	642.00
1800 x 500mm	457	866	600W	A, A+, B, D, E, F, G	41.0195	562.00	674.40
1800 x 600mm	515	975	750W	A, A+, B, D, E, F, G	41.0198	620.00	744.00

Staverton - Tube on Tube - Brushed Brass							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	252	482	300W	A, A+, B, D, E, F, G	41.0375	893.00	1071.60
1200 x 600mm	290	555	300W	A, A+, B, D, E, F, G	41.0376	966.00	1159.20

* Further heat output information available on eastbrooktrade.com E&OA

FEATURES

- 68 x 12mm. horizontal bars
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve (brushed brass finish only)
- 5 Year manufacturer's warranty*
- * With conditions

Technical Tables
& Drawings
Page 390-391



Staverton - Tube on Tube - Straight Chrome							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	90	172	150W	A, A+, B, D, E, F, G	41.0181	401.00	481.20
600 x 500mm	91	175	150W	A, A+, B, D, E, F, G	41.0184	437.00	524.40
600 x 600mm	127	237	150W	A, A+, B, D, E, F, G	41.0187	476.00	571.20
600 x 1000mm	253*	485*	300W	A, A+, B, D, E, F, G	41.0333	587.00	704.40
600 x 1200mm	217	405	300W	A, A+, B, D, E, F, G	41.0334	607.00	728.40
800 x 1000mm	200	389	450W	A, A+, B, D, E, F, G	41.0335	678.00	813.60
800 x 1200mm	272	508	450W	A, A+, B, D, E, F, G	41.0336	766.00	919.20
1200 x 400mm	146	283	300W	A, A+, B, D, E, F, G	41.0182	685.00	822.00
1200 x 500mm	177	337	300W	A, A+, B, D, E, F, G	41.0185	721.00	865.20
1200 x 600mm	215	412	300W	A, A+, B, D, E, F, G	41.0188	790.00	948.00
1800 x 400mm	227	437	450W	A, A+, B, D, E, F, G	41.0183	958.00	1149.60
1800 x 500mm	243	470	450W	A, A+, B, D, E, F, G	41.0186	1010.00	1212.00
1800 x 600mm	306	584	600W	A, A+, B, D, E, F, G	41.0189	1179.00	1414.80

* Further heat output information available on eastbrooktrade.com E&OA

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Brushed Brass colour shown in images are subject to the limitations of the printing process and may appear different.

Designer Range

STAVERTON - TUBE ON TUBE - CURVED

The Staverton Tube on Tube Curved allows the hanging of larger, fluffier towels for the ultimate luxury.

Staverton - Tube on Tube - Curved Chrome


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	100	190	150W	A, A+, B, D, E, F, G	41.0232	387.00	464.40
600 x 600mm	110	207	150W	A, A+, B, D, E, F, G	41.0233	425.00	510.00
1200 x 500mm	191	365	300W	A, A+, B, D, E, F, G	41.0234	678.00	813.60
1200 x 600mm	212	404	450W	A, A+, B, D, E, F, G	41.0235	743.00	891.60
1800 x 500mm	291	560	450W	A, A+, B, D, E, F, G	41.0236	962.00	1154.40
1800 x 600mm	318	613	600W	A, A+, B, D, E, F, G	41.0237	1060.00	1272.00

FEATURES

- 42 x 14mm. horizontal bars
- Rear fixing wall brackets
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 392-393



Rear fixing wall brackets


Bar Dimensions (mm)

Horizontal Bars 42 x 14mm

Pictured 41.0234 Chrome

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



BIAVA CORINIUM

The Corinium rail is a contemporary unique design with a practical built in heated towel rail shelf at the top for stacking those larger towels. It's projection from the wall is 225mm.

Biava Corinium - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	121	231	150W	A, A+, C, E, H	41.0222	294.00	352.80
1200 x 600mm	135	254	150W	A, A+, C, E, H	41.0224	306.00	367.20

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings


Page 392-393



Pictured 41.0224 Chrome

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 100mm less than the width of the rail. Price includes radiator and wall fixing sets, valves extra. Projection from wall 225mm.



Designer Range

DEFFORD

Chrome



Pictured 89.1303 Chrome

Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 40 x 30mm

Matt Black



Pictured 89.1294 Matt Black



SWATCHES
AVAILABLE

Rear fixing metal wall brackets

Defford has been specifically designed to give maximum space for your towels and can produce enough warmth to heat a bathroom.

FEATURES

- 40 x 10mm. horizontal bars with 40 x 30mm. vertical D profile
 - Tested to BS EN 442 standards
 - Rear fixing metal wall brackets
 - 5 colours available from stock
 - 5 Year manufacturer's warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables
& Drawings
Page 392-393



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

DEFFORD

Defford Towel Rail - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	169	322	150W	A, A+, B, D, E, F, G	89.1274	124.00	148.80
800 x 600mm	195	371	150W	A, A+, B, D, E, F, G	89.1275	138.00	165.60
1200 x 500mm	252	479	300W	A, A+, B, D, E, F, G	89.1276	197.00	236.40
1200 x 600mm	291	553	450W	A, A+, B, D, E, F, G	89.1277	223.00	267.60
1800 x 500mm	374	710	600W	A, A+, B, D, E, F, G	89.1278	276.00	331.20
1800 x 600mm	432	819	600W	A, A+, B, D, E, F, G	89.1279	303.00	363.60

Defford Towel Rail - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	169	322	150W	A, A+, B, D, E, F, G	89.1280	124.00	148.80
800 x 600mm	195	371	150W	A, A+, B, D, E, F, G	89.1281	138.00	165.60
1200 x 500mm	252	479	300W	A, A+, B, D, E, F, G	89.1282	197.00	236.40
1200 x 600mm	291	553	450W	A, A+, B, D, E, F, G	89.1283	223.00	267.60
1800 x 500mm	374	710	600W	A, A+, B, D, E, F, G	89.1284	276.00	331.20
1800 x 600mm	432	819	600W	A, A+, B, D, E, F, G	89.1285	303.00	363.60

Defford Towel Rail - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	102	198	150W	A, A+, B, D, E, F, G	89.1298	182.00	218.40
800 x 600mm	117	226	150W	A, A+, B, D, E, F, G	89.1299	205.00	246.00
1200 x 500mm	151	293	150W	A, A+, B, D, E, F, G	89.1300	322.00	386.40
1200 x 600mm	173	335	150W	A, A+, B, D, E, F, G	89.1301	359.00	430.80
1800 x 500mm	225	438	300W	A, A+, B, D, E, F, G	89.1302	461.00	553.20
1800 x 600mm	258	501	300W	A, A+, B, D, E, F, G	89.1303	525.00	630.00

Defford Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	169	322	150W	A, A+, B, D, E, F, G	89.1286	124.00	148.80
800x600mm	195	371	150W	A, A+, B, D, E, F, G	89.1287	138.00	165.60
1200x500mm	252	479	300W	A, A+, B, D, E, F, G	89.1288	197.00	236.40
1200x600mm	291	553	450W	A, A+, B, D, E, F, G	89.1289	223.00	267.60
1800x500mm	374	710	600W	A, A+, B, D, E, F, G	89.1290	276.00	331.20
1800x600mm	432	819	600W	A, A+, B, D, E, F, G	89.1291	303.00	363.60

Defford Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	169	322	150W	A, A+, B, D, E, F, G	89.1292	124.00	148.80
800x600mm	195	371	150W	A, A+, B, D, E, F, G	89.1293	138.00	165.60
1200x500mm	252	479	300W	A, A+, B, D, E, F, G	89.1294	197.00	236.40
1200x600mm	291	553	450W	A, A+, B, D, E, F, G	89.1295	223.00	267.60
1800x500mm	374	710	600W	A, A+, B, D, E, F, G	89.1296	276.00	331.20
1800x600mm	432	819	600W	A, A+, B, D, E, F, G	89.1297	303.00	363.60

D Shape Vent Caps Page 369



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Grey



Chrome




Matt Anthracite



Matt Black



State-of-the-Art welding



Designer Range

STAVERTON



A modern style towel rail with horizontal flat bars, that still allows maximum space for keeping your towels warm.

FEATURES

- 42 x 14mm. horizontal bars
- Tested to BS EN 442 standards
- Comes in chrome, brushed brass or white finish
- Can be single or dual fuel, or all electric
- Comes with same colour blanking plug & bleed valve (brushed brass colour only)
- 5 Year manufacturer's warranty*

* With conditions

Technical Tables & Drawings

Page 392-393



Staverton - Brushed Brass

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 500mm	226	433	300W	A, A+, B, D, E, F, G	41.0373	598.00	717.60
1200 x 600mm	281	539	300W	A, A+, B, D, E, F, G	41.0374	644.00	772.80

Staverton - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	113	213	150W	A, A+, B, D, E, F, G	41.0136	125.00	150.00
600 x 500mm	136	257	150W	A, A+, B, D, E, F, G	41.0139	136.00	163.20
600 x 600mm	159	299	150W	A, A+, B, D, E, F, G	41.0142	146.00	175.20
1200 x 400mm	217	411	300W	A, A+, B, D, E, F, G	41.0137	203.00	243.60
1200 x 500mm	261	495	300W	A, A+, B, D, E, F, G	41.0140	217.00	260.40
1200 x 600mm	304	576	450W	A, A+, B, D, E, F, G	41.0143	239.00	286.80
1800 x 400mm	325	621	450W	A, A+, B, D, E, F, G	41.0138	280.00	336.00
1800 x 500mm	391	748	600W	A, A+, B, D, E, F, G	41.0141	305.00	366.00
1800 x 600mm	455	871	600W	A, A+, B, D, E, F, G	41.0144	334.00	400.80

Staverton - Chrome

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 400mm	67	129	100W	A, A+, B, D, E, F, G	41.0127	215.00	258.00
600 x 500mm	80	153	150W	A, A+, B, D, E, F, G	41.0130	248.00	297.60
600 x 600mm	93	174	150W	A, A+, B, D, E, F, G	41.0133	258.00	309.60
1200 x 400mm	141	268	150W	A, A+, B, D, E, F, G	41.0128	372.00	446.40
1200 x 500mm	166	316	300W	A, A+, B, D, E, F, G	41.0131	412.00	494.40
1200 x 600mm	187	371	300W	A, A+, B, D, E, F, G	41.0134	451.00	541.20
1800 x 400mm	212	400	300W	A, A+, B, D, E, F, G	41.0129	529.00	634.80
1800 x 500mm	250	472	450W	A, A+, B, D, E, F, G	41.0132	585.00	702.00
1800 x 600mm	289	540	600W	A, A+, B, D, E, F, G	41.0135	649.00	778.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 70mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 369



Designer Range

MEZZO TONDO



Pictured 41.0248 Chrome

The curves on this rail allow maximum space for the whole family to warm towels easily, without compromising on space in the room due to the slimline design.

Mezzo Tondo - Chrome

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1600 x 320mm Chrome	238	453	N/A	N/A	41.0248	481.00	577.20

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 394-395



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 286mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 369



Warranty

5

Year

Heating



PESARO



Pictured 41.0328 Chrome

A designer towel rail that allows the hanging of up to six towels at once. This statement piece has a unique design for those who want to make a bold statement.

Pesaro - Chrome

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1005 x 550mm	111	212	150W	A, A+, B, D, E, F, G	41.0328	478.00	573.60

FEATURES

- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 394-395



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 80mm and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps

Page 369



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Designer Range

SANTERO



Pictured 89.1327 Chrome

Bar Dimensions (mm)

Horizontal Bars 75 x 15mm
Vertical Bars 40 x 30mm



Pictured 89.1307 Gloss White



**SWATCHES
AVAILABLE**

Rear fixing metal wall brackets

An admired design in the Designer Range, Santero, has even wider horizontal flat bars than Defford or Staverton. Warmth has never been this easy to achieve. Grab your wet towels and use Santero Towel Rail to feel the constant warmth.

FEATURES

- 75 x 15mm. horizontal bars and 40 x 30mm. vertical D profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 394-395



Designer Range

SANTERO

Santero Towel Rail - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	181	342	150W	A, A+, B, D, E, F, G	89.1304	241.00	289.20
800 x 600mm	214	405	150W	A, A+, B, D, E, F, G	89.1305	283.00	339.60
1200 x 500mm	266	504	300W	A, A+, B, D, E, F, G	89.1306	311.00	373.20
1200 x 600mm	315	597	300W	A, A+, B, D, E, F, G	89.1307	364.00	436.80
1800 x 500mm	392	742	450W	A, A+, B, D, E, F, G	89.1308	431.00	517.20
1800 x 600mm	464	879	600W	A, A+, B, D, E, F, G	89.1309	503.00	603.60

Santero Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	181	342	150W	A, A+, B, D, E, F, G	89.1310	241.00	289.20
800 x 600mm	214	405	150W	A, A+, B, D, E, F, G	89.1311	283.00	339.60
1200 x 500mm	266	504	300W	A, A+, B, D, E, F, G	89.1312	311.00	373.20
1200 x 600mm	315	597	300W	A, A+, B, D, E, F, G	89.1313	364.00	436.80
1800 x 500mm	392	742	450W	A, A+, B, D, E, F, G	89.1314	431.00	517.20
1800 x 600mm	464	879	600W	A, A+, B, D, E, F, G	89.1315	503.00	603.60

Santero Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	181	342	150W	A, A+, B, D, E, F, G	89.1316	241.00	289.20
800 x 600mm	214	405	150W	A, A+, B, D, E, F, G	89.1317	283.00	339.60
1200 x 500mm	266	504	300W	A, A+, B, D, E, F, G	89.1318	311.00	373.20
1200 x 600mm	315	597	300W	A, A+, B, D, E, F, G	89.1319	364.00	436.80
1800 x 500mm	392	742	450W	A, A+, B, D, E, F, G	89.1320	431.00	517.20
1800 x 600mm	464	879	600W	A, A+, B, D, E, F, G	89.1321	503.00	603.60

Santero Towel Rail - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	101	196	150W	A, A+, B, D, E, F, G	89.1322	324.00	388.80
800 x 600mm	117	228	150W	A, A+, B, D, E, F, G	89.1323	378.00	453.60
1200 x 500mm	152	295	150W	A, A+, B, D, E, F, G	89.1324	392.00	470.40
1200 x 600mm	177	343	150W	A, A+, B, D, E, F, G	89.1325	459.00	550.80
1800 x 500mm	227	436	300W	A, A+, B, D, E, F, G	89.1326	531.00	637.20
1800 x 600mm	263	507	450W	A, A+, B, D, E, F, G	89.1327	622.00	746.40

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 80mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Gloss White



Matt Anthracite




Matt Black



Chrome



Rear fixing metal wall brackets



State-of-the-Art welding



Radiator Valves
Page 350-365

D Shape Vent Caps
Page 369


Designer Range

HURLEY

Chrome




Pictured 89.0568 Chrome

Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 30 x 30mm

Matt Anthracite

Rear fixing metal wall brackets



Pictured 89.0550 Matt Anthracite

Can be reverse handed
(Left or Right)

A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

FEATURES

- 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 6 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

HURLEY

Hurley Towel Rail - Chrome


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	92	186	150W	A, A+, B, D, E, F, G	89.0566	327.00	392.40
800 x 600mm	103	208	150W	A, A+, B, D, E, F, G	89.0567	367.00	440.40
1000 x 500mm	115	232	100W	A, A+, B, D, E, F, G	89.1727	395.00	474.00
1000 x 600mm	129	260	100W	A, A+, B, D, E, F, G	89.1728	443.00	531.60
1200 x 500mm	138	278	150W	A, A+, B, D, E, F, G	89.0568	453.00	543.60
1200 x 600mm	155	311	150W	A, A+, B, D, E, F, G	89.0569	507.00	608.40
1500 x 500mm	172	344	150W	A, A+, B, D, E, F, G	89.1739	548.00	657.60
1500 x 600mm	192	386	150W	A, A+, B, D, E, F, G	89.1740	612.00	734.40
1800 x 500mm	204	408	300W	A, A+, B, D, E, F, G	89.0570	626.00	751.20
1800 x 600mm	229	457	300W	A, A+, B, D, E, F, G	89.0571	699.00	838.80

Hurley Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800x500mm	145	289	150W	A, A+, B, D, E, F, G	89.0548	258.00	309.60
800x600mm	163	324	150W	A, A+, B, D, E, F, G	89.0549	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1723	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1724	353.00	423.60
1200x500mm	219	432	300W	A, A+, B, D, E, F, G	89.0550	356.00	427.20
1200x600mm	245	485	300W	A, A+, B, D, E, F, G	89.0551	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1735	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1736	461.00	553.20
1800x500mm	325	639	450W	A, A+, B, D, E, F, G	89.0552	453.00	543.60
1800x600mm	365	718	600W	A, A+, B, D, E, F, G	89.0553	507.00	608.40


Technical Tables & Drawings

Page 394-395



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Designer Range

HURLEY

Matt Black



Pictured 89.1716 Matt Black

Bar Dimensions (mm)

Horizontal Bars 40 x 10mm
Vertical Bars 30 x 30mm

Matt White

Rear fixing metal wall brackets



Pictured 89.1729 Matt White

Can be reverse handed
(Left or Right)

A modern, versatile towel rail. Available in 6 colours with reversible installation possibility.

FEATURES

- 40 x 10mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 6 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 394-395



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

HURLEY

Hurley Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.0542	258.00	309.60
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.0543	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1717	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1718	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.0544	356.00	427.20
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.0545	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1729	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1730	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.0546	453.00	543.60
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.0547	507.00	608.40

Hurley Towel Rail - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.0554	258.00	309.60
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.0555	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1719	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1720	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.0556	356.00	427.20
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.0557	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1731	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1732	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.0558	453.00	543.60
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.0559	507.00	608.40

Hurley Towel Rail - Matt Cappuccino

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.0560	284.00	340.80
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.0561	317.00	380.40
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1721	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1722	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.0562	389.00	466.80
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.0563	436.00	523.20
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1733	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1734	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.0564	496.00	595.20
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.0565	555.00	666.00

Hurley Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	145	289	150W	A, A+, B, D, E, F, G	89.1711	258.00	309.60
800 x 600mm	163	324	150W	A, A+, B, D, E, F, G	89.1712	291.00	349.20
1000 x 500mm	185	366	150W	A, A+, B, D, E, F, G	89.1725	315.00	378.00
1000 x 600mm	205	405	150W	A, A+, B, D, E, F, G	89.1726	353.00	423.60
1200 x 500mm	219	432	300W	A, A+, B, D, E, F, G	89.1713	356.00	427.20
1200 x 600mm	245	485	300W	A, A+, B, D, E, F, G	89.1714	398.00	477.60
1500 x 500mm	272	537	300W	A, A+, B, D, E, F, G	89.1737	413.00	495.60
1500 x 600mm	306	603	300W	A, A+, B, D, E, F, G	89.1738	461.00	553.20
1800 x 500mm	325	639	450W	A, A+, B, D, E, F, G	89.1715	453.00	543.60
1800 x 600mm	365	718	600W	A, A+, B, D, E, F, G	89.1716	507.00	608.40



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 60mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Designer Range

HELMSLEY

Rear fixing metal wall brackets



Pictured 89.0637 Matt Anthracite

Bar Dimensions (mm)

Horizontal Bars 70 x 11mm
Vertical Bars 30 x 30mm

Warranty
5
Year


Heating



All Electric



Dual-Fuel



Pictured 89.0616 Matt White



SWATCHES AVAILABLE

Can be reverse handed
(Left or Right)

One of the most popular models in the Designer Range. Available in a variety of colours to suit any bathroom. The generous surface area of the horizontal bars will let you experience the warmth. Helmsley is also reversible whilst fitting on the wall.


FEATURES

- 72 x 11mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 4 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 396-397



Round Vent Caps
Page 369



Designer Range

HELMSLEY

Helmsley Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0614	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0615	314.00	475.20
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0616	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0617	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0618	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0619	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0620	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0621	516.00	619.20

Helmsley Towel Rail - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0622	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0623	314.00	376.80
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0624	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0625	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0626	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0627	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0628	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0629	516.00	619.20

Helmsley Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0630	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0631	314.00	376.80
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0632	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0633	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0634	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0635	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0636	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0637	516.00	619.20

Helmsley Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	183	347	300W	A, A+, B, D, E, F, G	89.0638	284.00	340.80
800 x 600mm	212	403	300W	A, A+, B, D, E, F, G	89.0639	314.00	376.80
1150 x 500mm	250	480	300W	A, A+, B, D, E, F, G	89.0640	392.00	470.40
1150 x 600mm	289	556	450W	A, A+, B, D, E, F, G	89.0641	436.00	523.20
1400 x 500mm	300	581	450W	A, A+, B, D, E, F, G	89.0642	426.00	511.20
1400 x 600mm	347	673	600W	A, A+, B, D, E, F, G	89.0643	474.00	568.80
1640 x 500mm	350	684	600W	A, A+, B, D, E, F, G	89.0644	460.00	552.00
1640 x 600mm	405	793	600W	A, A+, B, D, E, F, G	89.0645	516.00	619.20

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 79mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Grey



Matt Anthracite




Matt Black



State-of-the-Art welding



Radiator Valves
Page 350-365



Designer Range

PLATANI

Warranty

5

Year

Heating



All Electric



Dual-Fuel



SWATCHES AVAILABLE

Rear fixing metal wall brackets

Pictured 89.1355 Chrome

Bar Dimensions (mm)

Horizontal Bars 40 x 20mm
Vertical Bars 30 x 30mm

Pictured 89.1344 Matt Anthracite

Can be reverse handed
(Left or Right)

A stunning reversible style towel rail with evenly spaced horizontal bars. Available in 5 colours from stock including high quality chrome finish.

FEATURES


- 40 x 20mm. horizontal bars and 30 x 30mm. vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - Can be reverse handed (left or right)
 - Can be single, dual fuel or all electric
 - State-of-the-Art welding technology
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 396-397



Round Vent Caps

Page 369



Designer Range

PLATANI

Platani Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1328	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1329	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1330	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1331	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1332	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1333	404.00	484.80

Platani Towel Rail - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1334	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1335	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1336	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1337	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1338	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1339	404.00	484.80

Platani Towel Rail - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	88	171	100W	A, A+, B, D, E, F, G	89.1352	264.00	316.80
800 x 600mm	101	195	100W	A, A+, B, D, E, F, G	89.1353	297.00	356.40
1150 x 500mm	122	236	150W	A, A+, B, D, E, F, G	89.1354	364.00	436.80
1150 x 600mm	139	270	150W	A, A+, B, D, E, F, G	89.1355	409.00	490.80
1800 x 500mm	184	358	150W	A, A+, B, D, E, F, G	89.1356	507.00	608.40
1800 x 600mm	210	409	300W	A, A+, B, D, E, F, G	89.1357	566.00	679.20

Platani Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1340	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1341	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1342	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1343	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1344	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1345	404.00	484.80

Platani Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	142	270	150W	A, A+, B, D, E, F, G	89.1346	207.00	248.40
800 x 600mm	163	309	150W	A, A+, B, D, E, F, G	89.1347	231.00	277.20
1150 x 500mm	195	371	150W	A, A+, B, D, E, F, G	89.1348	285.00	342.00
1150 x 600mm	223	425	150W	A, A+, B, D, E, F, G	89.1349	321.00	385.20
1800 x 500mm	291	557	450W	A, A+, B, D, E, F, G	89.1350	361.00	433.20
1800 x 600mm	334	639	450W	A, A+, B, D, E, F, G	89.1351	404.00	484.80

Radiator Valves

Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 80mm off the wall. Projection from wall is 115mm. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Grey



Chrome




Matt Anthracite



Matt Black



Reversible Design



Designer Range

REINBACH

Rear fixing metal wall brackets



Pictured 89.1363 Matt White

Bar Dimensions (mm)

Horizontal Bars 30 x 30mm
Vertical Bars 30 x 30mm

Another reversible style design, Reinbach reaches the top levels of design with bulky horizontal bars that are capable of drying your largest towels.

FEATURES

- 30 x 30mm. horizontal bars and 30 x 30mm. vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- Can be reverse handed (left or right)
- Can be single, dual fuel or all electric
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 396-397



Warranty
5
Year

Heating



All Electric



Dual-Fuel



**SWATCHES
AVAILABLE**

Pictured 89.1384 Matt Black

Can be reverse handed
(Left or Right)

Can be reverse
handed
(Left or Right)



Pictured 89.1765 Matt Grey

Designer Range

REINBACH

Reinbach Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
290 x 500mm	83	158	100W	A, A+, B	89.1763	140.00	168.00
800 x 500mm	194	372	150W	A, A+, B, D, E, F, G	89.1358	246.00	295.20
800 x 600mm	228	439	300W	A, A+, B, D, E, F, G	89.1359	273.00	327.60
1200 x 500mm	273	530	300W	A, A+, B, D, E, F, G	89.1360	335.00	402.00
1200 x 600mm	322	625	300W	A, A+, B, D, E, F, G	89.1361	377.00	452.40
1800 x 500mm	397	780	450W	A, A+, B, D, E, F, G	89.1362	431.00	517.20
1800 x 600mm	468	920	600W	A, A+, B, D, E, F, G	89.1363	480.00	576.00

Reinbach Towel Rail - Matt Cappuccino

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
290 x 500mm	83	158	100W	A, A+, B	89.1764	140.00	168.00
800 x 500mm	194	372	150W	A, A+, B, D, E, F, G	89.1364	246.00	295.20
800 x 600mm	228	439	300W	A, A+, B, D, E, F, G	89.1365	273.00	327.60
1200 x 500mm	273	530	300W	A, A+, B, D, E, F, G	89.1366	335.00	402.00
1200 x 600mm	322	625	300W	A, A+, B, D, E, F, G	89.1367	377.00	452.40
1800 x 500mm	397	780	450W	A, A+, B, D, E, F, G	89.1368	431.00	517.20
1800 x 600mm	468	920	600W	A, A+, B, D, E, F, G	89.1369	480.00	576.00

Reinbach Towel Rail - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
290 x 500mm	83	158	100W	A, A+, B	89.1767	140.00	168.00
800 x 500mm	194	372	150W	A, A+, B, D, E, F, G	89.1382	246.00	295.20
800 x 600mm	228	439	300W	A, A+, B, D, E, F, G	89.1383	273.00	327.60
1200 x 500mm	273	530	300W	A, A+, B, D, E, F, G	89.1384	335.00	402.00
1200 x 600mm	322	625	300W	A, A+, B, D, E, F, G	89.1385	377.00	452.40
1800 x 500mm	397	780	450W	A, A+, B, D, E, F, G	89.1386	431.00	517.20
1800 x 600mm	468	920	600W	A, A+, B, D, E, F, G	89.1387	480.00	576.00

Reinbach Towel Rail - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
290 x 500mm	83	158	100W	A, A+, B	89.1765	140.00	168.00
800 x 500mm	194	372	150W	A, A+, B, D, E, F, G	89.1370	246.00	295.20
800 x 600mm	228	439	300W	A, A+, B, D, E, F, G	89.1371	273.00	327.60
1200 x 500mm	273	530	300W	A, A+, B, D, E, F, G	89.1372	335.00	402.00
1200 x 600mm	322	625	300W	A, A+, B, D, E, F, G	89.1373	377.00	452.40
1800 x 500mm	397	780	450W	A, A+, B, D, E, F, G	89.1374	431.00	517.20
1800 x 600mm	468	920	600W	A, A+, B, D, E, F, G	89.1375	480.00	576.00

Reinbach Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
290 x 500mm	83	158	100W	A, A+, B	89.1766	140.00	168.00
800 x 500mm	194	372	150W	A, A+, B, D, E, F, G	89.1376	246.00	295.20
800 x 600mm	228	439	300W	A, A+, B, D, E, F, G	89.1377	273.00	327.60
1200 x 500mm	273	530	300W	A, A+, B, D, E, F, G	89.1378	335.00	402.00
1200 x 600mm	322	625	300W	A, A+, B, D, E, F, G	89.1379	377.00	452.40
1800 x 500mm	397	780	450W	A, A+, B, D, E, F, G	89.1380	431.00	517.20
1800 x 600mm	468	920	600W	A, A+, B, D, E, F, G	89.1381	480.00	576.00

Radiator Valves


Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm and approx. 80mm off the wall. Projection from wall is 125mm. Price includes radiator and wall fixing sets, valves extra.


Matt White




Matt Cappuccino




Matt Grey



Matt Anthracite



Matt Black



State-of-the-Art welding



Designer Range

MARLOW

Warranty

5

Year

Diameter (Ø)

42

MM Bars

Heating



Pictured 89.0526 Chrome



Pictured 89.0516 Matt Grey

Rear fixing metal wall brackets

State-of-the-Art welding meets large vertical and horizontal tubes in this model. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

FEATURES

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- 5 colours available from stock
- State-of-the-Art welding technology
- Not suitable for elements
- 5 Year Manufacturer's Warranty*


* With conditions

Technical Tables
& Drawings
Page 396-397



Round Vent Caps

Page 369



Designer Range

MARLOW

Marlow Towel Rail - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	168	318	N/A	N/A	89.0500	372.00	446.40
850 x 600mm	190	360	N/A	N/A	89.0501	396.00	475.20
1150 x 500mm	225	426	N/A	N/A	89.0502	459.00	550.80
1150 x 600mm	255	483	N/A	N/A	89.0503	486.00	583.20
1750 x 500mm	338	640	N/A	N/A	89.0504	607.00	728.40
1750 x 600mm	383	726	N/A	N/A	89.0505	643.00	771.60

Marlow Towel Rail - Matt Grey

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	168	318	N/A	N/A	89.0512	372.00	446.40
850 x 600mm	190	360	N/A	N/A	89.0513	396.00	475.20
1150 x 500mm	225	426	N/A	N/A	89.0514	459.00	550.80
1150 x 600mm	255	483	N/A	N/A	89.0515	486.00	583.20
1750 x 500mm	338	640	N/A	N/A	89.0516	607.00	728.40
1750 x 600mm	383	726	N/A	N/A	89.0517	643.00	771.60

Marlow Towel Rail - Chrome

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	106	203	N/A	N/A	89.0524	516.00	619.20
850 x 600mm	121	232	N/A	N/A	89.0525	546.00	655.20
1150 x 500mm	141	272	N/A	N/A	89.0526	636.00	763.20
1150 x 600mm	161	311	N/A	N/A	89.0527	675.00	810.00
1750 x 500mm	213	411	N/A	N/A	89.0528	843.00	1011.60
1750 x 600mm	243	469	N/A	N/A	89.0529	893.00	1071.60

Marlow Towel Rail - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	168	318	N/A	N/A	89.0506	372.00	446.40
850 x 600mm	190	360	N/A	N/A	89.0507	396.00	475.20
1150 x 500mm	225	426	N/A	N/A	89.0508	459.00	550.80
1150 x 600mm	255	483	N/A	N/A	89.0509	486.00	583.20
1750 x 500mm	338	640	N/A	N/A	89.0510	607.00	728.40
1750 x 600mm	383	726	N/A	N/A	89.0511	643.00	771.60

Marlow Towel Rail - Matt Cappuccino

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	168	318	N/A	N/A	89.0518	409.00	490.80
850 x 600mm	190	360	N/A	N/A	89.0519	434.00	520.80
1150 x 500mm	225	426	N/A	N/A	89.0520	506.00	607.20
1150 x 600mm	255	483	N/A	N/A	89.0521	534.00	640.80
1750 x 500mm	338	640	N/A	N/A	89.0522	669.00	802.80
1750 x 600mm	383	726	N/A	N/A	89.0523	710.00	852.00

Radiator Valves

Page 350-365



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 82mm less than the width of the rail and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Grey



Chrome



Matt Anthracite



Matt Cappuccino



State-of-the-Art welding



Designer Range

MARLOW E-STYLE

Warranty

5


Year

Diameter (Ø)

42

MM Bars

Heating



Rear fixing metal wall brackets

Pictured 89.0809 Matt White



Pictured 89.0835 Chrome

Can be reverse handed
(Left or Right)

State-of-the-Art welding meets large vertical and horizontal tubes in this model. Available in a variety of colours to suit any bathroom. The generous spacing between the horizontal tubes allows for maximum towel drying.

FEATURES


- 42mm diameter horizontal bars
 - 42mm diameter vertical profiles
 - Rear fixing metal wall brackets
 - Tested to BS EN 442 standards
 - 5 colours available from stock
 - Can be reverse handed (left or right)
 - State-of-the-Art welding technology
 - Not suitable for elements
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 398-399



Round Vent Caps

Page 369



Designer Range

MARLOW E-STYLE

Marlow E-Style Towel Rail - Matt White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	154	294	N/A	N/A	89.0807	271.00	325.20
850 x 600mm	176	335	N/A	N/A	89.0808	304.00	364.80
1150 x 500mm	206	394	N/A	N/A	89.0809	373.00	447.60
1150 x 600mm	234	449	N/A	N/A	89.0810	416.00	499.20
1750 x 500mm	310	598	N/A	N/A	89.0811	476.00	571.20
1750 x 600mm	354	681	N/A	N/A	89.0812	531.00	637.20

Marlow E-Style Towel Rail - Matt Grey

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	154	294	N/A	N/A	89.0819	271.00	325.20
850 x 600mm	176	335	N/A	N/A	89.0820	304.00	364.80
1150 x 500mm	206	394	N/A	N/A	89.0821	373.00	447.60
1150 x 600mm	234	449	N/A	N/A	89.0822	416.00	499.20
1750 x 500mm	310	598	N/A	N/A	89.0823	476.00	571.20
1750 x 600mm	354	681	N/A	N/A	89.0824	531.00	637.20

Marlow E-Style Towel Rail - Chrome

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	98	191	N/A	N/A	89.0831	345.00	414.00
850 x 600mm	211	216	N/A	N/A	89.0832	386.00	463.20
1150 x 500mm	131	256	N/A	N/A	89.0833	476.00	571.20
1150 x 600mm	149	290	N/A	N/A	89.0834	531.00	637.20
1750 x 500mm	198	386	N/A	N/A	89.0835	659.00	790.80
1750 x 600mm	224	437	N/A	N/A	89.0836	739.00	886.80

Marlow E-Style Towel Rail - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	154	294	N/A	N/A	89.0813	271.00	325.20
850 x 600mm	176	335	N/A	N/A	89.0814	304.00	364.80
1150 x 500mm	206	394	N/A	N/A	89.0815	373.00	447.60
1150 x 600mm	234	449	N/A	N/A	89.0816	416.00	499.20
1750 x 500mm	310	598	N/A	N/A	89.0817	476.00	571.20
1750 x 600mm	354	681	N/A	N/A	89.0818	531.00	637.20

Marlow E-Style Towel Rail - Matt Cappuccino

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
850 x 500mm	154	294	N/A	N/A	89.0825	271.00	325.20
850 x 600mm	176	335	N/A	N/A	89.0826	304.00	364.80
1150 x 500mm	206	394	N/A	N/A	89.0827	373.00	447.60
1150 x 600mm	234	449	N/A	N/A	89.0828	416.00	499.20
1750 x 500mm	310	598	N/A	N/A	89.0829	476.00	571.20
1750 x 600mm	354	681	N/A	N/A	89.0830	531.00	637.20

Twin TRV's

Page 352



Tappings: 50mm

TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm and approx. 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Matt White



Matt Grey



Chrome



Matt Anthracite



Matt Cappuccino



State-of-the-Art welding



Designer Range

CONWY



Bar Dimensions (mm)

Vertical Bars 40 x 40mm

Pictured 41.0712 Matt Anthracite



Rear fixing metal wall brackets

Pictured 41.0714 Chrome

Warranty

5
Year

Heating



All Electric



Dual-Fuel



A masterpiece for your bathroom or any other room. The square vertical bars at the top can be used as towel / bathrobe hangers and the 3 x robe hooks can be used to dry your towels too. This exceptional design is available in 4 colour options.

Conwy Vertical Radiator - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output Watts	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 220mm	128	270	100W	A, A+, B, D, E, F, G	41.0711	144.00	172.80

Conwy Vertical Radiator - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output Watts	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 220mm	128	270	100W	A, A+, B, D, E, F, G	41.0713	144.00	172.80

Conwy Vertical Radiator - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output Watts	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 220mm	128	270	100W	A, A+, B, D, E, F, G	41.0712	144.00	172.80

Conwy Vertical Radiator - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output Watts	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 220mm	75	144	100W	A, A+, B, D, E, F, G	41.0714	197.00	236.40

FEATURES

- 40 x 40mm vertical profiles
- Comes with pre-fitted 3 x robe hooks
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*
- *With conditions

Technical Tables & Drawings


Page 398-399



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 180mm and approx. 64-74mm off the wall. Tappings height difference 100mm. Projection from wall is 84-94mm. Price includes radiator and wall fixing sets, valves extra.

Matt White




Matt Anthracite



Matt Black



Chrome



Designer Range

PORTCHESTER

Bar Dimensions (mm)

Vertical Bars Diameter 45mm

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Rear fixing metal wall brackets

Pictured 41.0715 Matt White

Pictured 41.0718 Chrome

A masterpiece for your bathroom or any other room. The round vertical bars at the top can be used as towel / bathrobe hangers and the 3 x robe hooks can be used to dry your towels too. This exceptional design is available in 4 colour options.

Portchester Vertical Radiator - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 225mm	121	227	100W	A, A+, B, D, E, F, G	41.0715	132.00	158.40

Portchester Vertical Radiator - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 225mm	121	227	100W	A, A+, B, D, E, F, G	41.0717	132.00	158.40

Portchester Vertical Radiator - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 225mm	121	227	100W	A, A+, B, D, E, F, G	41.0716	132.00	158.40

Portchester Vertical Radiator - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 225mm	79	156	100W	A, A+, B, D, E, F, G	41.0718	181.00	217.20

FEATURES

- 45mm diameter vertical profiles
- Comes with pre-fitted 3 x robe hooks
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- 5 Year Manufacturer's Warranty*
- *With conditions

Technical Tables & Drawings


Page 398-399



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 180mm and approx. 67-77mm off the wall. Tappings height difference 100mm. Projection from wall is 89-99mm. Price includes radiator and wall fixing sets, valves extra.


Matt White




Matt Anthracite



Matt Black



Chrome



Designer Range

LAMBOURNE

Warranty

5

Year

Heating


**SWATCHES
AVAILABLE**

Pictured 89.1701 Chrome (side connection valves shown)

Side or Bottom connections

Rear fixing metal wall brackets

A masterpiece for your bathroom or any other room. The vertical bars at the ends can be used as towel / bathrobe hangers, middle section at the top can be used to dry your towels too. This exceptional design is available in 2 heights and 2 widths with 4 colour options.

FEATURES

- 42mm diameter horizontal bars
- 42mm diameter vertical profiles
- Rear fixing metal wall brackets
- Tested to BS EN 442 standards
- State-of-the-Art welding technology
- Can have either side or bottom connections
- 4 colours available from stock
- 5 Year Manufacturer's Warranty*
- *With conditions

**Technical Tables
& Drawings**
Page 398-399



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. For indirect heating systems only. **For side connection**, tappings are the width of the rail and approx. 85mm off the wall. **For bottom connection**, tappings are approx. 180mm less than the width of the rail and approx. 106mm off the wall. Projection from wall 127mm. Price includes radiator and wall fixing sets, valves extra.

Designer Range

LAMBOURNE

Lambourne Designer Radiator - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	267	513	N/A	N/A	89.1703	321.00	385.20
1200 x 540mm	344	662	N/A	N/A	89.1704	401.00	481.20
1800 x 420mm	360	700	N/A	N/A	89.1695	399.00	478.80
1800 x 540mm	464	903	N/A	N/A	89.1696	499.00	598.80

Lambourne Designer Radiator - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	267	513	N/A	N/A	89.1705	321.00	385.20
1200 x 540mm	344	662	N/A	N/A	89.1706	401.00	481.20
1800 x 420mm	360	700	N/A	N/A	89.1697	399.00	478.80
1800 x 540mm	464	903	N/A	N/A	89.1698	499.00	598.80

Lambourne Designer Radiator - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	267	513	N/A	N/A	89.1707	321.00	385.20
1200 x 540mm	344	662	N/A	N/A	89.1708	401.00	481.20
1800 x 420mm	360	700	N/A	N/A	89.1699	399.00	478.80
1800 x 540mm	464	903	N/A	N/A	89.1700	499.00	598.80

Lambourne Designer Radiator - Chrome


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 420mm	172	336	N/A	N/A	89.1709	427.00	512.40
1200 x 540mm	223	433	N/A	N/A	89.1710	532.00	638.40
1800 x 420mm	261	513	N/A	N/A	89.1701	532.00	638.40
1800 x 540mm	337	661	N/A	N/A	89.1702	665.00	798.00



Pictured 89.1706 Matt Anthracite (bottom connection valves shown)

Side Connection shown


Bottom Connection shown: Valves can also be fitted from the bottom inlets.




Matt White




Matt Anthracite



Matt Black



Chrome



Designer Range

MURANO VERTICAL

Pictured 89.0908 Matt Grey



Warranty

5

Year

Heating



Diameter (Ø)

22

MM Bars

Pictured 89.0916 Matt Anthracite



Double profile construction

Murano Vertical Radiator - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	388	749	N/A	N/A	89.0901	451.00	541.20
1800 x 410mm	533	1029	N/A	N/A	89.0902	600.00	720.00
1800 x 510mm	683	1319	N/A	N/A	89.0903	749.00	898.80

Murano Vertical Radiator - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	388	749	N/A	N/A	89.0908	451.00	541.20
1800 x 410mm	533	1029	N/A	N/A	89.0909	600.00	720.00
1800 x 510mm	683	1319	N/A	N/A	89.0910	749.00	898.80

Murano Vertical Radiator - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	388	749	N/A	N/A	89.0915	451.00	541.20
1800 x 410mm	533	1029	N/A	N/A	89.0916	600.00	720.00
1800 x 510mm	683	1319	N/A	N/A	89.0917	749.00	898.80

Murano Vertical Radiator - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	388	749	N/A	N/A	89.0922	451.00	541.20
1800 x 410mm	533	1029	N/A	N/A	89.0923	600.00	720.00
1800 x 510mm	683	1319	N/A	N/A	89.0924	749.00	898.80

Double vertical round bars and double horizontal bars create this eye catching radiator; Murano. Available in vertical horizontal styles with 4 finishes.

FEATURES

- 22mm diameter vertical bars
- Double tube on tube construction
- Tested to BS EN 442 standards
- 4 colours available from stock
- State-of-the-Art welding technology
- Not suitable for elements
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 400-401



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems only. Comes with built-in flow diverter. Tappings are width of the rail and approx. 50mm off the wall. Projection from wall is 86mm. Price includes radiator and wall fixing sets, valves extra.

Designer Range

MURANO HORIZONTAL



Warranty
5
Year

Heating

All Electric

Dual-Fuel

Diameter (Ø)
22
MM Bars

Pictured 89.0897 Gloss White



Pictured 89.0920 Matt Black



Double profile construction

Murano Horizontal Radiator - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	377	695	300W	A, A+, B, D, F, G	89.0897	334.00	400.80
600 x 1000mm	482	887	450W	A, A+, B, D, F, G	89.0898	418.00	501.60
600 x 1200mm	589	1084	450W	A, A+, B, D, F, G	89.0899	501.00	601.20
600 x 1400mm	697	1283	600W	A+, B, D, F, G	89.0900	585.00	702.00

Murano Horizontal Radiator - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	377	695	300W	A, A+, B, D, F, G	89.0904	334.00	400.80
600 x 1000mm	482	887	450W	A, A+, B, D, F, G	89.0905	418.00	501.60
600 x 1200mm	589	1084	450W	A, A+, B, D, F, G	89.0906	501.00	601.20
600 x 1400mm	697	1283	600W	A+, B, D, F, G	89.0907	585.00	702.00

Murano Horizontal Radiator - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	377	695	300W	A, A+, B, D, F, G	89.0911	334.00	400.80
600 x 1000mm	482	887	450W	A, A+, B, D, F, G	89.0912	418.00	501.60
600 x 1200mm	589	1084	450W	A, A+, B, D, F, G	89.0913	501.00	601.20
600 x 1400mm	697	1283	600W	A+, B, D, F, G	89.0914	585.00	702.00

Murano Horizontal Radiator - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 800mm	377	695	300W	A, A+, B, D, F, G	89.0918	334.00	400.80
600 x 1000mm	482	887	450W	A, A+, B, D, F, G	89.0919	418.00	501.60
600 x 1200mm	589	1084	450W	A, A+, B, D, F, G	89.0920	501.00	601.20
600 x 1400mm	697	1283	600W	A+, B, D, F, G	89.0921	585.00	702.00

FEATURES

- 22mm diameter horizontal bars
- Double tube on tube construction
- Tested to BS EN 442 standards
- 4 colours available from stock
- State-of-the-Art welding technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings Page 400-401



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 45mm less than the width of the rail and approx. 81mm off the wall. Projection from wall is 117mm. Price includes radiator and wall fixing sets, valves extra.

Designer Range

Warranty
5
Year

Heating

All Electric

Dual-Fuel

Matt White

Matt Anthracite

Pictured 61.0017 Chrome

Framed rectangular designer towel rail available in a variety of finishes to create a stylish focal point in any bathroom.

FEATURES

- Tested to BS EN 442 standards
- A brave alternative for a basic towel radiator
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 400-401



Ryton Towel Rail - Matt White REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	106	201	150W	A, A+, B, D, E, F, G	61.0002	256.00	307.20
800 x 600mm	117	222	150W	A, A+, B, D, E, F, G	61.0003	280.00	336.00
1200 x 500mm	158	301	150W	A, A+, B, D, E, F, G	61.0004	320.00	384.00
1200 x 600mm	174	332	150W	A, A+, B, D, E, F, G	61.0005	349.00	418.80
1600 x 500mm	210	401	300W	A, A+, B, D, E, F, G	61.0006	408.00	489.60
1600 x 600mm	232	442	300W	A, A+, B, D, E, F, G	61.0007	445.00	534.00

Ryton Towel Rail - Matt Anthracite REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	106	201	150W	A, A+, B, D, E, F, G	61.0008	256.00	307.20
800 x 600mm	117	222	150W	A, A+, B, D, E, F, G	61.0009	280.00	336.00
1200 x 500mm	158	301	150W	A, A+, B, D, E, F, G	61.0010	320.00	384.00
1200 x 600mm	174	332	150W	A, A+, B, D, E, F, G	61.0011	349.00	418.80
1600 x 500mm	210	401	300W	A, A+, B, D, E, F, G	61.0012	408.00	489.60
1600 x 600mm	232	442	300W	A, A+, B, D, E, F, G	61.0013	445.00	534.00



Ryton Towel Rail - Chrome REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	71	134	100W	A, A+, B, D, E, F, G	61.0014	360.00	432.00
800 x 600mm	77	147	100W	A, A+, B, D, E, F, G	61.0015	403.00	483.60
1200 x 500mm	105	200	150W	A, A+, B, D, E, F, G	61.0016	453.00	543.60
1200 x 600mm	116	220	150W	A, A+, B, D, E, F, G	61.0017	507.00	608.40
1600 x 500mm	140	266	150W	A, A+, B, D, E, F, G	61.0018	550.00	660.00
1600 x 600mm	154	293	150W	A, A+, B, D, E, F, G	61.0019	616.00	739.20

* Further heat output information available on eastbrooktrade.com **E&OA**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 30mm less than the width of the rail and approx. 75-90mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Designer Range

KENILWORTH

Warranty

5
Year

Heating



All Electric




Dual-Fuel



Matt White



Matt Anthracite



Pictured 61.0032 Chrome

A contemporary take on a traditional towel rail. This round edged framed design available in a variety of colours will be sure to suit any bathroom.

FEATURES

- Tested to BS EN 442 standards
- A brave alternative for a basic towel radiator
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 400-401



Kenilworth Towel Rail - Matt White REDUCED PRICES							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	105	200	150W	A, A+, B, D, E, F, G	61.0020	244.00	292.80
800 x 600mm	117	223	150W	A, A+, B, D, E, F, G	61.0021	266.00	319.20
1200 x 500mm	158	300	150W	A, A+, B, D, E, F, G	61.0022	309.00	370.80
1200 x 600mm	175	334	150W	A, A+, B, D, E, F, G	61.0023	337.00	404.40
1600 x 500mm	210	400	300W	A, A+, B, D, E, F, G	61.0024	397.00	476.40
1600 x 600mm	233	444	300W	A, A+, B, D, E, F, G	61.0025	433.00	519.60

Kenilworth Towel Rail - Matt Anthracite REDUCED PRICES							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	105	200	150W	A, A+, B, D, E, F, G	61.0026	244.00	292.80
800 x 600mm	117	223	150W	A, A+, B, D, E, F, G	61.0027	266.00	319.20
1200 x 500mm	158	300	150W	A, A+, B, D, E, F, G	61.0028	309.00	370.80
1200 x 600mm	175	334	150W	A, A+, B, D, E, F, G	61.0029	337.00	404.40
1600 x 500mm	210	400	300W	A, A+, B, D, E, F, G	61.0030	397.00	476.40
1600 x 600mm	233	444	300W	A, A+, B, D, E, F, G	61.0031	433.00	519.60



Kenilworth Towel Rail - Chrome REDUCED PRICES							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	70	133	100W	A, A+, B, D, E, F, G	61.0032	343.00	411.60
800 x 600mm	78	148	100W	A, A+, B, D, E, F, G	61.0033	384.00	460.80
1200 x 500mm	105	199	150W	A, A+, B, D, E, F, G	61.0034	437.00	524.40
1200 x 600mm	116	221	150W	A, A+, B, D, E, F, G	61.0035	489.00	586.80
1600 x 500mm	139	265	150W	A, A+, B, D, E, F, G	61.0036	527.00	632.40
1600 x 600mm	154	294	150W	A, A+, B, D, E, F, G	61.0037	590.00	708.00

* Further heat output information available on eastbrooktrade.com E&OA

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 32mm less than the width of the rail and approx. 76-91mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Designer Range

LOXLEY

The Loxley range features contemporary clean lines. The square tubes and profiles gives this towel rail an ultra-modern look.

FEATURES

- Tested to BS EN 442 standards
- Modern adaption of a traditional design
- Concealed wall brackets
- Can be single, dual fuel** or all electric** (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*
- * With conditions
- ** Only certain sizes, see below table

Technical Tables & Drawings

Page 402-403



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 61.0047 Chrome

Loxley Towel Rail - Matt White REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	81	154	100W	A, A+, B, D, F, G	61.0038	406.00	487.20
800 x 600mm	91	172	100W	A, A+, B, D, F, G	61.0039	443.00	531.60
1200 x 500mm	121	231	150W	A, A+, B, D, E, F, G	61.0040	447.00	536.40
1200 x 600mm	135	257	150W	A, A+, B, D, E, F, G	61.0041	488.00	585.60

Loxley Towel Rail - Matt Anthracite REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	81	154	100W	A, A+, B, D, F, G	61.0042	406.00	487.20
800 x 600mm	91	172	100W	A, A+, B, D, F, G	61.0043	443.00	531.60
1200 x 500mm	121	231	150W	A, A+, B, D, E, F, G	61.0044	447.00	536.40
1200 x 600mm	135	257	150W	A, A+, B, D, E, F, G	61.0045	488.00	585.60

Loxley Towel Rail - Chrome REDUCED PRICES

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	54	103	N/A	N/A	61.0046	460.00	552.00
800 x 600mm	60	114	N/A	N/A	61.0047	515.00	618.00
1200 x 500mm	81	154	100W	A, A+, B, D, F, G	61.0048	518.00	621.60
1200 x 600mm	90	170	100W	A, A+, B, D, F, G	61.0049	580.00	696.00


* Further heat output information available on eastbrooktrade.com E&OA

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 59mm less than the width of the rail and approx. 76mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Chrome

800mm High



Chrome

1200mm High



Concealed Wall Brackets



Concealed Wall Brackets



Designer Range



Pictured 61.0056 Matt Anthracite



ESHTON

A fresh take on the traditional towel rail. The Eshton range features both round tubes and profiles for a complete contemporary look.


FEATURES

- Tested to BS EN 442 standards
- Modern adaption of a traditional design
- Concealed wall brackets
- Can be single, dual fuel or all electric (element can only be fitted on the right hand side)
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 402-403



Eshton Towel Rail - Matt White REDUCED PRICES							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	104	197	150W	A, A+, B, D, E, F, G	61.0050	368.00	441.60
800 x 600mm	116	220	150W	A, A+, B, D, E, F, G	61.0051	402.00	482.40
1200 x 500mm	155	296	150W	A, A+, B, D, E, F, G	61.0052	411.00	493.20
1200 x 600mm	172	328	150W	A, A+, B, D, E, F, G	61.0053	448.00	537.60

Eshton Towel Rail - Matt Anthracite REDUCED PRICES							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	104	197	150W	A, A+, B, D, E, F, G	61.0054	368.00	441.60
800 x 600mm	116	220	150W	A, A+, B, D, E, F, G	61.0055	402.00	482.40
1200 x 500mm	155	296	150W	A, A+, B, D, E, F, G	61.0056	411.00	493.20
1200 x 600mm	172	328	150W	A, A+, B, D, E, F, G	61.0057	448.00	537.60

Eshton Towel Rail - Chrome REDUCED PRICES							
Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	69	131	100W	A, A+, B, D, E, F, G	61.0058	425.00	510.00
800 x 600mm	77	146	100W	A, A+, B, D, E, F, G	61.0059	476.00	571.20
1200 x 500mm	103	196	150W	A, A+, B, D, E, F, G	61.0060	484.00	580.80
1200 x 600mm	115	218	150W	A, A+, B, D, E, F, G	61.0061	532.00	638.40

* Further heat output information available on eastbrooktrade.com **E&OA**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. Element can only be fitted on the right hand side. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 59mm less than the width of the rail and approx. 77mm off the wall. Price includes radiator and wall fixing sets, valves extra.


Chrome

800mm High



Chrome

1200mm High



Concealed Wall Brackets



Concealed Wall Brackets



Designer Range

RUBANO VERTICAL

Pictured 81.0058 Gloss White

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings

Page 402-403



HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.



Close-up without vent caps

A modern take on the traditional radiator. The range features larger profiles for a more contemporary look. Available in gloss white, matt anthracite and a range of sizes makes the Rubano an ideal radiator for any household room.

Rubano Vertical - Gloss White

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 383mm	580	1122	300W	A, A+, C*, H*	81.0058	428.00	513.60
1800 x 503mm	773	1496	600W	A+, C**, H**	81.0059	569.00	682.80

Rubano Vertical - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 383mm	580	1122	300W	A, A+, C*, H*	81.0064	436.00	523.20
1800 x 503mm	773	1496	600W	A+, C**, H**	81.0065	580.00	696.00

*Only 300W Element can be used. ** Only 900W Element can be used.

Rubano Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Rubano Radiator Feet (pair) White	81.0066	37.00	44.40
Rubano Radiator Feet (pair) Matt Anthracite	81.0067	37.00	44.40


Round Vent Caps

Page 369



Designer Range

RUBANO HORIZONTAL



Pictured 81.0062 Matt Anthracite

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

A modern take on the traditional radiator. The range features larger profiles for a more contemporary look. Available in gloss white, matt anthracite and a range of sizes makes the Rubano an ideal radiator for any household room.

Rubano Horizontal Radiators - Gloss White							
Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 383mm	199	386	300W	A, A+, C*, H*	81.0054	174.00	208.80
600 x 623mm	331	643	450W	A, A+, C, E**, H	81.0055	284.00	340.80
600 x 803mm	430	836	600W	A, A+, C, E, H	81.0056	367.00	440.40
600 x 1103mm	596	1157	900W	A, A+, C, H	81.0057	506.00	607.20

*Element Type C and H only 300W can be used. **Element Type E only 300W can be used.

Rubano Horizontal Radiators - Matt Anthracite							
Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 383mm	199	386	300W	A, A+, C*, H*	81.0060	177.00	212.40
600 x 623mm	331	643	450W	A, A+, C, E**, H	81.0061	287.00	344.40
600 x 803mm	430	836	600W	A, A+, C, E, H	81.0062	375.00	450.00
600 x 1103mm	596	1157	900W	A, A+, C, H	81.0063	516.00	619.20

*Element Type C and H only 300W can be used. **Element Type E only 300W can be used.

Rubano Radiator Feet			
Description	Code	£ Ex VAT	£ Inc VAT
Rubano Radiator Feet (pair) White	81.0066	37.00	44.40
Rubano Radiator Feet (pair) Matt Anthracite	81.0067	37.00	44.40

Warranty
5
Year

Heating

All Electric

Dual-Fuel

FEATURES

- Tested to BS EN 442 standards
- Modern style column radiator
- Radiator feet option available to get the modern look
- Does not require flow diverter
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions


Technical Tables
& Drawings
Page 402-403



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. the width of the rail and 74mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Optional Extra:
Rubano Radiator
Feet



Round Vent Caps
Page 369



Designer Range

ROWSHAM VERTICAL

Pictured 89.0103 Matt White



Bar Dimensions (mm)
Vertical Bars 40 x 20mm

Pictured 89.0109 Matt Anthracite with 89.0112 Chrome Towel Hanger



The Rowsham Vertical is a designer radiator with stunning clean lines that complement any room.

- FEATURES**
- 40 x 20mm vertical bars
 - Comes with pre-fitted flow diverter
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Not suitable for elements
- * With conditions

Technical Tables
& Drawings
Page 404-405




Rowsham Vertical - Matt White					
Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	419	822	89.0102	350.00	420.00
1800 x 380mm	545	1069	89.0103	448.00	537.60
1800 x 500mm	739	1451	89.0104	461.00	553.20

Rowsham Vertical - Matt Anthracite					
Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	419	822	89.0109	350.00	420.00
1800 x 380mm	545	1069	89.0110	448.00	537.60
1800 x 500mm	739	1451	89.0111	461.00	553.20

Designer Range

ROWSHAM VERTICAL



Pictured 89.0111 Matt Anthracite

Bar Dimensions (mm)

Vertical Bars 40 x 20mm

COMPLETE THE LOOK

Radiator Valves
Page: 350-365



Round Vent Caps

Page 369



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems only. Tappings are the width of the rail and approx. 54mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5

Year

Heating



Optional Extra - Towel Hanger - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 300mm	89.0112	74.00	88.80

Compatible with Vertical and Horizontal Radiators. Can be fitted after installation (vertical radiators only).

Designer Range

ROWSHAM HORIZONTAL

Pictured 89.0098 Matt White



Bar Dimensions (mm)

Vertical Bars 40 x 20mm



Pictured 89.0107 Matt Anthracite

Technical Tables
& Drawings
Page 404-405



The Rowsham Horizontal is a designer radiator with stunning clean lines that complement any room.

Rowsham Horizontal - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 580mm	265	505	89.0098	324.00	388.80
600 x 780mm	369	702	89.0099	363.00	435.60
600 x 980mm	475	905	89.0100	415.00	498.00
600 x 1180mm	584	1113	89.0101	482.00	578.40

Rowsham Horizontal - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 580mm	265	505	89.0105	324.00	388.80
600 x 780mm	369	702	89.0106	363.00	435.60
600 x 980mm	475	905	89.0107	415.00	498.00
600 x 1180mm	584	1113	89.0108	482.00	578.40

FEATURES

- 40 x 20mm vertical bars
 - Comes with pre-fitted flow diverter
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Not suitable for elements
- * With conditions

Round Vent Caps

Page 369



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems only. Tappings are the width of the rail and approx. 54mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



Optional Extra - Towel Hanger - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 300mm	89.0112	74.00	88.80

Compatible with Vertical and Horizontal Radiators. **Must be fitted before installation** (horizontal radiators only).

Designer Range

ROWSHAM TOWEL RAIL

Technical Tables
& Drawings
Page 404-405



Pictured 89.1393 Matt White

Rear fixing metal wall brackets



Pictured 89.1396 Matt Anthracite

Bar Dimensions (mm)

Horizontal Bars 40 x 20mm

The Rowsham Towel Rail is a designer towel rail with stunning clean lines that has also high heat output.

Rowsham Towel Rail - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	250	465	300W	A, A+, B, D, E, F, G	89.1388	228.00	273.60
800 x 600mm	270	502	300W	A, A+, B, D, E, F, G	89.1389	263.00	315.60
1200 x 500mm	371	695	450W	A, A+, B, D, E, F, G	89.1390	375.00	450.00
1200 x 600mm	401	750	600W	A, A+, B, D, E, F, G	89.1391	434.00	520.80
1800 x 500mm	562	1061	600W	A, A+, B, D, E, F, G	89.1392	519.00	622.80
1800 x 600mm	606	1145	750W	A, A+, B, D, E, F, G	89.1393	601.00	721.20

Rowsham Towel Rail - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	250	465	300W	A, A+, B, D, E, F, G	89.1394	228.00	273.60
800 x 600mm	270	502	300W	A, A+, B, D, E, F, G	89.1395	263.00	315.60
1200 x 500mm	371	695	450W	A, A+, B, D, E, F, G	89.1396	375.00	450.00
1200 x 600mm	401	750	600W	A, A+, B, D, E, F, G	89.1397	434.00	520.80
1800 x 500mm	562	1061	600W	A, A+, B, D, E, F, G	89.1398	519.00	622.80
1800 x 600mm	606	1145	750W	A, A+, B, D, E, F, G	89.1399	601.00	721.20

Warranty

5
Year

Heating



All Electric



Dual-Fuel



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 32mm less than the width of the rail and 83mm off the wall. Projection from wall is 139mm. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps
Page 369



Designer Range

WINGRAVE FLAT PANEL

1800mm High



Rear fixing metal wall brackets

Pictured 89.1453 Gloss White with
89.1489 Towel Hangers x3 and
54.0003 TRV Valve

1200mm High



Suitable for Dual Fuel
Installation

Comes with 50mm middle
connection in addition to
standard side connections.



Pictured 89.1468 Matt Anthracite
with 89.1472 Towel Hangers x2 and
41.3021 TRV Valve

No more heavy & bulky panel radiators! A minimalist cover has been added to the Wingrave Towel Rail with built-in middle connection option. Also the stylish towel hangers will allow you to use this radiator in your bathroom as well as other rooms. Available in 2 heights and 3 colours.

FEATURES

- Tested to BS EN 442 standards
- Wingrave towel rail with with flat panel cover
- Rear fixing metal wall brackets
- Comes with 50mm middle connection in addition to standard side connections
- Dual fuel connection without T piece, element fits in either left or right bottom side connection
- Blanking plug and air vent are at the rear of the radiator
- Can only be installed vertically
- Can be single or dual fuel, or all electric
- 5 Year Manufacturer's Warranty*

*With conditions

**Technical Tables
& Drawings**
Page 404-405



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

WINGRAVE FLAT PANEL



Gloss White



Matt Anthracite



Matt Black



Rear View - Hidden air vent and blanking plug

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Middle connection is 50mm. and approx. 73mm off the wall. Side connections are 55mm less than the width of the rail and approx. 73mm off the wall. Price includes radiator and wall fixing sets, valves extra.

1200mm Height

Wingrave Flat Panel Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 310mm	196	374	150W	A, A+, B, D, E, F, G	89.1455	260.00	312.00
1200 x 410mm	247	471	300W	A, A+, B, D, E, F, G	89.1456	273.00	327.60
1200 x 510mm	298	569	300W	A, A+, B, D, E, F, G	89.1457	297.00	356.40
1200 x 610mm	350	667	450W	A, A+, B, D, E, F, G	89.1458	321.00	385.20

Wingrave Flat Panel Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 310mm	196	374	150W	A, A+, B, D, E, F, G	89.1467	281.00	337.20
1200 x 410mm	247	471	300W	A, A+, B, D, E, F, G	89.1468	296.00	355.20
1200 x 510mm	298	569	300W	A, A+, B, D, E, F, G	89.1469	321.00	385.20
1200 x 610mm	350	667	450W	A, A+, B, D, E, F, G	89.1470	345.00	414.00

Wingrave Flat Panel Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 310mm	196	374	150W	A, A+, B, D, E, F, G	89.1479	281.00	337.20
1200 x 410mm	247	471	300W	A, A+, B, D, E, F, G	89.1480	296.00	355.20
1200 x 510mm	298	569	300W	A, A+, B, D, E, F, G	89.1481	321.00	385.20
1200 x 610mm	350	667	450W	A, A+, B, D, E, F, G	89.1482	345.00	414.00

* Further heat output information available on eastbrooktrade.com **E&OA**

1800mm Height

Wingrave Flat Panel Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	289	551	300W	A, A+, B, D, E, F, G	89.1451	315.00	378.00
1800 x 410mm	364	694	450W	A, A+, B, D, E, F, G	89.1452	340.00	408.00
1800 x 510mm	439	837	450W	A, A+, B, D, E, F, G	89.1453	380.00	456.00
1800 x 610mm	514	980	600W	A, A+, B, D, E, F, G	89.1454	420.00	504.00

Wingrave Flat Panel Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	289	551	300W	A, A+, B, D, E, F, G	89.1463	341.00	409.20
1800 x 410mm	364	694	450W	A, A+, B, D, E, F, G	89.1464	368.00	441.60
1800 x 510mm	439	837	450W	A, A+, B, D, E, F, G	89.1465	410.00	492.00
1800 x 610mm	514	980	600W	A, A+, B, D, E, F, G	89.1466	454.00	544.80

Wingrave Flat Panel Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	289	551	300W	A, A+, B, D, E, F, G	89.1475	341.00	409.20
1800 x 410mm	364	694	450W	A, A+, B, D, E, F, G	89.1476	368.00	441.60
1800 x 510mm	439	837	450W	A, A+, B, D, E, F, G	89.1477	410.00	492.00
1800 x 610mm	514	980	600W	A, A+, B, D, E, F, G	89.1478	454.00	544.80

* Further heat output information available on eastbrooktrade.com **E&OA**

WINGRAVE FLAT PANEL TOWEL HANGERS



Towel Hanger - Gloss White

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1459	50.00	60.00
410mm	89.1460	54.00	64.80
510mm	89.1461	61.00	73.20
610mm	89.1462	68.00	81.60




Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1471	50.00	60.00
410mm	89.1472	54.00	64.80
510mm	89.1473	61.00	73.20
610mm	89.1474	68.00	81.60



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1483	50.00	60.00
410mm	89.1484	54.00	64.80
510mm	89.1485	61.00	73.20
610mm	89.1486	68.00	81.60



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
310mm	89.1487	50.00	60.00
410mm	89.1488	54.00	64.80
510mm	89.1489	61.00	73.20
610mm	89.1490	68.00	81.60

TECHNICAL INFORMATION

Vertical Radiators:

12000mm height radiators come with 2 towel hanger locations, with a maximum of 2 towel hangers - all widths; 310, 410, 510 and 610mm. 1800mm height radiators come with 3 towel hanger locations, with a maximum of 3 towel hangers - all widths; 310, 410, 510 and 610mm. Wingrave Flat Panel Towel Hangers are compatible with 1200mm & 1800mm height Wingrave Flat Panel Radiators. Towel hanger material is mild steel.

Must be fitted before installation.

Designer Range

TUNSTALL VERTICAL



Bar Dimensions (mm)

Vertical Bars 50 x 25mm

Pictured 89.0008 Chrome & 101.0035 Towel Hanger

Create a fresh new look with this elegant designer radiator which will suit any room in the house. Available in four colour finishes.

FEATURES

- 50 x 25mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

**Technical Tables
& Drawings**
Page 406-407



Round Vent Caps

Page 369



Robe Hooks

Page 366




Designer Range

TUNSTALL VERTICAL


Matt White



Matt Anthracite



Matt Black



Chrome



Tunstall Vertical Radiators - Matt White

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	235	459	N/A	N/A	89.0001	167.00	200.40
1800 x 350mm	303	592	N/A	N/A	89.1620	199.00	238.80
1800 x 420mm	373	729	N/A	N/A	89.0005	229.00	274.80
1800 x 490mm	445	870	N/A	N/A	89.1624	278.00	333.60
1800 x 560mm	518	1013	N/A	N/A	89.1628	323.00	387.60
1800 x 630mm	593	1159	N/A	N/A	89.0009	359.00	430.80

Tunstall Vertical Radiators - Matt Black

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	235	459	N/A	N/A	89.0003	167.00	200.40
1800 x 350mm	303	592	N/A	N/A	89.1622	199.00	238.80
1800 x 420mm	373	729	N/A	N/A	89.0007	229.00	274.80
1800 x 490mm	445	870	N/A	N/A	89.1626	278.00	333.60
1800 x 560mm	518	1013	N/A	N/A	89.1630	323.00	387.60
1800 x 630mm	593	1159	N/A	N/A	89.0011	359.00	430.80

Tunstall Vertical Radiators - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	235	459	N/A	N/A	89.0002	167.00	200.40
1800 x 350mm	303	592	N/A	N/A	89.1621	199.00	238.80
1800 x 420mm	373	729	N/A	N/A	89.0006	229.00	274.80
1800 x 490mm	445	870	N/A	N/A	89.1625	278.00	333.60
1800 x 560mm	518	1013	N/A	N/A	89.1629	323.00	387.60
1800 x 630mm	593	1159	N/A	N/A	89.0010	359.00	430.80

Tunstall Vertical Radiators - Chrome

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	133	254	N/A	N/A	89.0004	387.00	464.40
1800 x 350mm	177	337	N/A	N/A	89.1623	418.00	501.60
1800 x 420mm	222	424	N/A	N/A	89.0008	448.00	537.60
1800 x 490mm	270	515	N/A	N/A	89.1627	497.00	596.40
1800 x 560mm	320	609	N/A	N/A	89.1631	548.00	657.60
1800 x 630mm	371	707	N/A	N/A	89.0012	592.00	710.40

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Vertical Tunstall Towel Hangers



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0028	60.00	72.00
350mm	89.1741	65.00	78.00
420mm	101.0032	73.00	87.60
490mm	89.1742	77.00	92.40
560mm	89.1743	80.00	96.00
630mm	101.0036	84.00	100.80



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0029	60.00	72.00
350mm	89.1744	65.00	78.00
420mm	101.0033	73.00	87.60
490mm	89.1745	77.00	92.40
560mm	89.1746	80.00	96.00
630mm	101.0037	84.00	100.80



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0030	60.00	72.00
350mm	89.1747	65.00	78.00
420mm	101.0034	73.00	87.60
490mm	89.1748	77.00	92.40
560mm	89.1749	80.00	96.00
630mm	101.0038	84.00	100.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0031	65.00	78.00
350mm	89.1750	72.00	86.40
420mm	101.0035	79.00	94.80
490mm	89.1751	84.00	100.80
560mm	89.1752	87.00	104.40
630mm	101.0039	90.00	108.00

The Vertical Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand).

Must be fitted before installation!

Designer Range

TUNSTALL HORIZONTAL



Pictured 89.0020 Matt Anthracite

Bar Dimensions (mm)

Vertical Bars 50 x 25mm

The elliptical shape of these tubes will provide a stylish focus to any room. Available in three colours.

FEATURES

- 50 x 25mm vertical bars
- Comes with pre-fitted flow diverter
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 406-407



TECHNICAL INFORMATION

All measurements in Height by Width. Heat output based on $\Delta T_{60}^{\circ}\text{C}$. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Tappings are the width of the rail and approx. 52mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Tunstall Horizontal Radiators - Matt Anthracite

Size H x W	ΔT_{30} Watts	ΔT_{50} Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	161	311	N/A	N/A	89.1633	137.00	164.40
600 x 589mm	207	402	N/A	N/A	89.0014	153.00	183.60
600 x 648mm	231	448	N/A	N/A	89.1636	167.00	200.40
600 x 825mm	304	590	N/A	N/A	89.0017	207.00	248.40
600 x 1002mm	380	737	N/A	N/A	89.0020	252.00	302.40
600 x 1061mm	406	787	N/A	N/A	89.1639	271.00	325.20
600 x 1179mm	458	887	N/A	N/A	89.0023	296.00	355.20

Tunstall Horizontal Radiators - Matt Black

Size H x W	ΔT_{30} Watts	ΔT_{50} Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	161	311	N/A	N/A	89.1634	137.00	164.40
600 x 589mm	207	402	N/A	N/A	89.0015	153.00	183.60
600 x 648mm	231	448	N/A	N/A	89.1637	167.00	200.40
600 x 825mm	304	590	N/A	N/A	89.0018	207.00	248.40
600 x 1002mm	380	737	N/A	N/A	89.0021	252.00	302.40
600 x 1061mm	406	787	N/A	N/A	89.1640	271.00	325.20
600 x 1179mm	458	887	N/A	N/A	89.0024	296.00	355.20

Tunstall Horizontal Radiators - Matt White

Size H x W	ΔT_{30} Watts	ΔT_{50} Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	161	311	N/A	N/A	89.1632	137.00	164.40
600 x 589mm	207	402	N/A	N/A	89.0013	153.00	183.60
600 x 648mm	231	448	N/A	N/A	89.1635	167.00	200.40
600 x 825mm	304	590	N/A	N/A	89.0016	207.00	248.40
600 x 1002mm	380	737	N/A	N/A	89.0019	252.00	302.40
600 x 1061mm	406	787	N/A	N/A	89.1638	271.00	325.20
600 x 1179mm	458	887	N/A	N/A	89.0022	296.00	355.20



Round Vent Caps

Page 369



Horizontal Tunstall Towel Hangers



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
330mm	101.0040	70.00	84.00
589mm	101.0044	84.00	100.80




Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
330mm	101.0041	70.00	84.00
589mm	101.0045	84.00	100.80



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
330mm	101.0042	70.00	84.00
589mm	101.0046	84.00	100.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
330mm	101.0043	70.00	84.00
589mm	101.0047	90.00	108.00

The Horizontal Tunstall Towel Hangers can be fitted on both sides of the radiator (as left hand or right hand).

Must be fitted before installation!

Designer Range

Tunstall Towel Rails - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	292	550	300W	A, A+, B, D, E, F, G	89.0025	257.00	308.40
800 x 500mm	192	362	150W	A, A+, B, D, E, F, G	89.0029	178.00	213.60
800 x 600mm	222	418	300W	A, A+, B, D, E, F, G	89.0041	195.00	234.00
1200 x 500mm	279	528	300W	A, A+, B, D, E, F, G	89.0033	268.00	321.60
1200 x 600mm	322	610	450W	A, A+, B, D, E, F, G	89.0045	296.00	355.20
1600 x 500mm	367	699	450W	A, A+, B, D, E, F, G	89.0037	330.00	396.00
1600 x 600mm	423	807	600W	A, A+, B, D, E, F, G	89.0049	373.00	447.60

Tunstall Towel Rails - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	292	550	300W	A, A+, B, D, E, F, G	89.0026	257.00	308.40
800 x 500mm	192	362	150W	A, A+, B, D, E, F, G	89.0030	178.00	213.60
800 x 600mm	222	418	300W	A, A+, B, D, E, F, G	89.0042	195.00	234.00
1200 x 500mm	279	528	300W	A, A+, B, D, E, F, G	89.0034	268.00	321.60
1200 x 600mm	322	610	450W	A, A+, B, D, E, F, G	89.0046	296.00	355.20
1600 x 500mm	367	699	450W	A, A+, B, D, E, F, G	89.0038	330.00	396.00
1600 x 600mm	423	807	600W	A, A+, B, D, E, F, G	89.0050	373.00	447.60

Tunstall Towel Rails - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	292	550	300W	A, A+, B, D, E, F, G	89.0027	257.00	308.40
800 x 500mm	192	362	150W	A, A+, B, D, E, F, G	89.0031	178.00	213.60
800 x 600mm	222	418	300W	A, A+, B, D, E, F, G	89.0043	195.00	234.00
1200 x 500mm	279	528	300W	A, A+, B, D, E, F, G	89.0035	268.00	321.60
1200 x 600mm	322	610	450W	A, A+, B, D, E, F, G	89.0047	296.00	355.20
1600 x 500mm	367	699	450W	A, A+, B, D, E, F, G	89.0039	330.00	396.00
1600 x 600mm	423	807	600W	A, A+, B, D, E, F, G	89.0051	373.00	447.60

Tunstall Towel Rails - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	175	340	150W	A, A+, B, D, E, F, G	89.0028	376.00	451.20
800 x 500mm	115	224	150W	A, A+, B, D, E, F, G	89.0032	323.00	387.60
800 x 600mm	132	257	150W	A, A+, B, D, E, F, G	89.0044	356.00	427.20
1200 x 500mm	175	340	150W	A, A+, B, D, E, F, G	89.0036	386.00	463.20
1200 x 600mm	200	389	300W	A, A+, B, D, E, F, G	89.0048	423.00	507.60
1600 x 500mm	234	456	300W	A, A+, B, D, E, F, G	89.0040	486.00	583.20
1600 x 600mm	268	522	300W	A, A+, B, D, E, F, G	89.0052	534.00	640.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 83mm off the wall. Price includes radiator and wall fixing sets, valves extra.



560x1000mm size is the only horizontal Tunstall Towel Rail

Pictured 89.0020 Matt White

TUNSTALL TOWEL RAILS



Pictured 89.0048 Chrome

Bar Dimensions (mm)

Horizontal Bars 50 x 25mm

FEATURES

- 50 x 25mm horizontal bars
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 406-407




Matt White



Matt Anthracite



Matt Black



Chrome



Designer Range

TUNSTALL DOUBLE VERTICAL



Pictured 81.0142 Matt White

Bar Dimensions (mm)

Vertical Bars 50 x 25mm

Featuring a double vertical profile design, the Tunstall Double adds an elegant touch to any room in your home. Choose from three sophisticated colours: matt white, matt anthracite and matt black.

FEATURES

- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions


Technical Tables & Drawings

Page 406-407



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.



Double profile construction

Warranty


5
Year

Heating



Round Vent Caps

Page 369



Designer Range

TUNSTALL DOUBLE VERTICAL

Tunstall Double Vertical Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	378	743	N/A	N/A	81.0140	247.00	296.40
1800 x 350mm	472	929	N/A	N/A	81.0190	311.00	373.20
1800 x 420mm	567	1114	N/A	N/A	81.0141	368.00	441.60
1800 x 490mm	661	1300	N/A	N/A	81.0193	416.00	499.20
1800 x 560mm	756	1486	N/A	N/A	81.0196	485.00	582.00
1800 x 630mm	850	1671	N/A	N/A	81.0142	552.00	662.40

Tunstall Double Vertical Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	378	743	N/A	N/A	81.0158	251.00	301.20
1800 x 350mm	472	929	N/A	N/A	81.0191	320.00	384.00
1800 x 420mm	567	1114	N/A	N/A	81.0159	377.00	452.40
1800 x 490mm	661	1300	N/A	N/A	81.0194	425.00	510.00
1800 x 560mm	756	1486	N/A	N/A	81.0197	494.00	592.80
1800 x 630mm	850	1671	N/A	N/A	81.0160	563.00	675.60

Tunstall Double Vertical Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	378	743	N/A	N/A	81.0172	251.00	301.20
1800 x 350mm	472	929	N/A	N/A	81.0192	320.00	384.00
1800 x 420mm	567	1114	N/A	N/A	81.0173	377.00	452.40
1800 x 490mm	661	1300	N/A	N/A	81.0195	425.00	510.00
1800 x 560mm	756	1486	N/A	N/A	81.0198	494.00	592.80
1800 x 630mm	850	1671	N/A	N/A	81.0174	563.00	675.60



Pictured 81.0159 Matt Anthracite



Pictured 81.0195 Matt Black


Radiator Valves

Page 350-365



Multi-Purpose Towel Hangers

Page 368



Designer Range

TUNSTALL DOUBLE HORIZONTAL



Featuring a double vertical profile design, the Tunstall Double adds an elegant touch to any room in your home. Choose from three sophisticated colours: matt white, matt anthracite and matt black.

FEATURES

- 50 x 25mm vertical bars
- Double vertical profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 408-409



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Price includes radiator and wall fixing sets, valves extra.



Warranty


5
Year

Heating



Round Vent Caps

Page 369



Designer Range

TUNSTALL DOUBLE HORIZONTAL



Pictured 81.0175 Matt Black

Tunstall Double Horizontal Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	282	550	N/A	N/A	81.0199	216.00	259.20
600 x 589mm	353	687	N/A	N/A	81.0136	268.00	321.60
600 x 648mm	388	756	N/A	N/A	81.0202	307.00	368.40
600 x 825mm	494	962	N/A	N/A	81.0137	375.00	450.00
600 x 1002mm	600	1168	N/A	N/A	81.0138	453.00	543.60
600 x 1061mm	635	1237	N/A	N/A	81.0205	492.00	590.40
600 x 1179mm	705	1375	N/A	N/A	81.0139	531.00	637.20

Tunstall Double Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	282	550	N/A	N/A	81.0200	224.00	268.80
600 x 589mm	353	687	N/A	N/A	81.0154	275.00	330.00
600 x 648mm	388	756	N/A	N/A	81.0203	315.00	378.00
600 x 825mm	494	962	N/A	N/A	81.0155	381.00	457.20
600 x 1002mm	600	1168	N/A	N/A	81.0156	460.00	552.00
600 x 1061mm	635	1237	N/A	N/A	81.0206	502.00	602.40
600 x 1179mm	705	1375	N/A	N/A	81.0157	543.00	651.60

Tunstall Double Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 471mm	282	550	N/A	N/A	81.0201	224.00	268.80
600 x 589mm	353	687	N/A	N/A	81.0175	275.00	330.00
600 x 648mm	388	756	N/A	N/A	81.0204	315.00	378.00
600 x 825mm	494	962	N/A	N/A	81.0176	381.00	457.20
600 x 1002mm	600	1168	N/A	N/A	81.0177	460.00	552.00
600 x 1061mm	635	1237	N/A	N/A	81.0207	502.00	602.40
600 x 1179mm	705	1375	N/A	N/A	81.0178	543.00	651.60

Multi-Purpose Towel Hangers

Page 368



COMPLETE THE LOOK

41.3023



15mm TRV & Lockshield - Matt White

Code	£ Ex VAT	£ Inc VAT
41.3023	47.00	56.40

41.3024



15mm TRV & Lockshield - Matt Anthracite

Code	£ Ex VAT	£ Inc VAT
41.3024	47.00	56.40

41.3025



15mm TRV & Lockshield - Matt Black

Code	£ Ex VAT	£ Inc VAT
41.3025	47.00	56.40

Designer Range

TUNSTALL DOUBLE TOWEL RAIL



Warranty

5
Year

Heating



Dual-Fuel



Vertical Sizes (x6)

H800 X W500/600
H1200 x W500/600
H1600 x W500/600

Pictured 81.0149 Matt White

Horizontal Size (x1)

H560 X W1000

The double horizontal elliptical profiles of this towel rail will warm both your towels and your bathroom. Available in three colour options: matt white, matt anthracite and matt black.

FEATURES

- 50 x 25mm horizontal bars
- Double horizontal profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Can be single, dual fuel or all electric
- * With conditions

Technical Tables & Drawings

Page 408-409



Tunstall Double Towel Rails - Matt White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	438	824	600W	A, A+, B, D, E, F, G	81.0149	362.00	434.40
800 x 500mm	283	534	300W	A, A+, B, D, E, F, G	81.0143	281.00	337.20
800 x 600mm	331	635	450W	A, A+, B, D, E, F, G	81.0146	299.00	358.80
1200 x 500mm	396	771	450W	A, A+, B, D, E, F, G	81.0144	401.00	481.20
1200 x 600mm	463	901	600W	A, A+, B, D, E, F, G	81.0147	431.00	517.20
1600 x 500mm	539	1032	600W	A, A+, B, D, E, F, G	81.0145	524.00	628.80
1600 x 600mm	622	1192	750W	A, A+, B, D, E, F, G	81.0148	562.00	674.40

Tunstall Double Towel Rails - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	438	824	600W	A, A+, B, D, E, F, G	81.0167	362.00	434.40
800 x 500mm	283	534	300W	A, A+, B, D, E, F, G	81.0161	281.00	337.20
800 x 600mm	331	635	450W	A, A+, B, D, E, F, G	81.0164	299.00	358.80
1200 x 500mm	396	771	450W	A, A+, B, D, E, F, G	81.0162	401.00	481.20
1200 x 600mm	463	901	600W	A, A+, B, D, E, F, G	81.0165	431.00	517.20
1600 x 500mm	539	1032	600W	A, A+, B, D, E, F, G	81.0163	524.00	628.80
1600 x 600mm	622	1192	750W	A, A+, B, D, E, F, G	81.0166	562.00	674.40

Tunstall Double Towel Rails - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
560 x 1000mm	438	824	600W	A, A+, B, D, E, F, G	81.0179	362.00	434.40
800 x 500mm	283	534	300W	A, A+, B, D, E, F, G	81.0180	281.00	337.20
800 x 600mm	331	635	450W	A, A+, B, D, E, F, G	81.0181	299.00	358.80
1200 x 500mm	396	771	450W	A, A+, B, D, E, F, G	81.0182	401.00	481.20
1200 x 600mm	463	901	600W	A, A+, B, D, E, F, G	81.0183	431.00	517.20
1600 x 500mm	539	1032	600W	A, A+, B, D, E, F, G	81.0184	524.00	628.80
1600 x 600mm	622	1192	750W	A, A+, B, D, E, F, G	81.0185	562.00	674.40

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 46mm less than the width of the rail and approx. 70-75mm off the wall. Price includes radiator and wall fixing sets, valves extra.




Pictured 81.0162 Matt Anthracite



Double profile construction

Round Vent Caps

Page 369



Designer Range

TUNSTALL MIRROR



Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in three colours.

FEATURES

- Single vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Tunstall Mirror Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	294	560	N/A	N/A	81.0150	297.00	356.40
1800 x 500mm	440	839	N/A	N/A	81.0151	437.00	524.40

Tunstall Mirror Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	294	560	N/A	N/A	81.0168	297.00	356.40
1800 x 500mm	440	839	N/A	N/A	81.0169	437.00	524.40

Tunstall Mirror Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	294	560	N/A	N/A	81.0186	297.00	356.40
1800 x 500mm	440	839	N/A	N/A	81.0187	437.00	524.40

* Further heat output information available on eastbrooktrade.com E&OA


TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Tappings are the width of the rail and approx. 40mm off the wall. Projection from wall 79mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.

Single profile construction



TUNSTALL DOUBLE MIRROR



Profiles in elliptical shape of this radiator is in perfect harmony with the mirror placed in the middle. Available in three colours.

FEATURES

- Double vertical profile construction, mirror width 145mm
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Tunstall Double Mirror Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	459	875	N/A	N/A	81.0152	357.00	428.40
1800 x 500mm	688	1313	N/A	N/A	81.0153	531.00	637.20

Tunstall Double Mirror Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	459	875	N/A	N/A	81.0170	357.00	428.40
1800 x 500mm	688	1313	N/A	N/A	81.0171	531.00	637.20

Tunstall Double Mirror Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 380mm	459	875	N/A	N/A	81.0188	357.00	428.40
1800 x 500mm	688	1313	N/A	N/A	81.0189	531.00	637.20

* Further heat output information available on eastbrooktrade.com E&OA

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Projection from wall 104mm. Mirror width 145mm. Price includes radiator and wall fixing sets, valves extra.

Double profile construction



Designer Range

DEDDINGTON VERTICAL



Pictured 89.0795 Chrome with 89.0848 Towel Hanger x2



Rear fixing metal wall brackets

Pictured 89.1522 Matt Cobalt Blue

Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Flat and broad vertical profiles meet the perfect craftsmanship. This vertical model is 1800mm high and available in 5 widths. (3 widths available for Matt Cobalt Blue colour) Towel hangers are same colours and widths as the radiators. (except Matt Cobalt Blue colour)


Deddington Vertical Radiators - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	194	386	N/A	N/A	89.0794	481.00	577.20
1800 x 390mm	241	479	N/A	N/A	89.1523	576.00	691.20
1800 x 470mm	287	571	N/A	N/A	89.0795	686.00	823.20
1800 x 550mm	333	662	N/A	N/A	89.1524	758.00	909.60
1800 x 630mm	378	752	N/A	N/A	89.0796	847.00	1016.40

Deddington Towel Hangers - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.0847	62.00	74.40
390mm	89.1540	67.00	80.40
470mm	89.0848	70.00	84.00
550mm	89.1541	73.00	87.60
630mm	89.0849	76.00	91.20

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. **Must be fitted before installation.**



Deddington Vertical Radiators - Matt Cobalt Blue

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	320	636	N/A	N/A	89.1520	381.00	457.20
1800 x 470mm	485	963	N/A	N/A	89.1521	542.00	650.40
1800 x 630mm	650	1291	N/A	N/A	89.1522	668.00	801.60

Warranty

5
Year

Heating



Technical Tables
& Drawings

Page 408-409



FEATURES

- 70 x 11mm vertical bars
- Single profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Comes with built-in flow diverter. Tappings are the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

Designer Range

DEDDINGTON VERTICAL



Pictured 89.0852 Gloss White with 89.0878 Towel Hanger x1



Pictured 89.0863 Matt Anthracite



Pictured 89.1516 Matt Black with 89.1536 Towel Hangers x2

Deddington Vertical Radiators - Gloss White					
Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	320	636	89.0850	381.00	457.20
1800 x 390mm	403	800	89.1511	465.00	558.00
1800 x 470mm	485	963	89.0851	542.00	650.40
1800 x 550mm	567	1127	89.1512	607.00	728.40
1800 x 630mm	650	1291	89.0852	668.00	801.60

Deddington Vertical Radiators - Matt Anthracite					
Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	320	636	89.0863	381.00	457.20
1800 x 390mm	403	800	89.1513	465.00	558.00
1800 x 470mm	485	963	89.0864	542.00	650.40
1800 x 550mm	567	1127	89.1514	607.00	728.40
1800 x 630mm	650	1291	89.0865	668.00	801.60

Deddington Vertical Radiators - Matt Black					
Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	320	636	89.1515	381.00	457.20
1800 x 390mm	403	800	89.1516	465.00	558.00
1800 x 470mm	485	963	89.1517	542.00	650.40
1800 x 550mm	567	1127	89.1518	607.00	728.40
1800 x 630mm	650	1291	89.1519	668.00	801.60

Deddington Towel Hangers - Gloss White			
Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.0876	60.00	72.00
390mm	89.1531	62.00	74.40
470mm	89.0877	65.00	78.00
550mm	89.1532	68.00	81.60
630mm	89.0878	72.00	86.40



*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. **Must be fitted before installation.**

Deddington Towel Hangers - Matt Anthracite			
Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.0879	60.00	72.00
390mm	89.1533	62.00	74.40
470mm	89.0880	65.00	78.00
550mm	89.1534	68.00	81.60
630mm	89.0881	72.00	86.40

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. **Must be fitted before installation.**


Deddington Towel Hangers - Matt Black			
Description	Code	£ Ex VAT	£ Inc VAT
310mm	89.1535	60.00	72.00
390mm	89.1536	62.00	74.40
470mm	89.1537	65.00	78.00
550mm	89.1538	68.00	81.60
630mm	89.1539	72.00	86.40

*Towel hangers are only compatible with Deddington radiators. Radiators projection from wall 160mm when towel hanger is fitted. Max of 2 towel hangers can be fitted. Towel hanger material is steel. **Must be fitted before installation.**



Designer Range

DEDDINGTON HORIZONTAL



Pictured 89.0800 Chrome

Rear fixing metal wall brackets

Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Warranty

5
Year

Heating



Flat and broad vertical profiles meet the perfect craftsmanship. This horizontal model is available in 600mm height and 4 widths. This beautifully finished radiator will have all the attention in the room.

FEATURES

- 70 x 11mm vertical bars
- Rear fixing metal wall brackets
- Single profile construction
- Tested to BS EN 442 standards
- 5 Year manufacturer's warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 410-411




TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. **Not suitable for elements.** For indirect heating systems only. Comes with built-in flow diverter. Tappings are the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

Deddington Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 390mm	102	197	N/A	N/A	89.1507	272.00	326.40
600 x 470mm	122	234	N/A	N/A	89.1508	319.00	382.80
600 x 550mm	141	272	N/A	N/A	89.1509	362.00	434.40
600 x 630mm	160	309	N/A	N/A	89.0797	409.00	490.80
600 x 790mm	198	382	N/A	N/A	89.0798	489.00	586.80
600 x 950mm	236	454	N/A	N/A	89.0799	553.00	663.60
600 x 1110mm	273	526	N/A	N/A	89.1510	593.00	711.60
600 x 1270mm	310	597	N/A	N/A	89.0800	627.00	752.40



Pictured 89.1504 Matt Cobalt Blue

Deddington Horizontal Radiators - Matt Cobalt Blue

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 630mm	235	470	89.1503	323.00	387.60
600 x 790mm	294	589	89.1504	386.00	463.20
600 x 950mm	354	708	89.1505	436.00	523.20
600 x 1270mm	473	946	89.1506	496.00	595.20

Designer Range

DEDDINGTON HORIZONTAL



Pictured 89.0855 Gloss White

Deddington Horizontal Radiators - Gloss White


Size H x W	Δ T30 Watts	Δ T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 390mm	145	291	89.1491	217.00	260.40
600 x 470mm	175	351	89.1492	255.00	306.00
600 x 550mm	205	410	89.1493	289.00	346.80
600 x 630mm	235	470	89.0853	323.00	387.60
600 x 790mm	294	589	89.0854	386.00	463.20
600 x 950mm	354	708	89.0855	436.00	523.20
600 x 1110mm	413	827	89.1494	474.00	568.80
600 x 1270mm	473	946	89.0856	496.00	595.20



Pictured 89.0867 Matt Anthracite

Deddington Horizontal Radiators - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 390mm	145	291	89.1495	217.00	260.40
600 x 470mm	175	351	89.1496	255.00	306.00
600 x 550mm	205	410	89.1497	289.00	346.80
600 x 630mm	235	470	89.0866	323.00	387.60
600 x 790mm	294	589	89.0867	386.00	463.20
600 x 950mm	354	708	89.0868	436.00	523.20
600 x 1110mm	413	827	89.1498	474.00	568.80
600 x 1270mm	473	946	89.0869	496.00	595.20



Pictured 89.1499 Matt Black

Magnetic Towel Hangers Page 159



Deddington Horizontal Radiators - Matt Black

Size H x W	Δ T30 Watts	Δ T50 Watts	Code	£ Ex VAT	£ Inc VAT
600 x 630mm	235	470	89.1499	323.00	387.60
600 x 790mm	294	589	89.1500	386.00	463.20
600 x 950mm	354	708	89.1501	436.00	523.20
600 x 1270mm	473	946	89.1502	496.00	595.20

Designer Range

DEDDINGTON TOWEL RAILS



Pictured 89.0804 Chrome

Rear fixing metal wall brackets

A designer towel rail in 5 finishes and with broad horizontal bars that is available in 3 heights and 2 widths.

FEATURES

- 70 x 11mm horizontal bars
 - Rear fixing metal wall brackets
 - Stunning chrome surface
 - Single profile construction
 - Tested to BS EN 442 standards
 - 5 Year manufacturer's warranty*
 - Can be single, dual fuel or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 410-411



Pictured 89.0805 Chrome

Deddington Towel Rails - Chrome

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	132	253	150W	A, A+, B, D, E, F, G	89.0801	364.00	436.80
800 x 600mm	151	291	150W	A, A+, B, D, E, F, G	89.0802	401.00	481.20
1200 x 500mm	189	362	300W	A, A+, B, D, E, F, G	89.0803	474.00	568.80
1200 x 600mm	217	416	300W	A, A+, B, D, E, F, G	89.0804	520.00	624.00
1800 x 500mm	268	513	300W	A, A+, B, D, E, F, G	89.0805	676.00	811.20
1800 x 600mm	308	589	450W	A, A+, B, D, E, F, G	89.0806	743.00	891.60

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 30mm less than the width of the rail and approx. 60mm off the wall. Projection from wall 100mm. Price includes radiator and wall fixing sets, valves extra.

Round Vent Caps
Page 369



Designer Range

DEDDINGTON TOWEL RAILS



Pictured 89.1528 Matt Cobalt Blue



Pictured 89.0871 Matt Anthracite

Deddington Towel Rails - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	215	405	150W	A, A+, B, D, E, F, G	89.0857	311.00	373.20
800 x 600mm	250	472	300W	A, A+, B, D, E, F, G	89.0858	343.00	411.60
1200 x 500mm	306	578	300W	A, A+, B, D, E, F, G	89.0859	404.00	484.80
1200 x 600mm	356	672	300W	A, A+, B, D, E, F, G	89.0860	445.00	534.00
1800 x 500mm	435	822	450W	A, A+, B, D, E, F, G	89.0861	576.00	691.20
1800 x 600mm	506	956	450W	A, A+, B, D, E, F, G	89.0862	634.00	760.80

Deddington Towel Rails - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	215	405	150W	A, A+, B, D, E, F, G	89.0870	311.00	373.20
800 x 600mm	250	472	300W	A, A+, B, D, E, F, G	89.0871	343.00	411.60
1200 x 500mm	306	578	300W	A, A+, B, D, E, F, G	89.0872	404.00	484.80
1200 x 600mm	356	672	300W	A, A+, B, D, E, F, G	89.0873	445.00	534.00
1800 x 500mm	435	822	450W	A, A+, B, D, E, F, G	89.0874	576.00	691.20
1800 x 600mm	506	956	450W	A, A+, B, D, E, F, G	89.0875	634.00	760.80

Deddington Towel Rails - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	215	405	150W	A, A+, B, D, E, F, G	89.1525	311.00	373.20
1200 x 500mm	306	578	300W	A, A+, B, D, E, F, G	89.1526	404.00	484.80
1800 x 500mm	435	822	450W	A, A+, B, D, E, F, G	89.1527	576.00	691.20


Deddington Towel Rails - Matt Cobalt Blue

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 500mm	215	405	150W	A, A+, B, D, E, F, G	89.1528	311.00	373.20
1200 x 500mm	306	578	300W	A, A+, B, D, E, F, G	89.1529	404.00	484.80
1800 x 500mm	435	822	450W	A, A+, B, D, E, F, G	89.1530	576.00	691.20


800mm High



1800mm High



1200mm High



Designer Range

ADDINGTON II TYPE 10 - GLOSS WHITE

Warranty

5

Year

Heating



HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

All Electric




Dual-Fuel



Towel Hangers
Page 181

Bar Dimensions (mm)
Vertical Bars 70 x 11mm



Pictured 62.0123 Gloss White



Pictured 62.0119 Gloss White



Pictured 62.0106 Gloss White with 101.0071 x 1 Magnetic Towel Hanger

Designer Range

ADDINGTON II TYPE 10 - GLOSS WHITE

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in durable powder coating, it's built to look good and last.

FEATURES

- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 410-411



500mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 522mm	143	277	150W	A, A+, C, E, H	62.0100	186.00	223.20
500 x 596mm	163	316	150W	A, A+, C, E, H	62.0101	200.00	240.00

600mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	92	179	150W	A, A+	62.0102	143.00	171.60
600 x 374mm	115	223	150W	A, A+	62.0103	162.00	194.40
600 x 448mm	138	268	150W	A, A+, C, E, H	62.0104	176.00	211.20
600 x 522mm	161	313	150W	A, A+, C, E, H	62.0105	195.00	234.00
600 x 596mm	184	357	300W	A, A+, C, E, H	62.0106	214.00	256.80
600 x 670mm	207	402	300W	A, A+, C, E, H	62.0107	233.00	279.60
600 x 818mm	253	491	450W	A, A+, C, E, H	62.0108	266.00	319.20
600 x 1040mm	322	624	450W	A, A+, C, E, H	62.0109	323.00	387.60
600 x 1188mm	367	714	600W	A, A+, C, E, H	62.0110	357.00	428.40
600 x 1262mm	390	758	600W	A, A+, C, E, H	62.0111	376.00	451.20

800mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 522mm	198	384	300W	A, A+, C, H	62.0112	219.00	262.80
800 x 596mm	226	439	300W	A, A+, C, H	62.0113	243.00	291.60

1000mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 522mm	235	456	300W	A, A+, C, H	62.0114	243.00	291.60
1000 x 596mm	268	520	450W	A, A+, C, H	62.0115	266.00	319.20

1200mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 522mm	271	527	450W	A, A+, C, H	62.0116	266.00	319.20
1200 x 596mm	310	602	450W	A+, C, H	62.0117	295.00	354.00

1400mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 522mm	308	598	450W	A+, C, H	62.0118	290.00	348.00
1400 x 596mm	352	684	450W	A+, C, H	62.0119	323.00	387.60

1800mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	218	424	N/A	N/A	62.0120	224.00	268.80
1800 x 374mm	273	530	N/A	N/A	62.0121	262.00	314.40
1800 x 448mm	327	636	450W	A, A+	62.0122	300.00	360.00
1800 x 522mm	382	741	600W	A+	62.0123	338.00	405.60
1800 x 596mm	436	847	600W	A+	62.0124	376.00	451.20
1800 x 670mm	491	953	600W	A+	62.0125	418.00	501.60

* Further heat output information available on eastbrooktrade.com E&OA



Pictured 62.0122 Gloss White (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON II TYPE 10 - MATT ANTHRACITE

Warranty

5

Year

Heating



HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

All Electric



Dual-Fuel



Pictured 62.0150 Matt Anthracite with 91.0088 x 2 Towel Hanger

Bar Dimensions (mm)

Vertical Bars 70 x 11mm




Pictured 62.0142 Matt Anthracite



Pictured 62.0136 Matt Anthracite

Towel Hangers

Page 181



Designer Range

ADDINGTON II TYPE 10 - MATT ANTHRACITE

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in durable powder coating, it's built to look good and last.

FEATURES

- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables

& Drawings

Page 410-411



500mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 522mm	143	277	150W	A, A+, C, E, H	62.0126	186.00	223.20
500 x 596mm	163	316	150W	A, A+, C, E, H	62.0127	200.00	240.00

600mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	92	179	150W	A, A+	62.0128	143.00	171.60
600 x 374mm	115	223	150W	A, A+	62.0129	162.00	194.40
600 x 448mm	138	268	150W	A, A+, C, E, H	62.0130	176.00	211.20
600 x 522mm	161	313	150W	A, A+, C, E, H	62.0131	195.00	234.00
600 x 596mm	184	357	300W	A, A+, C, E, H	62.0132	214.00	256.80
600 x 670mm	207	402	300W	A, A+, C, E, H	62.0133	233.00	279.60
600 x 818mm	253	491	450W	A, A+, C, E, H	62.0134	266.00	319.20
600 x 1040mm	322	624	450W	A, A+, C, E, H	62.0135	323.00	387.60
600 x 1188mm	367	714	600W	A, A+, C, E, H	62.0136	357.00	428.40
600 x 1262mm	390	758	600W	A, A+, C, E, H	62.0137	376.00	451.20

800mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 522mm	198	384	300W	A, A+, C, H	62.0138	219.00	262.80
800 x 596mm	226	439	300W	A, A+, C, H	62.0139	243.00	291.60

1000mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 522mm	235	456	300W	A, A+, C, H	62.0140	243.00	291.60
1000 x 596mm	268	520	450W	A, A+, C, H	62.0141	266.00	319.20

1200mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 522mm	271	527	450W	A, A+, C, H	62.0142	266.00	319.20
1200 x 596mm	310	602	450W	A+, C, H	62.0143	295.00	354.00

1400mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 522mm	308	598	450W	A+, C, H	62.0144	290.00	348.00
1400 x 596mm	352	684	450W	A+, C, H	62.0145	323.00	387.60

1800mm Height


Addington II Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	218	424	N/A	N/A	62.0146	224.00	268.80
1800 x 374mm	273	530	N/A	N/A	62.0147	262.00	314.40
1800 x 448mm	327	636	450W	A, A+	62.0148	300.00	360.00
1800 x 522mm	382	741	600W	A+	62.0149	338.00	405.60
1800 x 596mm	436	847	600W	A+	62.0150	376.00	451.20
1800 x 670mm	491	953	600W	A+	62.0151	418.00	501.60

* Further heat output information available on eastbrooktrade.com E&OA



Pictured 62.0143 Matt Anthracite (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON II TYPE 10 - MATT BLACK

Warranty

5

Year

Heating



HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

All Electric



Dual-Fuel



Pictured 62.0177 Matt Black



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 62.0167 Matt Black with 91.0093 Towel Hanger



Towel Hangers
Page 181

Pictured 62.0160 Matt Black

Designer Range

ADDINGTON II TYPE 10 - MATT BLACK

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in durable powder coating, it's built to look good and last.

FEATURES

- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables

& Drawings
Page 410-411



500mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 522mm	143	277	150W	A, A+, C, E, H	62.0152	186.00	223.20
500 x 596mm	163	316	150W	A, A+, C, E, H	62.0153	200.00	240.00

600mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	92	179	150W	A, A+	62.0154	143.00	171.60
600 x 374mm	115	223	150W	A, A+	62.0155	162.00	194.40
600 x 448mm	138	268	150W	A, A+, C, E, H	62.0156	176.00	211.20
600 x 522mm	161	313	150W	A, A+, C, E, H	62.0157	195.00	234.00
600 x 596mm	184	357	300W	A, A+, C, E, H	62.0158	214.00	256.80
600 x 670mm	207	402	300W	A, A+, C, E, H	62.0159	233.00	279.60
600 x 818mm	253	491	450W	A, A+, C, E, H	62.0160	266.00	319.20
600 x 1040mm	322	624	450W	A, A+, C, E, H	62.0161	323.00	387.60
600 x 1188mm	367	714	600W	A, A+, C, E, H	62.0162	357.00	428.40
600 x 1262mm	390	758	600W	A, A+, C, E, H	62.0163	376.00	451.20

800mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 522mm	198	384	300W	A, A+, C, H	62.0164	219.00	262.80
800 x 596mm	226	439	300W	A, A+, C, H	62.0165	243.00	291.60

1000mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 522mm	235	456	300W	A, A+, C, H	62.0166	243.00	291.60
1000 x 596mm	268	520	450W	A, A+, C, H	62.0167	266.00	319.20

1200mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 522mm	271	527	450W	A, A+, C, H	62.0168	266.00	319.20
1200 x 596mm	310	602	450W	A+, C, H	62.0169	295.00	354.00

1400mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 522mm	308	598	450W	A+, C, H	62.0170	290.00	348.00
1400 x 596mm	352	684	450W	A+, C, H	62.0171	323.00	387.60

1800mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	218	424	N/A	N/A	62.0172	224.00	268.80
1800 x 374mm	273	530	N/A	N/A	62.0173	262.00	314.40
1800 x 448mm	327	636	450W	A, A+	62.0174	300.00	360.00
1800 x 522mm	382	741	600W	A+	62.0175	338.00	405.60
1800 x 596mm	436	847	600W	A+	62.0176	376.00	451.20
1800 x 670mm	491	953	600W	A+	62.0177	418.00	501.60

* Further heat output information available on eastbrooktrade.com E&OA



Pictured 62.0167 Matt Black (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON II TYPE 10 - CHROME

Warranty

5

Year

Heating



HEATING NOTE:
Radiators that are
electric only are
restricted to the
heat output of the
elements.

All Electric



Dual-Fuel



Pictured 62.0200 Chrome with 91.0091 Towel Hanger

Bar Dimensions (mm)

Vertical Bars 70 x 11mm



Pictured 62.0195 Chrome

Towel Hangers
Page 181



Pictured 62.0180 Chrome

Designer Range

ADDINGTON II TYPE 10 - CHROME

Transform your space with the sleek and contemporary Addington II Type 10 radiator. Designed to complement modern interiors, its slim profile and clean flat panels make it a perfect choice for saving space while adding a touch of elegance. Finished in stunning chrome, it's built to look good and last.

FEATURES

- Tested to BS EN 442 standards
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables

& Drawings
Page 410-411



500mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 522mm	94	182	100W	A	62.0178	260.00	312.00
500 x 596mm	107	208	150W	A, A+	62.0179	280.00	336.00

600mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	61	118	N/A	N/A	62.0180	200.00	240.00
600 x 374mm	76	147	100W	A	62.0181	227.00	272.40
600 x 448mm	91	176	150W	A, A+	62.0182	247.00	296.40
600 x 522mm	106	206	150W	A, A+	62.0183	273.00	327.60
600 x 596mm	121	235	150W	A, A+	62.0184	300.00	360.00
600 x 670mm	136	264	150W	A, A+	62.0185	326.00	391.20
600 x 818mm	166	323	150W	A, A+	62.0186	373.00	447.60
600 x 1040mm	212	411	300W	A, A+, C, E, H	62.0187	453.00	543.60
600 x 1188mm	242	469	300W	A, A+, C, E, H	62.0188	499.00	598.80
600 x 1262mm	257	499	300W	A, A+, C, E, H	62.0189	526.00	631.20

800mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 522mm	130	253	150W	A, A+	62.0190	306.00	367.20
800 x 596mm	149	289	150W	A, A+	62.0191	340.00	408.00

1000mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 522mm	154	300	300W	A, A+, C, E, H	62.0192	340.00	408.00
1000 x 596mm	176	342	300W	A, A+, C, E, H	62.0193	373.00	447.60

1200mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 522mm	179	347	300W	A, A+, C, E, H	62.0194	373.00	447.60
1200 x 596mm	204	396	300W	A, A+, C, E, H	62.0195	413.00	495.60

1400mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 522mm	203	394	300W	A, A+, C, E, H	62.0196	406.00	487.20
1400 x 596mm	232	450	300W	A, A+, C, E, H	62.0197	453.00	543.60

1800mm Height

Addington II Type 10 Vertical / Horizontal Radiators - Chrome

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	144	279	N/A	N/A	62.0198	313.00	375.60
1800 x 374mm	179	349	N/A	N/A	62.0199	366.00	439.20
1800 x 448mm	215	418	300W	A+	62.0200	419.00	502.80
1800 x 522mm	251	488	300W	A+	62.0201	473.00	567.60
1800 x 596mm	287	557	450W	A+	62.0202	526.00	631.20
1800 x 670mm	323	627	450W	A+	62.0203	586.00	703.20

* Further heat output information available on eastbrooktrade.com E&OA



Pictured 62.0190 Chrome (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON II TYPE 20 - GLOSS WHITE



Pictured 62.0216 Gloss White



Pictured 62.0214 Gloss White

Bar Dimensions (mm)

Vertical Bars 70 x 11mm



HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 62.0212 Gloss White

Designer Range

ADDINGTON II TYPE 20 - GLOSS WHITE

Bring warmth and style together with Addington II Type 20 designer radiator. Its double-panel design delivers powerful heat output, while the slim vertical build and smooth flat panels offer a clean, modern finish. Coated in a tough, long-lasting powder finish—perfect for contemporary spaces.

FEATURES

- Tested to BS EN 442 standards
 - Double profile construction
 - Maximum corrosion resistance
 - Can be installed vertically or horizontally
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 412-413



600mm Height

Addington II Type 20 Vertical / Horizontal Radiators - Gloss White

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	155	301	100W	A	62.0204	195.00	234.00
600 x 374mm	194	377	300W	A, A+	62.0205	224.00	268.80
600 x 448mm	233	452	300W	A, A+, C, E, H	62.0206	257.00	308.40
600 x 522mm	271	527	450W	A, A+, C, E, H	62.0207	285.00	342.00
600 x 596mm	310	602	450W	A, A+, C, E, H	62.0208	319.00	382.80
600 x 670mm	349	677	600W	A, A+, C, E, H	62.0209	352.00	422.40
600 x 818mm	426	828	600W	A, A+, C, E, H	62.0210	414.00	496.80
600 x 1040mm	542	1053	900W	A, A+, C, E, H	62.0211	504.00	604.80
600 x 1188mm	620	1204	1000W	A, A+, C, E, H	62.0212	566.00	679.20
600 x 1262mm	659	1279	1000W	A, A+, C, E, H	62.0213	599.00	718.80

1800mm Height

Addington II Type 20 Vertical / Horizontal Radiators - Gloss White

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	408	792	N/A	N/A	62.0214	366.00	439.20
1800 x 374mm	509	989	N/A	N/A	62.0215	447.00	536.40
1800 x 448mm	611	1187	450W	A+	62.0216	532.00	638.40
1800 x 522mm	713	1385	600W	A+	62.0217	613.00	735.60
1800 x 596mm	815	1582	600W	A+	62.0218	699.00	838.80
1800 x 670mm	917	1780	600W	A+	62.0219	784.00	940.80

* Further heat output information available on eastbrooktrade.com E&OA

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 63mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.



Pictured 62.0215 Gloss White (Fitted Horizontally)



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40




Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Multi-Purpose Towel Hangers

Page 368



Round Vent Caps

Page 369



Designer Range

ADDINGTON II TYPE 20 - MATT ANTHRACITE



Pictured 62.0234 Matt Anthracite



Pictured 62.0233 Matt Anthracite

Bar Dimensions (mm)

Vertical Bars 70 x 11mm



HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 62.0227 Matt Anthracite

Designer Range

ADDINGTON II TYPE 20 - MATT ANTHRACITE

Bring warmth and style together with Addington II Type 20 designer radiator. Its double-panel design delivers powerful heat output, while the slim vertical build and smooth flat panels offer a clean, modern finish. Coated in a tough, long-lasting powder finish—perfect for contemporary spaces.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 412-413



600mm Height

Addington II Type 20 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	155	301	100W	A	62.0220	195.00	234.00
600 x 374mm	194	377	300W	A, A+	62.0221	224.00	268.80
600 x 448mm	233	452	300W	A, A+, C, E, H	62.0222	257.00	308.40
600 x 522mm	271	527	450W	A, A+, C, E, H	62.0223	285.00	342.00
600 x 596mm	310	602	450W	A, A+, C, E, H	62.0224	319.00	382.80
600 x 670mm	349	677	600W	A, A+, C, E, H	62.0225	352.00	422.40
600 x 818mm	426	828	600W	A, A+, C, E, H	62.0226	414.00	496.80
600 x 1040mm	542	1053	900W	A, A+, C, E, H	62.0227	504.00	604.80
600 x 1188mm	620	1204	1000W	A, A+, C, E, H	62.0228	566.00	679.20
600 x 1262mm	659	1279	1000W	A, A+, C, E, H	62.0229	599.00	718.80

1800mm Height

Addington II Type 20 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	408	792	N/A	N/A	62.0230	366.00	439.20
1800 x 374mm	509	989	N/A	N/A	62.0231	447.00	536.40
1800 x 448mm	611	1187	450W	A+	62.0232	532.00	638.40
1800 x 522mm	713	1385	600W	A+	62.0233	613.00	735.60
1800 x 596mm	815	1582	600W	A+	62.0234	699.00	838.80
1800 x 670mm	917	1780	600W	A+	62.0235	784.00	940.80

* Further heat output information available on eastbrooktrade.com E&OA

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 63mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.




Pictured 62.00231 Matt Anthracite (Fitted Horizontally)



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40




Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Multi-Purpose Towel Hangers

Page 368



Round Vent Caps

Page 369



Designer Range

ADDINGTON II TYPE 20 - MATT BLACK



Pictured 62.0247 Matt Black with 101.0072 Towel Hanger



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 62.0249 Matt Black



HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 62.0240 Matt Black

Designer Range

ADDINGTON II TYPE 20 - MATT BLACK

Bring warmth and style together with Addington II Type 20 designer radiator. Its double-panel design delivers powerful heat output, while the slim vertical build and smooth flat panels offer a clean, modern finish. Coated in a tough, long-lasting powder finish—perfect for contemporary spaces.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 412-413



600mm Height

Addington II Type 20 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 300mm	155	301	100W	A	62.0236	195.00	234.00
600 x 374mm	194	377	300W	A, A+	62.0237	224.00	268.80
600 x 448mm	233	452	300W	A, A+, C, E, H	62.0238	257.00	308.40
600 x 522mm	271	527	450W	A, A+, C, E, H	62.0239	285.00	342.00
600 x 596mm	310	602	450W	A, A+, C, E, H	62.0240	319.00	382.80
600 x 670mm	349	677	600W	A, A+, C, E, H	62.0241	352.00	422.40
600 x 818mm	426	828	600W	A, A+, C, E, H	62.0242	414.00	496.80
600 x 1040mm	542	1053	900W	A, A+, C, E, H	62.0243	504.00	604.80
600 x 1188mm	620	1204	1000W	A, A+, C, E, H	62.0244	566.00	679.20
600 x 1262mm	659	1279	1000W	A, A+, C, E, H	62.0245	599.00	718.80

1800mm Height

Addington II Type 20 Vertical / Horizontal Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 300mm	408	792	N/A	N/A	62.0246	366.00	439.20
1800 x 374mm	509	989	N/A	N/A	62.0247	447.00	536.40
1800 x 448mm	611	1187	450W	A+	62.0248	532.00	638.40
1800 x 522mm	713	1385	600W	A+	62.0249	613.00	735.60
1800 x 596mm	815	1582	600W	A+	62.0250	699.00	838.80
1800 x 670mm	917	1780	600W	A+	62.0251	784.00	940.80

* Further heat output information available on eastbrooktrade.com E&OA

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 63mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.




Pictured 62.0248 Matt Black (Fitted Horizontally)



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40




Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Multi-Purpose Towel Hangers

Page 368



Round Vent Caps

Page 369



Designer Range

ADDINGTON II TYPE 10 TOWEL RAIL - GLOSS WHITE



Pictured 62.00260 Gloss White

Brighten your bathroom with Addington II Type 10 Towel Rail in gloss white finish. Featuring slim flat panels and a crisp, clean finish, this designer towel rail adds a fresh, modern touch while keeping towels warm and ready.

FEATURES

- Tested to BS EN 442 standards
 - Single profile construction
 - Maximum corrosion resistance
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions


Technical Tables & Drawings

Page 412-413




TECHNICAL INFORMATION


All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.




790mm High



1750mm High



1110mm High



Addington II Type 10 Towel Rails - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	161	312	150W	A, A+, B, E	62.0252	157.00	188.40
790 x 500mm	182	353	300W	A, A+, B, E	62.0253	181.00	217.20
790 x 600mm	203	394	300W	A, A+, B, E	62.0254	205.00	246.00
1110 x 400mm	213	413	300W	A, A+, B, E	62.0255	233.00	279.60
1110 x 500mm	239	464	300W	A, A+, B, E	62.0256	243.00	291.60
1110 x 600mm	265	515	450W	A, A+, B, E	62.0257	252.00	302.40
1750 x 400mm	317	615	450W	A, A+, B, E	62.0258	333.00	399.60
1750 x 500mm	354	687	600W	A, A+, B, E	62.0259	347.00	416.40
1750 x 600mm	390	758	600W	A, A+, B, E	62.0260	361.00	433.20

* Further heat output information available on eastbrooktrade.com **E&OA**

Radiator Valves

Page 350-365



Round Vent Caps

Page 369



Designer Range

ADDINGTON II TYPE 10 TOWEL RAIL - MATT ANTHRACITE & MATT BLACK



Pictured 62.0274 Matt Black

Bring depth and sophistication to your space with Addington II Type 10 Towel Rail in Matt Anthracite or Matt Black. The bold, flat panel design and stylish dark finish make it a standout feature, delivering both warmth and contemporary style.

FEATURES

- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 412-413



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 62.0262 Matt Anthracite

Addington II Type 10 Towel Rails - Matt Anthracite

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	161	312	150W	A, A+, B, E	62.0261	157.00	188.40
790 x 500mm	182	353	300W	A, A+, B, E	62.0262	181.00	217.20
790 x 600mm	203	394	300W	A, A+, B, E	62.0263	205.00	246.00
1110 x 400mm	213	413	300W	A, A+, B, E	62.0264	233.00	279.60
1110 x 500mm	239	464	300W	A, A+, B, E	62.0265	243.00	291.60
1110 x 600mm	265	515	450W	A, A+, B, E	62.0266	252.00	302.40
1750 x 400mm	317	615	450W	A, A+, B, E	62.0267	333.00	399.60
1750 x 500mm	354	687	600W	A, A+, B, E	62.0268	347.00	416.40
1750 x 600mm	390	758	600W	A, A+, B, E	62.0269	361.00	433.20

Addington II Type 10 Towel Rails - Matt Black

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	161	312	150W	A, A+, B, E	62.0270	157.00	188.40
790 x 500mm	182	353	300W	A, A+, B, E	62.0271	181.00	217.20
790 x 600mm	203	394	300W	A, A+, B, E	62.0272	205.00	246.00
1110 x 400mm	213	413	300W	A, A+, B, E	62.0273	233.00	279.60
1110 x 500mm	239	464	300W	A, A+, B, E	62.0274	243.00	291.60
1110 x 600mm	265	515	450W	A, A+, B, E	62.0275	252.00	302.40
1750 x 400mm	317	615	450W	A, A+, B, E	62.0276	333.00	399.60
1750 x 500mm	354	687	600W	A, A+, B, E	62.0277	347.00	416.40
1750 x 600mm	390	758	600W	A, A+, B, E	62.0278	361.00	433.20

* Further heat output information available on eastbrooktrade.com E&OA

Radiator Valves

Page 350-365



Round Vent Caps

Page 369



Designer Range

ADDINGTON II TYPE 10 TOWEL RAIL - CHROME



Pictured 62.0284 Chrome

Add a touch of timeless shine with the Addington II Type 10 Towel Rail in Chrome. The reflective finish and flat panel design blend elegance and practicality, keeping your towels warm while enhancing your bathroom's modern aesthetic.

FEATURES


- Tested to BS EN 442 standards
- Single profile construction
- Maximum corrosion resistance
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 412-413




TECHNICAL INFORMATION


All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.




790mm High



1750mm High



1110mm High



Addington II Type 10 Towel Rails - Chrome

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	106	205	150W	A, A+, B, E	62.0279	220.00	264.00
790 x 500mm	120	232	150W	A, A+, B, E	62.0280	253.00	303.60
790 x 600mm	133	259	150W	A, A+, B, E	62.0281	286.00	343.20
1110 x 400mm	140	272	150W	A, A+, B, E	62.0282	326.00	391.20
1110 x 500mm	157	305	150W	A, A+, B, E	62.0283	340.00	408.00
1110 x 600mm	175	339	300W	A, A+, B, E	62.0284	353.00	423.60
1750 x 400mm	208	405	300W	A, A+, B, E	62.0285	466.00	559.20
1750 x 500mm	233	452	300W	A, A+, B, E	62.0286	486.00	583.20
1750 x 600mm	257	499	300W	A, A+, B, E	62.0287	506.00	607.20

* Further heat output information available on eastbrooktrade.com **E80A**

Radiator Valves

Page 350-365



Round Vent Caps

Page 369



Designer Range

ADDINGTON II TYPE 20 TOWEL RAIL



Pictured 62.0288 Gloss White



Pictured 62.0293 Matt Black

The Addington II Type 20 Towel Rail combines high heat output with sleek modern design, thanks to its double horizontal panel construction. Available in a choice of Gloss White, Matt Anthracite, and Matt Black finishes, it offers versatile style to suit any bathroom interior while keeping your space warm and your towels toasty.

FEATURES

- Tested to BS EN 442 standards
 - Single profile construction
 - Maximum corrosion resistance
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 412-413



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 63mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Addington II Type 20 Towel Rails - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	370	719	600W	A, A+, B, E	62.0288	357.00	428.40
790 x 500mm	538	1044	750W	A, A+, B, E	62.0289	509.00	610.80

Addington II Type 20 Towel Rails - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	370	719	600W	A, A+, B, E	62.0290	357.00	428.40
790 x 500mm	538	1044	750W	A, A+, B, E	62.0291	509.00	610.80

Addington II Type 20 Towel Rails - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	370	719	600W	A, A+, B, E	62.0292	357.00	428.40
790 x 500mm	538	1044	750W	A, A+, B, E	62.0293	509.00	610.80

* Further heat output information available on eastbrooktrade.com **E&OA**

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Round Vent Caps

Page 369



Designer Range

ADDINGTON TYPE 10 - GLOSS WHITE



Pictured 91.0015 Gloss White (Fitted Vertically) & 91.0081 x2 Towel Hangers



Bar Dimensions (mm)
Vertical Bars 70 x 11mm

Pictured 91.0003 Gloss White (Fitted Vertically)

Towel Hangers
Page 181

Round Vent Caps
Page 369

Warranty
5
Year

Heating

All Electric

Dual-Fuel

HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Pictured 91.0134 Gloss White (Fitted Vertically)

Designer Range

ADDINGTON TYPE 10 - GLOSS WHITE

A designer radiator range available to fit both vertically and horizontally designs in a gloss white finishes. Optional extras include flat style and double flat style towel hangers (see Page 159).

FEATURES

- Tested to BS EN 442 standards
- Maximum corrosion resistance
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables

& Drawings
Page 412-413



500mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	172	328	150W	A, A+, B, C, E	91.0001	276.00	331.20
500 x 588mm	196	375	300W	A, A+, B, C, E	91.0002	303.00	363.60

600mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	117	223	150W	A, A+	91.0127	216.00	259.20
600 x 366mm	146	278	150W	A, A+	91.0128	243.00	291.60
600 x 440mm	175	334	150W	A, A+, B, C, E	91.0129	268.00	321.60
600 x 514mm	204	390	300W	A, A+, B, C, E	91.0003	297.00	356.40
600 x 588mm	233	446	300W	A, A+, B, C, E	91.0004	322.00	386.40
600 x 662mm	262	501	300W	A, A+, B, C, E	91.0130	351.00	421.20
600 x 810mm	320	612	450W	A+, B, C, E	91.0131	402.00	482.40
600 x 1032mm	408	780	600W	A, A+, B, C, E	91.0132	486.00	583.20
600 x 1180mm	466	892	600W	A, A+, B, C, E	91.0133	540.00	648.00
600 x 1254mm	495	947	600W	A, A+, B, C, E	91.0134	565.00	678.00

800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	266	509	300W	A, A+, B, C	91.0005	331.00	397.20
800 x 588mm	304	581	450W	A, A+, B, C	91.0006	364.00	436.80

1000mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	326	624	450W	A, A+, B, C	91.0007	368.00	441.60
1000 x 588mm	360	689	450W	A, A+, B, C	91.0008	402.00	482.40

1200mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	383	732	450W	A, A+, B, C	91.0009	402.00	482.40
1200 x 588mm	437	837	600W	A+, B, C	91.0010	446.00	535.20

1400mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	437	837	600W	A+, B, C	91.0011	441.00	529.20
1400 x 588mm	500	957	600W	A+, B, C	91.0012	486.00	583.20


1800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	309	590	N/A	N/A	91.0013	335.00	402.00
1800 x 366mm	386	739	N/A	N/A	91.0014	397.00	476.40
1800 x 440mm	463	886	450W	A, A+, B	91.0015	453.00	543.60
1800 x 514mm	540	1034	600W	A+, B	91.0016	509.00	610.80
1800 x 588mm	617	1181	600W	A+, B	91.0017	569.00	682.80



Pictured 91.0014 Gloss White (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE 10 - MATT ANTHRACITE



Pictured 91.0032 Matt Anthracite (Fitted Vertically) & 91.0111 Towel Hanger



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 91.0147 Matt Anthracite (Fitted Vertically) & 91.0086 Towel Hanger

Towel Hangers
Page 181



Round Vent Caps
Page 369



Warranty
5
Year

Heating


All Electric


Dual-Fuel


Pictured 91.0049 Matt Anthracite (Fitted Vertically)

HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Designer Range

ADDINGTON TYPE 10 - MATT ANTHRACITE

A designer radiator range available to fit both vertically and horizontally designs in a matt anthracite finish. Optional extras include flat style and double flat style towel hangers (see Page 159).

FEATURES

- Tested to BS EN 442 standards
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric (not all sizes)
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables

& Drawings
Page 412-413



500mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	172	328	150W	A, A+, B, C, E	91.0018	276.00	331.20
500 x 588mm	196	375	300W	A, A+, B, C, E	91.0019	303.00	363.60

600mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	117	223	150W	A, A+	91.0145	216.00	259.20
600 x 366mm	146	278	150W	A, A+	91.0146	243.00	291.60
600 x 440mm	175	334	150W	A, A+, B, C, E	91.0147	268.00	321.60
600 x 514mm	204	390	300W	A, A+, B, C, E	91.0020	297.00	356.40
600 x 588mm	233	446	300W	A, A+, B, C, E	91.0021	322.00	386.40
600 x 662mm	262	501	300W	A, A+, B, C, E	91.0148	351.00	421.20
600 x 810mm	320	612	450W	A+, B, C, E	91.0149	402.00	482.40
600 x 1032mm	408	780	600W	A, A+, B, C, E	91.0150	486.00	583.20
600 x 1180mm	466	892	600W	A, A+, B, C, E	91.0151	540.00	648.00
600 x 1254mm	495	947	600W	A, A+, B, C, E	91.0152	565.00	678.00

800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	266	509	300W	A, A+, B, C	91.0022	331.00	397.20
800 x 588mm	304	581	450W	A, A+, B, C	91.0023	364.00	436.80

1000mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	326	624	450W	A, A+, B, C	91.0024	368.00	441.60
1000 x 588mm	360	689	450W	A, A+, B, C	91.0025	402.00	482.40

1200mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	383	732	450W	A, A+, B, C	91.0026	402.00	482.40
1200 x 588mm	437	837	600W	A+, B, C	91.0027	446.00	535.20

1400mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	437	837	600W	A+, B, C	91.0028	441.00	529.20
1400 x 588mm	500	957	600W	A+, B, C	91.0029	486.00	583.20


1800mm Height

Addington Type 10 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	309	590	N/A	N/A	91.0030	335.00	402.00
1800 x 366mm	386	739	N/A	N/A	91.0031	397.00	476.40
1800 x 440mm	463	886	450W	A, A+, B	91.0032	453.00	543.60
1800 x 514mm	540	1034	600W	A+, B	91.0033	509.00	610.80
1800 x 588mm	617	1181	600W	A+, B	91.0034	569.00	682.80




Pictured 91.0032 (Fitted Horizontally)



Single profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 40mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

MAGNETIC TOWEL HANGERS

Round Magnetic Towel Hangers				
Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40

Square Magnetic Towel Hangers				
Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE 10 - TOWEL RAILS



Pictured 91.0065 Gloss White

A designer towel rail available in 3 heights and 2 widths in gloss white, matt anthracite colours.

FEATURES

- Tested to BS EN 442 standards
 - Single profile construction
 - Maximum corrosion resistance
 - Cataphoretic painting technology
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 414-415



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 40mm off the wall. Price includes radiator and wall fixing sets, valves extra.


790mm High



1110mm High



1750mm High



Addington Type 10 Towel Rails - Gloss White

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	156	298	150W	A, A+, B, D, E, F, G	91.0061	278.00	333.60
790 x 500mm	195	373	150W	A, A+, B, D, E, F, G	91.0064	321.00	385.20
790 x 600mm	234	447	300W	A, A+, B, D, E, F, G	91.0067	363.00	435.60
1110 x 400mm	205	392	300W	A, A+, B, D, E, F, G	91.0062	412.00	494.40
1110 x 500mm	257	491	300W	A, A+, B, D, E, F, G	91.0065	431.00	517.20
1110 x 600mm	308	589	450W	A, A+, B, D, E, F, G	91.0068	448.00	537.60
1750 x 400mm	306	585	450W	A, A+, B, D, E, F, G	91.0063	588.00	705.60
1750 x 500mm	382	730	450W	A, A+, B, D, E, F, G	91.0066	613.00	735.60
1750 x 600mm	458	875	600W	A, A+, B, D, E, F, G	91.0069	639.00	766.80

Addington Type 10 Towel Rails - Matt Anthracite

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
790 x 400mm	156	298	150W	A, A+, B, D, E, F, G	91.0070	278.00	333.60
790 x 500mm	195	373	150W	A, A+, B, D, E, F, G	91.0073	321.00	385.20
790 x 600mm	234	447	300W	A, A+, B, D, E, F, G	91.0076	363.00	435.60
1110 x 400mm	205	392	300W	A, A+, B, D, E, F, G	91.0071	412.00	494.40
1110 x 500mm	257	491	300W	A, A+, B, D, E, F, G	91.0074	431.00	517.20
1110 x 600mm	308	589	450W	A, A+, B, D, E, F, G	91.0077	448.00	537.60
1750 x 400mm	306	585	450W	A, A+, B, D, E, F, G	91.0072	588.00	705.60
1750 x 500mm	382	730	450W	A, A+, B, D, E, F, G	91.0075	613.00	735.60
1750 x 600mm	458	875	600W	A, A+, B, D, E, F, G	91.0078	639.00	766.80

* Further heat output information available on eastbrooktrade.com **E&OA**

Round Vent Caps

Page 369



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Designer Range

ADDINGTON TYPE 10 ADDINGTON ALUMINIUM TYPE 10 SINGLE FLAT STYLE TOWEL HANGERS



Type 10 - Single Flat Style Towel Hangers - Gloss White

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0079	65.00	78.00
Towel Hanger 366mm	91.0080	66.00	79.20
Towel Hanger 440mm	91.0081	67.00	80.40
Towel Hanger 514mm	91.0082	69.00	82.80
Towel Hanger 588mm	91.0083	69.00	82.80

ADDINGTON TYPE 10 ADDINGTON ALUMINIUM TYPE 10 DOUBLE FLAT STYLE TOWEL HANGERS




Type 10 - Double Flat Style Towel Hangers - Gloss White

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0099	79.00	94.80
Towel Hanger 366mm	91.0100	81.00	97.20
Towel Hanger 440mm	91.0101	84.00	100.80
Towel Hanger 514mm	91.0102	86.00	103.20
Towel Hanger 588mm	91.0103	88.00	105.60



Type10 - Single Flat Style Towel Hangers - Matt Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0084	65.00	78.00
Towel Hanger 366mm	91.0085	66.00	79.20
Towel Hanger 440mm	91.0086	67.00	80.40
Towel Hanger 514mm	91.0087	69.00	82.80
Towel Hanger 588mm	91.0088	69.00	82.80



Type 10 - Double Flat Style Towel Hangers - Matt Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0104	79.00	94.80
Towel Hanger 366mm	91.0105	81.00	97.20
Towel Hanger 440mm	91.0106	84.00	100.80
Towel Hanger 514mm	91.0107	86.00	103.20
Towel Hanger 588mm	91.0108	88.00	105.60



Type10 - Single Flat Style Towel Hangers - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0089	98.00	117.60
Towel Hanger 366mm	91.0090	100.00	120.00
Towel Hanger 440mm	91.0091	102.00	122.40
Towel Hanger 514mm	91.0092	103.00	123.60
Towel Hanger 588mm	91.0093	107.00	128.40



Type10 - Double Flat Style Towel Hangers - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 292mm	91.0109	124.00	148.80
Towel Hanger 366mm	91.0110	130.00	156.00
Towel Hanger 440mm	91.0111	132.00	158.40
Towel Hanger 514mm	91.0112	135.00	162.00
Towel Hanger 588mm	91.0113	138.00	165.60

TECHNICAL DETAILS

The Single Flat Style Towel Hanger is compatible with both **vertical and horizontal installation**. Towel hanger material is steel.

MUST BE FITTED BEFORE INSTALLATION!

Radiators projection from wall 119mm when towel hangers is fitted.

Hanger Fitting Widths
148/222/296/370/444mm



Installation Note: Single Flat Style Towel Hangers are not compatible with Deddington Vertical & Deddington Horizontal radiators.

TECHNICAL DETAILS

The Double Flat Style Towel Hanger is compatible with **vertical installation only**. Towel hanger material is steel.

MUST BE FITTED BEFORE INSTALLATION!

Radiators projection from wall 119mm when towel hangers is fitted.

Hanger Fitting Widths
148/222/296/370/444mm



Installation Note: Double Flat Style Towel Hangers are not compatible with Deddington Vertical & Deddington Horizontal radiators.

Designer Range

ADDINGTON TYPE 20 - GLOSS WHITE



Pictured 91.0037 Gloss White (Fitted Vertically)



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 91.0137 Gloss White (Fitted Vertically) with 101.0071 Towel Hanger



HEATING NOTE:
Radiators that are electric only are restricted to the heat output of the elements.

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 91.0143 (Fitted Vertically)

Designer Range

ADDINGTON TYPE 20 - GLOSS WHITE

A designer radiator range available to fit both vertically and horizontally designs in a gloss white finish.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 414-415



600mm Height

Addington Type 20 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	166	318	150W	A, A+	91.0135	297.00	356.40
600 x 366mm	208	398	300W	A, A+	91.0136	341.00	409.20
600 x 440mm	250	478	300W	A, A+, B, C	91.0137	387.00	464.40
600 x 514mm	291	557	300W	A, A+, B, C	91.0138	434.00	520.80
600 x 588mm	333	637	450W	A, A+, B, C	91.0139	483.00	579.60
600 x 662mm	374	716	450W	A, A+, B, C	91.0140	530.00	636.00
600 x 810mm	458	876	600W	A, A+, B, C, E	91.0141	622.00	746.40
600 x 1032mm	583	1115	750W	A, A+, B, C, E	91.0142	766.00	919.20
600 x 1180mm	666	1273	900W	A, A+, B, C, E	91.0143	858.00	1029.60
600 x 1254mm	707	1353	1000W	A, A+, B, C, E	91.0144	905.00	1086.00

1800mm Height

Addington Type 20 Vertical / Horizontal Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	551	1054	300W	A, A+, B	91.0035	676.00	811.20
1800 x 440mm	661	1265	450W	A, A+, B	91.0036	800.00	960.00
1800 x 514mm	772	1476	600W	A+, B	91.0037	924.00	1108.80
1800 x 588mm	882	1687	600W	A+, B	91.0038	1048.00	1257.60

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 64mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.



Multi-Purpose Towel Hangers

Page 368



Round Vent Caps

Page 369



Pictured 91.0037 (Fitted Horizontally)



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE 20 - MATT ANTHRACITE



Pictured 91.0042 Matt Anthracite (Fitted Vertically)



Pictured 91.0157 Matt Anthracite (Fitted Vertically) with 101.0074 Towel Hanger

Bar Dimensions (mm)

Vertical Bars 70 x 11mm



HEATING NOTE:
Radiators that are
electric only are
restricted to the
heat output of the
elements.

Warranty

5

Year

Heating

All Electric

Dual-Fuel

Pictured 91.0161 (Fitted Vertically)

Designer Range

ADDINGTON TYPE 20 - MATT ANTHRACITE

A designer radiator range available to fit both vertically and horizontally designs in a matt anthracite finish.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be installed vertically or horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 414-415



600mm Height

Addington Type 20 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	166	318	150W	A, A+	91.0153	297.00	356.40
600 x 366mm	208	398	300W	A, A+	91.0154	341.00	409.20
600 x 440mm	250	478	300W	A, A+, B, C	91.0155	387.00	464.40
600 x 514mm	291	557	300W	A, A+, B, C	91.0156	434.00	520.80
600 x 588mm	333	637	450W	A, A+, B, C	91.0157	483.00	579.60
600 x 662mm	374	716	450W	A, A+, B, C	91.0158	530.00	636.00
600 x 810mm	458	876	600W	A, A+, B, C, E	91.0159	622.00	746.40
600 x 1032mm	583	1115	750W	A, A+, B, C, E	91.0160	766.00	919.20
600 x 1180mm	666	1273	900W	A, A+, B, C, E	91.0161	858.00	1029.60
600 x 1254mm	707	1353	1000W	A, A+, B, C, E	91.0162	905.00	1086.00

1800mm Height

Addington Type 20 Vertical / Horizontal Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	551	1054	300W	A, A+, B	91.0039	676.00	811.20
1800 x 440mm	661	1265	450W	A, A+, B	91.0040	800.00	960.00
1800 x 514mm	772	1476	600W	A+, B	91.0041	924.00	1108.80
1800 x 588mm	882	1687	600W	A+, B	91.0042	1048.00	1257.60

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. Comes with pre-fitted flow diverter (except 500 & 600mm heights). Flow diverter must remain in place when radiator installed on central heating system (only for vertical installations). For indirect heating systems only. In vertical installation, tappings are the width of the rail and approx. 64mm off the wall. In horizontal installation, tappings are approx. 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra. Cannot be used with dual fuel thermostatic valves.

Multi-Purpose Towel Hangers

Page 368




Round Vent Caps

Page 369




Pictured 91.0042 (Fitted Horizontally)



Double profile construction

Radiator can be installed vertically or horizontally using the pre-fitted wall bracket holders. (Below images)



MAGNETIC TOWEL HANGERS



Round Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0071	96.00	115.20
600mm	Chrome	101.0072	102.00	122.40



Square Magnetic Towel Hangers

Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Gloss White	101.0073	97.00	116.40
600mm	Chrome	101.0074	109.00	130.80

Both Round & Square towel hangers come in three unassembled pieces. Please cut 600mm bar to required column-to-column length. Holds up to 5kg weight.

Designer Range

ADDINGTON TYPE21 - HORIZONTAL

WHILE STOCKS LAST
High Output

**Double profile construction
with one row of convactor fins**

HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

Technical Tables & Drawings

Page 414-415


Warranty
5
Year

Heating

All Electric

Dual-Fuel


Pictured 91.0044 Gloss White

A horizontal only designer radiator range with high heat outputs in gloss white and matt anthracite finishes.

Addington Type21 Horizontal Radiators - Gloss White

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
588 x 600mm	412	789	600W	A+	91.0043	570.00	684.00
588 x 800mm	549	1051	600W	A+	91.0044	691.00	829.20
588 x 1000mm	702	1344	600W	A+	91.0045	786.00	943.20
588 x 1200mm	822	1573	600W	A+	91.0046	932.00	1118.40

Addington Type21 Horizontal Radiators - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
588 x 600mm	412	789	600W	A+	91.0047	570.00	684.00
588 x 800mm	549	1051	600W	A+	91.0048	691.00	829.20
588 x 1000mm	702	1344	600W	A+	91.0049	786.00	943.20
588 x 1200mm	822	1573	600W	A+	91.0050	932.00	1118.40

FEATURES

- Tested to BS EN 442 standards
- Double profile construction with **one row of convactor fins**
- Pre-fitted top grilles
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can only be installed horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 350-365



Round Vent Caps

Page 369



Designer Range

WHILE STOCKS LAST
ADDINGTON TYPE22 - HORIZONTAL
High Output


HEATING NOTE: Radiators that are electric only are restricted to the heat output of the elements.

**Technical Tables
& Drawings**
Page 414-415



Double profile construction with two rows of convector fins


Warranty
5
Year

Heating

All Electric

Dual-Fuel


Pictured 91.0060 Matt Anthracite

Addington Type22 Horizontal Radiators - Gloss White

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
292 x 1200mm	706	1351	N/A	N/A	91.0055	553.00	663.60
588 x 600mm	519	993	600W	A+	91.0051	607.00	728.40
588 x 800mm	692	1325	600W	A+	91.0052	737.00	884.40
588 x 1000mm	870	1665	600W	A+	91.0053	867.00	1040.40
588 x 1200mm	1045	1998	600W	A+	91.0054	994.00	1192.80

Addington Type22 Horizontal Radiators - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
292 x 1200mm	706	1351	N/A	N/A	91.0060	553.00	663.60
588 x 600mm	519	993	600W	A+	91.0056	607.00	728.40
588 x 800mm	692	1325	600W	A+	91.0057	737.00	884.40
588 x 1000mm	870	1665	600W	A+	91.0058	867.00	1040.40
588 x 1200mm	1045	1998	600W	A+	91.0059	994.00	1192.80

FEATURES

- Tested to BS EN 442 standards
- Double profile construction with **two rows of convector fins**
- Pre-fitted top grilles
- Maximum corrosion resistance
- Cathaphoretic painting technology
- Can only be installed horizontally
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 50mm less than the width of the rail and 85mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 350-365



Round Vent Caps

Page 369



Designer Range

ADDINGTON TYPE 20 - TOWEL RAILS



Double profile construction



1110mm High



1750mm High

Pictured 91.0120 Gloss White

A designer towel rail with high heat output, available in 2 heights in gloss white and matt anthracite colours.

FEATURES

- Tested to BS EN 442 standards
- Double profile construction
- Maximum corrosion resistance
- Cataphoretic painting technology
- Can be single, dual fuel or all electric
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 416-417



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 64mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Addington Type 20 Towel Rails - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	346	661	450W	A, A+, B, D, E, F, G	91.0119	634.00	760.80
1750 x 500mm	485	927	600W	A, A+, B, D, E, F, G	91.0120	907.00	1088.40

Addington Type 20 Towel Rails - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	346	661	450W	A, A+, B, D, E, F, G	91.0121	634.00	760.80
1750 x 500mm	485	927	600W	A, A+, B, D, E, F, G	91.0122	907.00	1088.40

* Further heat output information available on eastbrooktrade.com **E&OA**

Radiator Valves

Page 350-365



Round Vent Caps

Page 369



Designer Range

WHILE STOCKS LAST

ADDINGTON TYPE 21 - TOWEL RAILS

Warranty

5

Year


Heating



All Electric



Dual-Fuel



Double profile construction
with one row of convector
fins



1110mm High



1750mm High

Pictured 91.0125 Matt Anthracite

A designer towel rail with high heat output, available in 2 heights in gloss white and matt anthracite colours.

FEATURES

- Tested to BS EN 442 standards
 - Double profile construction with **one row of convector fins**
 - Maximum corrosion resistance
 - Cathophoretic painting technology
 - Can be single, dual fuel or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 416-417



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type B, D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are 50mm less than the width of the rail and approx. 75mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Addington Type 21 Towel Rails - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	440	841	600W	A, A+, B, D, E, F, G	91.0123	746.00	895.20
1750 x 500mm	603	1152	900W	A, A+, B, D, E, F, G	91.0124	1054.00	1264.80

Addington Type 21 Towel Rails - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1110 x 500mm	440	841	600W	A, A+, B, D, E, F, G	91.0125	746.00	895.20
1750 x 500mm	603	1152	900W	A, A+, B, D, E, F, G	91.0126	1054.00	1264.80

* Further heat output information available on eastbrooktrade.com E&OA

Radiator Valves

Page 350-365



Round Vent Caps

Page 369





Compact Panel Range

Introducing our latest range of Compact Panel radiators. Offering a selection of approximately 200 sizes, you can be confident in discovering the ideal solution for efficient home heating that perfectly matches your space.

Contents

Type 11 Compact Panel Radiator	192
Type 21 Compact Panel Radiator	193
Type 22 Compact Panel Radiator - NEW SIZES	194-195
Type 11, 21 & 22 Compact Panel Radiator, Matt Anthracite	196
Type 11, 21 & 22 Compact Panel Radiator, Matt Black	197
Type 22 Keynsham Radiator with Flat Cover, Available in 3 colours	200
Type 22 Keynsham Radiator with Lined Cover, Available in 3 colours	201
Flat Cover Plates, Available in 3 colours	202
Flat Cover Plates with Lines, Available in 3 colours	203
Compact Panel Radiator Towel Hangers, Available in 3 colours	204
Pipe Shrouds & Collar Kits, Available in 11 colours	204



Type 11 - Gloss White



COMPACT PANEL TYPE 11 - GLOSS WHITE

Height H mm	Width W mm	Heat Output ΔT30°C		Heat Output ΔT50°C		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
300	400	104	355	201	688	0.68	3.91	25.0010	73.65	88.38
	500	130	444	252	860	0.85	4.64	25.0011	92.01	110.41
	600	156	532	302	1032	1.02	5.38	25.0012	110.43	132.51
	800	208	710	403	1375	1.36	6.93	25.0013	128.84	154.60
	1000	260	887	504	1719	1.70	8.41	25.0014	184.07	220.88
	1200	312	1065	604	2063	2.04	9.89	25.0015	220.88	265.05
	1400	364	1242	705	2407	2.38	11.44	25.0016	257.69	309.22
	1600	416	1420	806	2751	2.72	12.92	25.0017	294.49	353.38
	2000	520	1774	1007	3439	3.40	16.05	25.0018	368.12	441.74



Type 11 - Height 300mm

400	400	134	458	262	895	0.84	5.03	25.0019	94.99	113.98
	500	168	572	328	1118	1.05	6.02	25.0020	118.74	142.48
	600	201	686	393	1342	1.26	7.00	25.0021	142.47	170.96
	700	235	801	459	1566	1.50	7.98	25.0022	166.23	199.47
	800	268	915	524	1789	1.68	9.03	25.0023	189.95	227.94
	900	302	1030	590	2013	1.90	10.02	25.0024	213.71	256.45
	1000	335	1144	655	2237	2.10	11.00	25.0025	237.43	284.91
	1100	369	1258	721	2460	2.30	11.97	25.0026	261.17	313.40
	1200	402	1373	786	2684	2.52	12.95	25.0027	284.93	341.91
	1400	469	1602	917	3131	2.94	15.00	25.0028	332.42	398.90
	1600	536	1831	1048	3579	3.36	16.96	25.0029	379.90	455.88
	1800	603	2059	1179	4026	3.80	18.43	25.0030	427.39	512.86
	2000	670	2288	1310	4473	4.20	21.11	25.0031	474.89	569.86



Type 11 - Height 400mm

500	400	164	558	319	1089	1.04	6.18	25.0032	114.85	137.82
	500	204	698	399	1361	1.30	7.41	25.0033	143.58	172.29
	600	245	838	478	1634	1.56	8.64	25.0034	172.25	206.70
	700	286	977	558	1906	1.80	9.87	25.0035	201.03	241.23
	800	327	1117	638	2178	2.08	11.17	25.0036	229.72	275.66
	900	368	1256	718	2450	2.30	12.40	25.0037	258.42	310.10
	1000	409	1396	797	2723	2.60	13.64	25.0038	287.15	344.58
	1100	450	1536	877	2995	2.90	14.87	25.0039	315.85	379.02
	1200	491	1675	957	3267	3.12	16.10	25.0040	344.57	413.48
	1300	532	1815	1037	3539	3.40	17.40	25.0041	373.29	447.94
	1400	572	1954	1116	3812	3.64	18.63	25.0042	402.00	482.40
	1500	613	2094	1196	4084	3.90	19.87	25.0043	430.72	516.86
	1600	654	2233	1276	4356	4.16	21.10	25.0044	459.43	551.31
	1800	736	2513	1435	4901	4.70	23.83	25.0045	516.87	620.24
	2000	818	2792	1595	5445	5.20	26.29	25.0046	574.26	689.11



Type 11 - Height 500mm

600	400	193	660	375	1280	1.24	7.34	25.0047	133.71	160.45
	500	242	825	469	1600	1.55	8.82	25.0048	167.13	200.55
	600	290	989	562	1920	1.86	10.30	25.0049	200.56	240.67
	700	338	1154	656	2240	2.20	11.79	25.0050	233.99	280.78
	800	386	1319	750	2560	2.48	13.34	25.0051	267.40	320.88
	900	435	1484	843	2880	2.80	14.82	25.0052	300.85	361.02
	1000	483	1649	937	3200	3.10	16.30	25.0053	334.26	401.11
	1100	531	1814	1031	3520	3.40	17.78	25.0054	367.68	441.21
	1200	580	1979	1125	3840	3.72	19.27	25.0055	401.11	481.33
	1300	628	2144	1218	4159	4.00	20.82	25.0056	434.52	521.42
	1400	676	2309	1312	4479	4.34	22.30	25.0057	467.96	561.55
	1500	725	2474	1406	4799	4.70	23.78	25.0058	501.39	601.66
	1600	773	2639	1499	5119	4.96	25.26	25.0059	534.79	641.74
	1800	869	2968	1687	5759	5.60	28.55	25.0060	601.68	722.01
	2000	966	3298	1874	6399	6.20	31.51	25.0061	668.52	802.22



Type 11 - Height 600mm

Manufacturer's
Warranty **10** Years

Central
Heating System





Type 21 - Gloss White

COMPACT PANEL TYPE 21 - GLOSS WHITE

Height H	Width W	Heat Output ΔT30°C		Heat Output ΔT50°C		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
mm	mm	Watts	BTU	Watts	BTU					
400	400	189	646	372	1270	1.68	7.84	25.0078	145.17	174.20
	500	237	808	465	1587	2.10	9.51	25.0079	181.49	217.78
	600	284	969	558	1905	2.52	11.19	25.0080	217.79	261.34
	700	331	1131	651	2222	2.90	12.86	25.0081	254.07	304.88
	800	379	1293	744	2540	3.36	14.61	25.0082	290.39	348.46
	900	426	1454	837	2857	3.80	16.28	25.0083	326.69	392.02
	1000	473	1616	930	3175	4.20	17.95	25.0084	362.97	435.56
	1100	521	1777	1023	3492	4.60	19.61	25.0085	399.29	479.14
	1200	568	1939	1116	3810	5.04	21.27	25.0086	435.57	522.68
	1400	663	2262	1302	4445	5.88	24.72	25.0087	508.17	609.80
	1600	757	2585	1488	5080	6.72	28.07	25.0088	580.76	696.91
	1800	852	2908	1674	5715	7.60	30.19	25.0089	653.35	784.02
	2000	946	3231	1860	6350	8.40	34.99	25.0090	725.95	871.14



Type 21 - Height 400mm

500	400	226	770	444	1516	2.08	9.68	25.0091	173.43	208.11
	500	282	963	555	1895	2.60	11.79	25.0092	216.84	260.20
	600	338	1155	666	2274	3.12	13.89	25.0093	260.19	312.22
	700	395	1348	777	2653	3.60	15.99	25.0094	303.56	364.27
	800	451	1540	888	3032	4.16	18.16	25.0095	346.93	416.31
	900	508	1733	999	3411	4.70	20.27	25.0096	390.30	468.36
	1000	564	1925	1110	3790	5.20	22.37	25.0097	433.66	520.39
	1100	620	2118	1221	4168	5.70	24.47	25.0098	477.00	572.40
	1200	677	2310	1332	4547	6.24	26.58	25.0099	521.49	625.78
	1400	790	2696	1554	5305	7.28	30.85	25.0100	607.10	728.52
	1600	902	3081	1776	6063	8.32	35.06	25.0101	693.84	832.60
	1800	1015	3466	1998	6821	9.40	39.53	25.0102	780.58	936.69
	2000	1128	3851	2220	7579	10.40	43.74	25.0103	867.30	1040.76



Type 21 - Height 500mm

600	400	262	895	516	1761	2.48	11.55	25.0104	199.24	239.08
	500	328	1118	645	2201	3.10	14.08	25.0105	249.05	298.86
	600	393	1342	773	2641	3.72	16.61	25.0106	298.86	358.63
	700	459	1565	902	3081	4.30	19.14	25.0107	348.66	418.39
	800	524	1789	1031	3521	4.96	21.75	25.0108	398.45	478.14
	900	590	2013	1160	3961	5.60	24.28	25.0109	448.29	537.94
	1000	655	2236	1289	4401	6.20	26.81	25.0110	498.09	597.70
	1100	721	2460	1418	4841	6.80	29.34	25.0111	547.90	657.48
	1200	786	2684	1547	5282	7.44	31.87	25.0112	597.70	717.24
	1300	852	2907	1676	5722	8.10	34.48	25.0113	647.51	777.01
	1400	917	3131	1805	6162	8.68	37.01	25.0114	697.33	836.79
	1500	983	3355	1934	6602	9.30	39.54	25.0115	747.11	896.53
	1600	1048	3578	2063	7042	9.92	42.07	25.0116	796.93	956.31
	1800	1179	4026	2320	7922	11.20	47.45	25.0117	896.54	1075.84
	2000	1310	4473	2578	8803	12.40	52.52	25.0118	996.17	1195.40



Type 21 - Height 600mm

FEATURES - TYPE 11 & 21 RADIATORS

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Powder coated in RAL 9016 Gloss White
- Installation kit included in packaging
- 10 Year Manufacturer's Warranty*

* With conditions

Manufacturer's
Warranty **10** Years

Central
Heating System




UK
CA

CE


Flat Panel Covers

Page 202



Flat Panel Covers With Lines

Page 203




TECHNICAL INFORMATION (TYPE 11 & 21)

All measurements in Height by Width. Heat outputs stated are based on ▲T30°C & ▲T50°C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

Valves

Page 350-365



Type 22 - Gloss White



COMPACT PANEL TYPE 22 - GLOSS WHITE

Height H mm	Width W mm	Heat Output ΔT30°C		Heat Output ΔT50°C		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
300	400	189	646	370	1264	1.36	6.68	25.0135	147.69	177.22
	600	284	970	555	1896	2.04	9.41	25.0136	221.55	265.86
	800	379	1293	740	2528	2.72	12.21	25.0137	295.39	354.46
	1000	473	1616	925	3160	3.40	14.93	25.0138	369.24	443.08
	1200	568	1939	1111	3792	4.08	17.66	25.0139	443.08	531.69
	1400	663	2263	1296	4423	4.76	20.46	25.0140	516.92	620.30
	1600	757	2586	1481	5055	5.44	23.19	25.0141	590.77	708.92
	2000	947	3232	1851	6319	6.80	28.82	25.0142	738.50	886.20



Type 22 - Height 300mm

400	400	238	814	472	1611	1.68	8.80	25.0143	187.60	225.12
	500	298	1017	590	2014	2.10	10.65	25.0144	234.49	281.38
	600	358	1221	708	2417	2.52	12.49	25.0145	281.41	337.69
	700	417	1424	826	2820	2.90	14.34	25.0146	328.30	393.96
	800	477	1628	944	3222	3.36	16.25	25.0147	375.20	450.24
	900	536	1831	1062	3625	3.80	18.10	25.0148	422.11	506.53
	1000	596	2035	1180	4028	4.20	19.94	25.0149	468.97	562.76
	1100	656	2238	1298	4431	4.60	21.76	25.0150	515.91	619.09
	1200	715	2442	1416	4834	5.04	23.60	25.0151	562.79	675.34
	1400	834	2849	1652	5639	5.88	27.39	25.0152	656.57	787.88
	1600	954	3256	1888	6445	6.72	31.08	25.0153	750.37	900.44
	1800	1073	3663	2124	7250	7.60	33.53	25.0154	844.21	1013.05
	2000	1192	4070	2360	8056	8.40	38.67	25.0155	938.01	1125.61



Type 22 - Height 400mm

500	400	287	978	567	1935	2.08	10.93	25.0156	224.40	269.28
	500	358	1223	708	2418	2.60	13.27	25.0157	280.52	336.62
	600	430	1468	850	2902	3.12	15.60	25.0158	336.61	403.93
	700	501	1712	992	3386	3.60	17.93	25.0159	392.72	471.26
	800	573	1957	1133	3869	4.16	20.34	25.0160	448.84	538.60
	900	645	2201	1275	4353	4.70	22.67	25.0161	504.91	605.89
	1000	716	2446	1417	4837	5.20	25.01	25.0162	561.05	673.26
	1100	788	2691	1558	5320	5.70	27.34	25.0163	617.14	740.56
	1200	860	2935	1700	5804	6.24	29.67	25.0164	673.24	807.88
	1300	931	3180	1842	6288	6.80	32.08	25.0165	729.33	875.19
	1400	1003	3424	1983	6771	7.28	34.41	25.0166	785.43	942.51
	1500	1075	3669	2125	7255	7.80	36.75	25.0167	841.55	1009.86
	1600	1146	3914	2267	7739	8.32	39.08	25.0168	897.62	1077.14
	1800	1290	4403	2550	8706	9.40	44.02	25.0169	1009.83	1211.79
	2000	1433	4892	2833	9674	10.40	48.69	25.0170	1122.05	1346.46



Type 22 - Height 500mm

FEATURES - TYPE 22 RADIATORS

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Powder coated in RAL 9016 Gloss White
- Installation kit included in packaging
- 10 Year Manufacturer's Warranty*
- * With conditions


Manufacturer's
Warranty **10** Years

Central
Heating System




Flat Panel Covers

Page 202



Flat Panel Covers With Lines

Page 203



TECHNICAL INFORMATION (TYPE 22)

All measurements in Height by Width. Heat outputs stated are based on ΔT30°C & ΔT50°C. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

Valves

Page 350-365



Type 22 - Gloss White

COMPACT PANEL TYPE 22 - GLOSS WHITE

Height H	Width W	Heat Output $\Delta T 30^{\circ}\text{C}$		Heat Output $\Delta T 50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	13.05	25.0171	258.28	309.93
	500	419	1429	825	2816	3.10	15.89	25.0172	322.83	387.39
	600	502	1715	990	3380	3.72	18.72	25.0173	387.44	464.92
	700	586	2001	1155	3943	4.30	21.55	25.0174	451.97	542.36
	800	670	2287	1320	4506	4.96	24.45	25.0175	516.56	619.87
	900	754	2573	1485	5070	5.60	27.28	25.0176	581.12	697.34
	1000	837	2859	1650	5633	6.20	30.10	25.0177	645.69	774.82
	1100	921	3145	1815	6196	6.80	32.93	25.0178	710.27	852.32
	1200	1005	3430	1980	6760	7.44	35.76	25.0179	774.84	929.80
	1300	1088	3716	2145	7323	8.10	38.66	25.0180	818.74	984.48
	1400	1172	4002	2310	7886	8.68	41.49	25.0181	903.97	1084.76
	1500	1256	4288	2475	8449	9.30	44.31	25.0182	968.54	1162.24
	1600	1340	4574	2640	9013	9.92	47.14	25.0183	1033.13	1239.75
	1800	1507	5146	2970	10139	11.20	53.12	25.0184	1162.27	1394.72
	2000	1675	5717	3300	11266	12.40	58.77	25.0185	1291.41	1549.69



750	400	398	1360	786	2682	3.68	17.13	25.0202	288.15	345.78
	500	498	1700	982	3353	4.42	21.30	25.0203	360.22	432.26
	600	598	2040	1178	4024	5.15	25.84	25.0204	432.30	518.76
	800	797	2720	1571	5365	5.89	34.92	25.0205	576.29	691.54
	1000	996	3400	1964	6706	7.36	43.40	25.0206	720.44	864.52
	1200	1195	4080	2357	8047	8.83	51.98	25.0207	864.59	1037.50



Type 11, 21 & 22 - Matt Anthracite

COMPACT PANEL TYPE 11 - MATT ANTHRACITE

Height H mm	Width W mm	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	193	660	375	1280	1.24	7.34	25.0062	147.08	176.49
	600	290	989	562	1920	1.86	10.30	25.0063	220.62	264.74
	800	386	1319	750	2560	2.48	13.34	25.0064	294.14	352.96
	1000	483	1649	937	3200	3.10	16.30	25.0065	367.69	441.22
	1200	580	1979	1125	3840	3.72	19.27	25.0066	441.22	529.46
	1400	676	2309	1312	4479	4.34	22.30	25.0067	514.75	617.70
	1600	773	2639	1499	5119	4.96	25.26	25.0068	588.26	705.91
	1800	869	2968	1687	5759	5.60	28.55	25.0069	661.85	794.22



Type 11 - Height 600mm

COMPACT PANEL TYPE 21 - MATT ANTHRACITE

Height H mm	Width W mm	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	262	895	516	1761	2.48	11.55	25.0119	219.16	262.99
	600	393	1342	773	2641	3.72	16.61	25.0120	328.74	394.48
	800	524	1789	1031	3521	4.96	21.75	25.0121	438.30	525.96
	1000	655	2236	1289	4401	6.20	26.81	25.0122	547.89	657.46
	1200	786	2684	1547	5282	7.44	31.87	25.0123	657.47	788.96
	1400	917	3131	1805	6162	8.68	37.01	25.0124	767.07	920.48
	1600	1048	3578	2063	7042	9.92	42.07	25.0125	876.61	1051.93
	1800	1179	4026	2320	7922	11.20	47.45	25.0126	986.19	1183.42



Type 21 - Height 600mm

COMPACT PANEL TYPE 22 - MATT ANTHRACITE

Height H mm	Width W mm	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	13.07	25.0186	284.10	340.92
	600	502	1715	990	3380	3.72	18.72	25.0187	426.18	511.41
	800	670	2287	1320	4506	4.96	24.45	25.0188	568.22	681.86
	1000	837	2859	1650	5633	6.20	30.10	25.0189	710.26	852.31
	1200	1005	3430	1980	6760	7.44	35.76	25.0190	852.33	1022.79
	1400	1172	4002	2310	7886	8.68	41.49	25.0191	994.36	1193.23
	1600	1340	4574	2640	9013	9.92	47.14	25.0192	1136.44	1363.72
	1800	1507	5146	2970	10139	11.20	53.12	25.0193	1278.49	1534.18




Type 22 - Height 600mm

FEATURES - TYPE 11, 21 & 22 RADIATORS

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Installation kit included in packaging
- Powder coated in RAL 9016 Gloss White or Matt Anthracite special colour mixture (closest colour RAL 7016 Matt)
- 10 Year Manufacturer's Warranty*
- * With conditions


Flat Panel Covers

Page 202



Flat Panel Covers With Lines

Page 203




TECHNICAL INFORMATION (TYPE 11, 21 & 22)

All measurements in Height by Width. Heat outputs stated are based on $\Delta T30^{\circ}\text{C}$ & $\Delta T50^{\circ}\text{C}$. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.

Valves

Page 350-365



Type 11, 21 & 22 - Matt Black

COMPACT PANEL TYPE 11 - MATT BLACK

Height H	Width W	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	193	660	375	1280	1.24	7.34	25.0070	147.08	176.49
	600	290	989	562	1920	1.86	10.30	25.0071	220.62	264.74
	800	386	1319	750	2560	2.48	13.34	25.0072	294.14	352.96
	1000	483	1649	937	3200	3.10	16.30	25.0073	367.69	441.22
	1200	580	1979	1125	3840	3.72	19.27	25.0074	441.22	529.46
	1400	676	2309	1312	4479	4.34	22.30	25.0075	514.75	617.70
	1600	773	2639	1499	5119	4.96	25.26	25.0076	588.26	705.91
	1800	869	2968	1687	5759	5.60	28.55	25.0077	661.85	794.22



Type 11 - Height 600mm

COMPACT PANEL TYPE 21 - MATT BLACK

Height H	Width W	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	262	895	516	1761	2.48	11.55	25.0127	219.16	262.99
	600	393	1342	773	2641	3.72	16.61	25.0128	328.74	394.48
	800	524	1789	1031	3521	4.96	21.75	25.0129	438.30	525.96
	1000	655	2236	1289	4401	6.20	26.81	25.0130	547.89	657.46
	1200	786	2684	1547	5282	7.44	31.87	25.0131	657.47	788.96
	1400	917	3131	1805	6162	8.68	37.01	25.0132	767.07	920.48
	1600	1048	3578	2063	7042	9.92	42.07	25.0133	876.61	1051.93
	1800	1179	4026	2320	7922	11.20	47.45	25.0134	986.19	1183.42



Type 21 - Height 600mm

COMPACT PANEL TYPE 22 - MATT BLACK

Height H	Width W	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	13.07	25.0194	284.10	340.92
	600	502	1715	990	3380	3.72	18.72	25.0195	426.18	511.41
	800	670	2287	1320	4506	4.96	24.45	25.0196	568.22	681.86
	1000	837	2859	1650	5633	6.20	30.10	25.0197	710.26	852.31
	1200	1005	3430	1980	6760	7.44	35.76	25.0198	852.33	1022.79
	1400	1172	4002	2310	7886	8.68	41.49	25.0199	994.36	1193.23
	1600	1340	4574	2640	9013	9.92	47.14	25.0200	1136.44	1363.72
	1800	1507	5146	2970	10139	11.20	53.12	25.0201	1278.49	1534.18



Type 22 - Height 600mm

FEATURES - TYPE 11, 21 & 22 RADIATORS


- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Complete with fitted top grill & side panels
- Radiators have 4 x 1/2" connections
- Installation kit included in packaging
- Powder coated in RAL 9016 Gloss White or RAL 9005 Matt Black
- 10 Year Manufacturer's Warranty*

* With conditions




Flat Panel Covers

Page 202



Flat Panel Covers With Lines

Page 203



TECHNICAL INFORMATION (TYPE 11, 21 & 22)

All measurements in Height by Width. Heat outputs stated are based on $\Delta T30^{\circ}\text{C}$ & $\Delta T50^{\circ}\text{C}$. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.


Valves

Page 350-365



Technical Information


Type 11 - Technical Drawing



Height H (mm.)	Horizontal Tappings L (mm.)	Vertical Tappings B (mm.)	Radiator Depth C (mm.)	Tappings from Wall D (mm.)
300	W	245	50	38 / 50
400	W	345	50	38 / 50
500	W	445	50	38 / 50
600	W	545	50	38 / 50

* Radiators have 4 tappings in total.


Type 21 - Technical Drawing



Height H (mm.)	Horizontal Tappings L (mm.)	Vertical Tappings B (mm.)	Radiator Depth C (mm.)	Tappings from Wall D (mm.)
400	W	345	70	56 / 68
500	W	445	70	56 / 68
600	W	545	70	56 / 68

* Radiators have 4 tappings in total.


Type 22 - Technical Drawing



Height H (mm.)	Horizontal Tappings L (mm.)	Vertical Tappings B (mm.)	Radiator Depth C (mm.)	Tappings from Wall D (mm.)
300	W	245	102	72 / 84
400	W	345	102	72 / 84
500	W	445	102	72 / 84
600	W	545	102	72 / 84
750	W	695	102	72 / 84

* Radiators have 4 tappings in total.

Wall Brackets




Radiator Height (mm.)	Bracket Length F (mm.)	Bracket Drilling Centre E (mm.)	Wall Bracket Code for 2 pcs	Wall Bracket Code for 3 pcs	Wall Bracket Quantity	
					2 pieces	3 pieces
300	108	-	25.9001	25.9005	Radiator Width 400 to 1600mm	Radiator Width 1800 to 2000mm
400	210	99	25.9002	25.9006		
500	309	198	25.9003	25.9007		
600	407	296	25.9004	25.9008		

*All wall brackets for all colour radiators come in galvanised colour (nickel).

All radiators come with wall fixings and wall brackets. Wall Bracket codes are stated above for spare part requests.


Bracket Positioning



Radiator Width W (mm.)	Type 11 / Type 21 / Type 22						
	a (mm.)	b (mm.)	c (mm.)		d (mm.)		e (mm.)
			Type 11	Type 21 / 22	Type 11	Type 21 / 22	
400 - 1600	W - 266.6	-	117	133.3	117	133.3	-
1800 - 2000	(W / 2) - 133.3	(W / 2) - 133.3	133.3		133.3		W / 2

Technical Imagery

Connection Options for Compact Panel Radiators



Pictured 25.7021 Gloss White



Pictured 25.0191 Matt Anthracite Panel Radiator with 25.5125 with Lined Cover

Type 22 Keynsham Radiator with Flat Cover



Introducing Type 22 Keynsham Radiator; a compact panel radiator paired with an ultra-modern design cover. The cover is incredibly easy to fit, enhancing the style of the radiator. Available in three stunning colours.

FEATURES - TYPE 22 KEYNSHAM RADIATORS

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Radiators come complete with fitted top grill & side panels
- Remove radiator's top grill & side panels to fit cover
- Radiators have 4 x 1/2" connections
- Radiator fixing kit included in packaging
- Powder coated in RAL 9016 Gloss White, Matt Anthracite or RAL 9005 Matt Black
- 10 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION (TYPE 22 RADIATOR)

All measurements in Height by Width. Heat outputs stated are based on $\Delta T30^{\circ}\text{C}$ & $\Delta T50^{\circ}\text{C}$. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.



KEYNSHAM PANEL RADIATOR - GLOSS WHITE

Height H	Width W	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	15.57	25.7000	545.28	654.33
	500	419	1429	825	2816	3.10	18.89	25.7001	635.83	762.99
	600	502	1715	990	3380	3.72	22.12	25.7002	728.44	874.12
	800	670	2287	1320	4506	4.96	28.75	25.7003	870.56	1044.67
	1000	837	2859	1650	5633	6.20	35.40	25.7004	1046.69	1256.02
	1200	1005	3430	1980	6760	7.44	41.96	25.7005	1228.84	1474.60



KEYNSHAM PANEL RADIATOR - MATT ANTHRACITE

Height H	Width W	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	15.57	25.7006	599.10	718.92
	600	502	1715	990	3380	3.72	22.12	25.7007	800.18	960.21
	800	670	2287	1320	4506	4.96	28.75	25.7008	957.22	1148.66
	1000	837	2859	1650	5633	6.20	35.40	25.7009	1151.26	1381.51
	1200	1005	3430	1980	6760	7.44	41.96	25.7010	1351.33	1621.59



KEYNSHAM PANEL RADIATOR - MATT BLACK

Height H	Width W	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	15.57	25.7011	599.10	718.92
	600	502	1715	990	3380	3.72	22.12	25.7012	800.18	960.21
	800	670	2287	1320	4506	4.96	28.75	25.7013	957.22	1148.66
	1000	837	2859	1650	5633	6.20	35.40	25.7014	1151.26	1381.51
	1200	1005	3430	1980	6760	7.44	41.96	25.7015	1351.33	1621.59



Type 22 Keynsham Radiator with Lined Cover



Introducing Type 22 Keynsham Radiator, a compact panel radiator paired with an ultra-modern design cover. The cover is incredibly easy to fit, enhancing the style of the radiator. Available in three stunning colours.

FEATURES - TYPE 22 KEYNSHAM RADIATORS

- Tested to BS EN 442 standards
- Manufactured in automatic production lines
- Hot water central heating systems only
- Max operating pressure 4 bars
- Radiators come complete with fitted top grill & side panels
- Remove radiator's top grill & side panels to fit cover
- Radiators have 4 x 1/2" connections
- Radiator fixing kit included in packaging
- Powder coated in RAL 9016 Gloss White, Matt Anthracite or RAL 9005 Matt Black
- 10 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION (TYPE 22 RADIATOR)

All measurements in Height by Width. Heat outputs stated are based on $\Delta T30^{\circ}\text{C}$ & $\Delta T50^{\circ}\text{C}$. Radiators are only suitable for two-pipe installations. Pipework installation is recommended after receipt of radiator. High quality mild steel material, 1.11mm thickness. Air vent and blanking plug included in installation kit. Tappings are the width of the radiator.



KEYNSHAM PANEL RADIATOR - GLOSS WHITE

Height H mm	Width W mm	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	15.57	25.7016	556.28	667.53
	500	419	1429	825	2816	3.10	18.89	25.7017	646.83	776.19
	600	502	1715	990	3380	3.72	22.12	25.7018	738.44	886.12
	800	670	2287	1320	4506	4.96	28.75	25.7019	881.56	1057.87
	1000	837	2859	1650	5633	6.20	35.40	25.7020	1056.69	1268.02
	1200	1005	3430	1980	6760	7.44	41.96	25.7021	1239.84	1487.80



KEYNSHAM PANEL RADIATOR - MATT ANTHRACITE

Height H mm	Width W mm	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	15.57	25.7022	611.10	733.32
	600	502	1715	990	3380	3.72	22.12	25.7023	812.18	974.61
	800	670	2287	1320	4506	4.96	28.75	25.7024	969.22	1163.06
	1000	837	2859	1650	5633	6.20	35.40	25.7025	1163.26	1395.91
	1200	1005	3430	1980	6760	7.44	41.96	25.7026	1363.33	1635.99





KEYNSHAM PANEL RADIATOR - MATT BLACK

Height H mm	Width W mm	Heat Output $\Delta T30^{\circ}\text{C}$		Heat Output $\Delta T50^{\circ}\text{C}$		Water Content / Litres	Weight / Kg	Code	£ Ex VAT	£ Inc VAT
		Watts	BTU	Watts	BTU					
600	400	335	1143	660	2253	2.48	15.57	25.7027	611.10	733.32
	600	502	1715	990	3380	3.72	22.12	25.7028	812.18	974.61
	800	670	2287	1320	4506	4.96	28.75	25.7029	969.22	1163.06
	1000	837	2859	1650	5633	6.20	35.40	25.7030	1163.26	1395.91
	1200	1005	3430	1980	6760	7.44	41.96	25.7031	1363.33	1635.99



Flat Cover Plates



FLAT COVER PLATES - GLOSS WHITE

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
300	400	25.5000	252.00	302.40
	500	25.5001	265.00	318.00
	600	25.5002	279.00	334.80
	800	25.5003	305.00	366.00
	1000	25.5004	331.00	397.20
	1200	25.5005	357.00	428.40
	1400	25.5006	411.00	493.20
	1600	25.5007	437.00	524.40
	2000	25.5008	490.00	588.00

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
400	400	25.5009	264.00	316.80
	500	25.5010	281.00	337.20
	600	25.5011	297.00	356.40
	700	25.5012	312.00	374.40
	800	25.5013	329.00	394.80
	900	25.5014	345.00	414.00
	1000	25.5015	361.00	433.20
	1100	25.5016	377.00	452.40
	1200	25.5017	393.00	471.60
	1400	25.5018	453.00	543.60
	1600	25.5019	486.00	583.20
	1800	25.5020	517.00	620.40
	2000	25.5021	550.00	660.00

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
500	400	25.5022	277.00	332.40
	500	25.5023	296.00	355.20
	600	25.5024	315.00	378.00
	700	25.5025	334.00	400.80
	800	25.5026	353.00	423.60
	900	25.5027	372.00	446.40
	1000	25.5028	391.00	469.20
	1100	25.5029	410.00	492.00
	1200	25.5030	430.00	516.00
	1300	25.5031	476.00	571.20
	1400	25.5032	495.00	594.00
	1500	25.5033	514.00	616.80
	1600	25.5034	533.00	639.60
	1800	25.5035	572.00	686.40
	2000	25.5036	609.00	730.80

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
600	400	25.5037	288.00	345.60
	500	25.5038	310.00	372.00
	600	25.5039	332.00	398.40
	700	25.5040	353.00	423.60
	800	25.5041	375.00	450.00
	900	25.5042	397.00	476.40
	1000	25.5043	409.00	490.80
	1100	25.5044	440.00	528.00
	1200	25.5045	462.00	554.40
	1300	25.5046	512.00	614.40
	1400	25.5047	534.00	640.80
	1500	25.5048	555.00	666.00
	1600	25.5049	577.00	692.40
	1800	25.5050	620.00	744.00
	2000	25.5051	664.00	796.80

FLAT COVER PLATES - MATT ANTHRACITE

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
600	400	25.5052	288.00	345.60
	600	25.5053	332.00	398.40
	800	25.5054	375.00	450.00
	1000	25.5055	409.00	490.80
	1200	25.5056	462.00	554.40
	1400	25.5057	534.00	640.80
	1600	25.5058	577.00	692.40
	1800	25.5059	620.00	744.00

FLAT COVER PLATES - MATT BLACK

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
600	400	25.5060	288.00	345.60
	600	25.5061	332.00	398.40
	800	25.5062	375.00	450.00
	1000	25.5063	409.00	490.80
	1200	25.5064	462.00	554.40
	1400	25.5065	534.00	640.80
	1600	25.5066	577.00	692.40
	1800	25.5067	620.00	744.00

FEATURES - FLAT COVER PLATES


- 1mm mild steel material
 - Both sides finished in high quality powder coating that matches radiator colour
 - Installation kit with clips & magnets included
 - Quick & Easy installation, please see QR video
 - Radiators sold separately
 - 10 Year Manufacturer's Warranty*
- * With conditions




Flat Cover Plate
installation video

Quick & Easy!


Flat Cover Plates with Lines



Gloss White Cover



Matt Anthracite Cover



Matt Black Cover

FLAT COVER PLATES WITH LINES - GLOSS WHITE

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
300	400	25.5068	258.00	309.60
	500	25.5069	270.00	324.00
	600	25.5070	284.00	340.80
	800	25.5071	310.00	372.00
	1000	25.5072	336.00	403.20
	1200	25.5073	363.00	435.60
	1400	25.5074	416.00	499.20
	1600	25.5075	443.00	531.60
	2000	25.5076	495.00	594.00

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
400	400	25.5077	269.00	322.80
	500	25.5078	286.00	343.20
	600	25.5079	302.00	362.40
	700	25.5080	318.00	381.60
	800	25.5081	334.00	400.80
	900	25.5082	350.00	420.00
	1000	25.5083	366.00	439.20
	1100	25.5084	383.00	459.60
	1200	25.5085	398.00	477.60
	1400	25.5086	458.00	549.60
	1600	25.5087	491.00	589.20
	1800	25.5088	522.00	626.40
	2000	25.5089	555.00	666.00

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
500	400	25.5090	282.00	338.40
	500	25.5091	301.00	361.20
	600	25.5092	321.00	385.20
	700	25.5093	340.00	408.00
	800	25.5094	359.00	430.80
	900	25.5095	377.00	452.40
	1000	25.5096	396.00	475.20
	1100	25.5097	415.00	498.00
	1200	25.5098	435.00	522.00
	1300	25.5099	481.00	577.20
	1400	25.5100	500.00	600.00
	1500	25.5101	519.00	622.80
	1600	25.5102	538.00	645.60
	1800	25.5103	577.00	692.40
	2000	25.5104	615.00	738.00

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
600	400	25.5105	293.00	351.60
	500	25.5106	315.00	378.00
	600	25.5107	338.00	405.60
	700	25.5108	359.00	430.80
	800	25.5109	381.00	457.20
	900	25.5110	403.00	483.60
	1000	25.5111	414.00	496.80
	1100	25.5112	446.00	535.20
	1200	25.5113	468.00	561.60
	1300	25.5114	517.00	620.40
	1400	25.5115	539.00	646.80
	1500	25.5116	560.00	672.00
	1600	25.5117	582.00	698.40
	1800	25.5118	625.00	750.00
	2000	25.5119	669.00	802.80

FLAT COVER PLATES WITH LINES - MATT ANTHRACITE

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
600	400	25.5120	293.00	351.60
	600	25.5121	338.00	405.60
	800	25.5122	381.00	457.20
	1000	25.5123	414.00	496.80
	1200	25.5124	468.00	561.60
	1400	25.5125	539.00	646.80
	1600	25.5126	582.00	698.40
	1800	25.5127	625.00	750.00

FLAT COVER PLATES WITH LINES - MATT BLACK

Height H	Width W	Code	£ Ex VAT	£ Inc VAT
mm	mm			
600	400	25.5128	293.00	351.60
	600	25.5129	338.00	405.60
	800	25.5130	381.00	457.20
	1000	25.5131	414.00	496.80
	1200	25.5132	468.00	561.60
	1400	25.5133	539.00	646.80
	1600	25.5134	582.00	698.40
	1800	25.5135	625.00	750.00

FEATURES - FLAT COVER PLATES WITH LINES

- 1mm mild steel material
- Both sides finished in high quality powder coating that matches radiator colour
- Installation kit with clips & magnets included
- Quick & Easy installation, please see QR video
- Radiators sold separately
- 10 Year Manufacturer's Warranty*
- * With conditions



Flat Cover Plate
installation video

Quick & Easy!


Compact Panel Accessories

Compact Panel Radiator Towel Hangers


Towel Hangers - Gloss White

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 490mm. (for 600mm. width radiators)	25.5136	59.00	70.80
Towel Hanger 690mm. (for 800mm. width radiators)	25.5137	65.00	78.00
Towel Hanger 890mm. (for 1000mm width radiators)	25.5138	70.00	84.00

Fits on Compact Panel Radiators only


Towel Hangers - Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 490mm. (for 600mm. width radiators)	25.5139	59.00	70.80
Towel Hanger 690mm. (for 800mm. width radiators)	25.5140	65.00	78.00
Towel Hanger 890mm. (for 1000mm width radiators)	25.5141	70.00	84.00

Fits on Compact Panel Radiators only


Towel Hangers - Black

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 490mm. (for 600mm. width radiators)	25.5142	59.00	70.80
Towel Hanger 690mm. (for 800mm. width radiators)	25.5143	65.00	78.00
Towel Hanger 890mm. (for 1000mm width radiators)	25.5144	70.00	84.00

Fits on Compact Panel Radiators only

Pipe Shrouds and Collar Kits (Slide On)

Pipe Shrouds and Collar Kits - Slide On

Description	Code	£ Ex VAT	£ Inc VAT
15mm Pipe Shroud & Collar Kit Gloss White	41.0597	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt White	41.0598	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Grey	41.0599	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Cappuccino	41.0600	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Anthracite	41.0601	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Black	41.0602	23.00	27.60
15mm Pipe Shroud & Collar Kit Chrome	41.0603	21.00	25.20
15mm Pipe Shroud & Collar Kit Brushed Brass	41.0604	29.00	34.80
15mm Pipe Shroud & Collar Kit Satin Nickel	41.0605	29.00	34.80
15mm Pipe Shroud & Collar Kit Black Gold	41.0988	29.00	34.80
15mm Pipe Shroud & Collar Kit Brushed Gunmetal	41.0989	29.00	34.80

FEATURES

- Manufactured from high quality brass
- Suitable for 15mm pipes, must be fitted together with radiator installation
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length



Pipe Shrouds and Collar Kits (Clip On)


Pipe Shrouds and Collar Kits - Clip On

Description	Code	£ Ex VAT	£ Inc VAT
15mm Pipe Shroud & Collar Kit White	92.0001	14.00	16.80
15mm Pipe Shroud & Collar Kit Chrome	92.0002	21.00	25.20
15mm Pipe Shroud & Collar Kit Anthracite	92.0003	15.00	18.00
15mm Pipe Shroud & Collar Kit Black	92.0004	15.00	18.00

FEATURES


- Manufactured from high grade polypropylene
- Suitable for 15mm pipes, easy-fit after radiator installation
- Available in white, anthracite, black and chrome
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length
- Easy push-fit installation



Manufacturing & Packaging

The Eastbrook compact panel radiators range offers 3 types of radiators in over 140 sizes and 3 colours; gloss white, matt anthracite and matt black that are available from stock.

Eastbrook compact panel radiators are produced in fully automated state-of-the-art production lines and each radiator is first degreased then zinc phosphated before being dipped in a water based cataphoretic paint. The final coat is applied by automatic robots using epoxy polyester electrostatic powder coating.



10 YEAR MANUFACTURER'S WARRANTY

Our compact panel radiators are individually tested and supplied complete with a 10 Year Manufacturer's Warranty against any manufacturing or material fault. All our compact panel radiators have a working pressure of 4 Bars.

COMPLETE WITH FIXING KITS

Each compact panel radiator is supplied with complete concealed wall brackets including air vent and blanking plug.

QUALITY

All our compact panel radiators are manufactured under ISO 9001:2015 and comply to UKCA & CE standards.

AFTERSALES

In the event of any questions or concerns, we have a dedicated Technical and Aftersales team that will be able to assist with regarding the installation of the radiators.

Important Installation Notes

- Compact panel radiators must be installed by a qualified engineer. Instruction manual is to be followed to avoid any issues during installation.
- Consider using an Eastbrook valve set to get the perfect colour match. Have your system vented properly. A general cause of corrosion and leak problems are due to trapped air in the system.
- Make sure that the drain points are at lowest in the system and your system is thoroughly flushed before commissioning.
- System must be clean of residues such as metal, flux etc, this can cause pin-holes. Do not over pump the system which will cause negative pressure aeration that can also cause corrosion.
- It is recommended that an appropriately approved corrosion inhibitor must be subsequently added to the system in order to protect the radiator and other parts of the system to promote extended operating lifespan. Please ensure that, when adding inhibitor, not to underdose or overdose and follow the inhibitor instructions. The Ph level of the system water should be between 6.5 and 7.5.
- If the system water is too acidic then the metals in the system would corrode. If the system water is too alkaline, then there is a higher risk of electrolysis.
- Our compact panel radiators come with an instruction manual. Please follow the basic guidance above and in the instructions to protect your 10 year manufacturer's warranty and trouble free operating lifespan of your radiator.



Sub Section

Aluminium Range

A huge variety of contemporary aluminium radiators and towel rails, from flat panel to ladder rail styles to suit any room.

Statement piece accessory towel hangers complement both vertical and horizontal designs allowing room for towels.

Contents

Kingswood Slimline Vertical & Horizontal, Available in 3 colours	208-209	Peretti Towel Hangers	252-253
Kingswood Slimline Towel Rail, Available in 3 colours	210-211	Sandhurst Vertical & Horizontal, Available in 3 colours	254-256
Queenswood Vertical & Horizontal, Available in 3 colours - NEW PRODUCT	212-215	Berkeley Horizontal, Available in 3 colours	257
Mersey Vertical, Available in 3 colours	216-217	Tordino Vertical & Horizontal, Available in 4 colours	258-261
Trent Vertical, Available in 3 colours	218-219	Guardia Vertical & Horizontal, Available in 4 colours	262-265
Addington Aluminium Type10, Gloss White & Matt Anthracite	220-223	Hadleigh Vertical & Horizontal, Available in 3 colours	266-269
Addington Aluminium Type20, Gloss White & Matt Anthracite	224-227	Vesima Vertical & Horizontal, Available in 3 colours	270-273
Charlton Vertical & Horizontal, Available in 3 colours	228-230	Preston Vertical, Available in 3 colours	274-275
Charlton Towel Hangers	231	Berlini Vertical, Available in 4 colours	276-277
Withington Vertical & Horizontal, Available in 4 colours	232-234	Fairford Vertical & Horizontal, Matt White & Matt Anthracite	278-279
Withington Towel Hangers	235	Burford Vertical & Horizontal, Matt White & Matt Anthracite	280-281
Malmesbury Vertical & Horizontal, Available in 4 colours - NEW COLOUR	236-240	Kelmscott Vertical & Horizontal, Matt White & Matt Anthracite	282-283
Malmesbury Towel Hangers	241	Witney Vertical & Horizontal, Matt White & Matt Anthracite	284-285
Rosano Vertical & Horizontal, Available in 3 colours	242-245	Pelago Towel Rail, Available in 3 colours	286
Rosano Towel Hangers	246-247	Velor Towel Rail, Matt White & Matt Anthracite	287
Peretti Vertical & Horizontal, Available in 4 colours	248-251		

Aluminium Range

KINGSWOOD SLIMLINE - VERTICAL

Warranty

5
Year

Heating



Pictured 86.0528 Matt Anthracite

Presenting the Kingswood Slimline, an aluminium radiator crafted with sleek vertical profiles that resemble a designer masterpiece. Exceptional craftsmanship and superior design allow us to offer this radiator in three exquisite colours.

FEATURES for Vertical & Horizontal Sizes

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Available in three colours
- Rear grilles for increased heat output
- Not suitable for elements
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 416-417



Guardia Towel Hangers

Can be used with
Kingswood Slimline
Vertical radiators.

Refer to Page 263



Pictured 86.0523 Matt White, with 86.0227 Guardia Towel Hanger

Kingswood Slimline Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	275	571	86.0522	277.00	332.40
1800 x 410mm	367	761	86.0523	350.00	420.00
1800 x 510mm	459	951	86.0524	425.00	510.00
1800 x 610mm	550	1141	86.0525	498.00	597.60

Kingswood Slimline Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	275	571	86.0526	277.00	332.40
1800 x 410mm	367	761	86.0527	350.00	420.00
1800 x 510mm	459	951	86.0528	425.00	510.00
1800 x 610mm	550	1141	86.0529	498.00	597.60

Kingswood Slimline Vertical Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Code	£ Ex VAT	£ Inc VAT
1800 x 310mm	275	571	86.0530	277.00	332.40
1800 x 410mm	367	761	86.0531	350.00	420.00
1800 x 510mm	459	951	86.0532	425.00	510.00
1800 x 610mm	550	1141	86.0533	498.00	597.60

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION for Vertical & Horizontal Sizes

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must be fitted in the bottom header as shown in the instructions. For indirect heating systems only. Tappings are the width of the rail and 50 or 70mm off the wall. Projection from wall is 70 or 90mm.

Aluminium Range

KINGSWOOD SLIMLINE - HORIZONTAL

Warranty

5
Year

Heating



Technical Tables
& Drawings
Page 416-417



Pictured 86.0540 Matt White

Kingswood Slimline Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Code	£ Ex VAT	£ Inc VAT
600 x 410mm	170	335	86.0534	165.00	198.00
600 x 510mm	213	418	86.0535	195.00	234.00
600 x 610mm	255	502	86.0536	226.00	271.20
600 x 810mm	340	669	86.0537	289.00	346.80
600 x 1010mm	425	836	86.0538	352.00	422.40
600 x 1210mm	510	1004	86.0539	416.00	499.20
600 x 1410mm	595	1171	86.0540	465.00	558.00

Kingswood Slimline Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Code	£ Ex VAT	£ Inc VAT
600 x 410mm	170	335	86.0541	165.00	198.00
600 x 510mm	213	418	86.0542	195.00	234.00
600 x 610mm	255	502	86.0543	226.00	271.20
600 x 810mm	340	669	86.0544	289.00	346.80
600 x 1010mm	425	836	86.0545	352.00	422.40
600 x 1210mm	510	1004	86.0546	416.00	499.20
600 x 1410mm	595	1171	86.0547	465.00	558.00

Kingswood Slimline Horizontal Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Code	£ Ex VAT	£ Inc VAT
600 x 410mm	170	335	86.0548	165.00	198.00
600 x 510mm	213	418	86.0549	195.00	234.00
600 x 610mm	255	502	86.0550	226.00	271.20
600 x 810mm	340	669	86.0551	289.00	346.80
600 x 1010mm	425	836	86.0552	352.00	422.40
600 x 1210mm	510	1004	86.0553	416.00	499.20
600 x 1410mm	595	1171	86.0554	465.00	558.00

* Further heat output information available on eastbrooktrade.com **E&O A**

Prices include radiator and wall fixing sets, valves and accessories extra.

Matt White



Matt Anthracite



Matt Black



Rear grilles for increased heat output

Aluminium Range

KINGSWOOD SLIMLINE - TOWEL RAIL



Pictured 86.0569 Matt Black

Introducing the Kingswood Slimline Towel Rail – an aluminium towel rail masterpiece with sleek horizontal profiles that exude designer elegance. Meticulously crafted with exceptional precision, this towel rail is available in three stunning colours to complement any modern bathroom.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Available in three colours
- Tested to BS EN 442 standards
- Can be single or dual fuel, or all electric
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 416-417



Pictured 86.0565 Matt Anthracite


TECHNICAL INFORMATION

All measurements in Height by Width.

For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 29mm less than the width of the rail and approx. 90-110mm off the wall. Projection from wall is 108-128mm. Price includes radiator and wall fixing sets, valves extra.

Aluminium Range

KINGSWOOD SLIMLINE - TOWEL RAIL



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 86.0556 Matt White

Kingswood Slimline Aluminium Towel Rails - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
820 x 500mm	188	351	150W	A, A+	86.0555	236.00	283.20
820 x 600mm	225	421	150W	A, A+	86.0556	257.00	308.40
1220 x 500mm	259	492	300W	A, A+	86.0557	312.00	374.40
1220 x 600mm	311	590	300W	A, A+	86.0558	339.00	406.80
1820 x 500mm	386	734	600W	A, A+	86.0559	443.00	531.60
1820 x 600mm	464	880	750W	A, A+	86.0560	483.00	579.60

Kingswood Slimline Aluminium Towel Rails - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
820 x 500mm	188	351	150W	A, A+	86.0561	236.00	283.20
820 x 600mm	225	421	150W	A, A+	86.0562	257.00	308.40
1220 x 500mm	259	492	300W	A, A+	86.0563	312.00	374.40
1220 x 600mm	311	590	300W	A, A+	86.0564	339.00	406.80
1820 x 500mm	386	734	600W	A, A+	86.0565	443.00	531.60
1820 x 600mm	464	880	750W	A, A+	86.0566	483.00	579.60

Kingswood Slimline Aluminium Towel Rails - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
820 x 500mm	188	351	150W	A, A+	86.0567	236.00	283.20
820 x 600mm	225	421	150W	A, A+	86.0568	257.00	308.40
1220 x 500mm	259	492	300W	A, A+	86.0569	312.00	374.40
1220 x 600mm	311	590	300W	A, A+	86.0570	339.00	406.80
1820 x 500mm	386	734	600W	A, A+	86.0571	443.00	531.60
1820 x 600mm	464	880	750W	A, A+	86.0572	483.00	579.60

* Further heat output information available on eastbrooktrade.com E&OA

Matt White



Matt Anthracite




Matt Black



Radiator Valves

Page 350-365



Aluminium Range

QUEENSWOOD VERTICAL



Featuring a sophisticated vertical double-profile design, this radiator exudes elegance and modern appeal. Perfectly crafted for both style and functionality, Queenswood seamlessly enhances any space with its refined aesthetic. Vertical & horizontal sizes available in three colours.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Comes with built-in flow diverter
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

Guardia Towel Hangers

Can be used with Kingswood Slimline Vertical radiators.

Refer to Page 263



Queenswood Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 291mm	429	867	81.0261	320.00	384.00
1800 x 388mm	572	1156	81.0262	416.00	499.20
1800 x 485mm	715	1446	81.0263	501.00	601.20
1800 x 582mm	858	1735	81.0264	621.00	745.20

Queenswood Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 291mm	429	867	81.0273	320.00	384.00
1800 x 388mm	572	1156	81.0274	416.00	499.20
1800 x 485mm	715	1446	81.0275	501.00	601.20
1800 x 582mm	858	1735	81.0276	621.00	745.20

Queenswood Vertical Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 291mm	429	867	81.0285	320.00	384.00
1800 x 388mm	572	1156	81.0286	416.00	499.20
1800 x 485mm	715	1446	81.0287	501.00	601.20
1800 x 582mm	858	1735	81.0288	621.00	745.20

Prices include radiator and wall fixing sets, valves and accessories extra.

Aluminium Range

QUEENSWOOD VERTICAL



**Technical Tables
& Drawings**
Page 418-419



Warranty

5

Year

Heating



Guardia Towel Hangers

Can be used with
Kingswood Slimline
Vertical radiators.

Refer to Page 263

Pictured 81.0275 Matt Anthracite



Double profile construction

TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and approx 59mm off the wall. Projection from wall is 93mm.

Matt White



Matt Anthracite



Matt Black



Aluminium Range

QUEENSWOOD HORIZONTAL

Technical Tables
& Drawings
Page 418-419



Pictured 81.0269 Matt White

All Electric



Dual-Fuel



Warranty

5
Year

Heating



Featuring a sophisticated vertical double-profile design, this radiator exudes elegance and modern appeal. Perfectly crafted for both style and functionality, Queenswood seamlessly enhances any space with its refined aesthetic. Vertical & horizontal sizes available in three colours.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Does not come with flow diverter
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Queenswood Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	292	582	450W	A, A+	81.0265	265.00	318.00
600 x 582mm	351	699	450W	A, A+	81.0266	310.00	372.00
600 x 679mm	409	815	600W	A+	81.0267	346.00	415.20
600 x 873mm	526	1048	900W	A+	81.0268	435.00	522.00
600 x 1067mm	643	1281	900W	A+	81.0269	515.00	618.00
600 x 1261mm	760	1513	1200W	A, A+	81.0270	607.00	728.40
600 x 1455mm	877	1746	1200W	A, A+	81.0271	711.00	853.20
600 x 1649mm	993	1979	1200W	A, A+	81.0272	803.00	963.60

Prices include radiator and wall fixing sets, valves and accessories extra.

Aluminium Range

QUEENSWOOD HORIZONTAL



Pictured 81.0283 Matt Anthracite



Pictured 81.0292 Matt Black

Queenswood Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	292	582	450W	A, A+	81.0277	265.00	318.00
600 x 582mm	351	699	450W	A, A+	81.0278	310.00	372.00
600 x 679mm	409	815	600W	A+	81.0279	346.00	415.20
600 x 873mm	526	1048	900W	A+	81.0280	435.00	522.00
600 x 1067mm	643	1281	900W	A+	81.0281	515.00	618.00
600 x 1261mm	760	1513	1200W	A, A+	81.0282	607.00	728.40
600 x 1455mm	877	1746	1200W	A, A+	81.0283	711.00	853.20
600 x 1649mm	993	1979	1200W	A, A+	81.0284	803.00	963.60

Prices include radiator and wall fixing sets, valves and accessories extra.



Double profile construction


TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. For indirect heating systems only. Tappings are the width of the rail and approx 59mm off the wall. Projection from wall is 93mm.

Queenswood Horizontal Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	292	582	450W	A, A+	81.0289	265.00	318.00
600 x 582mm	351	699	450W	A, A+	81.0290	310.00	372.00
600 x 679mm	409	815	600W	A+	81.0291	346.00	415.20
600 x 873mm	526	1048	900W	A+	81.0292	435.00	522.00
600 x 1067mm	643	1281	900W	A+	81.0293	515.00	618.00
600 x 1261mm	760	1513	1200W	A, A+	81.0294	607.00	728.40
600 x 1455mm	877	1746	1200W	A, A+	81.0295	711.00	853.20
600 x 1649mm	993	1979	1200W	A, A+	81.0296	803.00	963.60

Prices include radiator and wall fixing sets, valves and accessories extra.



For element types
see pages 336-349.

Element can only be installed
horizontally on the bottom header.
Radiators that are electric only are
restricted to the heat output
of the elements.



Aluminium Range

MERSEY VERTICAL



Pictured 41.0450 Matt White with 41.0465 Towel Hangers

Mersey Aluminium Radiators with ridged front panels will stand out in every room, with adding from a choice of towel hangers, your bathroom can also be heated while drying your towels. Available only in vertical sizes and 3 colours options.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with chrome cover caps on top and bottom
 - Not suitable for elements
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 418-419



Brushed Brass
colour setup



Pictured 41.0457 Matt Anthracite with 41.0472 Towel Hanger and 41.0722 Cover Caps x 2

Warranty

5
Year

Heating



Bleed Valve & Blanking Plug Set - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.0732	11.00	13.20

TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and 38mm off the wall. Projection from wall is 76mm.

Aluminium Range

MERSEY VERTICAL

Mersey Vertical Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	314	612	41.0449	236.00	283.20
1800 x 375mm	418	816	41.0450	289.00	346.80
1800 x 470mm	523	1019	41.0451	344.00	412.80
1800 x 565mm	627	1223	41.0452	398.00	477.60
1800 x 660mm	732	1427	41.0453	439.00	526.80

Mersey Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	314	612	41.0454	236.00	283.20
1800 x 375mm	418	816	41.0455	289.00	346.80
1800 x 470mm	523	1019	41.0456	344.00	412.80
1800 x 565mm	627	1223	41.0457	398.00	477.60
1800 x 660mm	732	1427	41.0458	439.00	526.80

Mersey Vertical Aluminium Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	314	612	41.0459	236.00	283.20
1800 x 375mm	418	816	41.0460	289.00	346.80
1800 x 470mm	523	1019	41.0461	344.00	412.80
1800 x 565mm	627	1223	41.0462	398.00	477.60
1800 x 660mm	732	1427	41.0463	439.00	526.80

Prices include radiator and wall fixing sets, valves and accessories extra.




Mersey Cover Cap Sets - Brass Effect

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	41.0719	9.00	10.80
Cover Cap Set 375mm	41.0720	11.00	13.20
Cover Cap Set 470mm	41.0721	13.00	15.60
Cover Cap Set 565mm	41.0722	16.00	19.20
Cover Cap Set 660mm	41.0723	18.00	21.60

Cover cap sets only include cover caps for the top or bottom of the radiator.



Pictured 41.0461 Matt Black



Towel Hanger - Mirror Polished Premium

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 280mm	41.0464	53.00	63.60
Towel Hanger 375mm	41.0465	58.00	69.60
Towel Hanger 470mm	41.0466	63.00	75.60
Towel Hanger 565mm	41.0467	69.00	82.80
Towel Hanger 660mm	41.0468	74.00	88.80

Must be fitted before installation!



Towel Hanger - Brushed Brass

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 280mm	41.0469	53.00	63.60
Towel Hanger 375mm	41.0470	55.00	66.00
Towel Hanger 470mm	41.0471	58.00	69.60
Towel Hanger 565mm	41.0472	62.00	74.40
Towel Hanger 660mm	41.0473	66.00	79.20

Must be fitted before installation!

Aluminium Range

TRENT VERTICAL



Pictured 41.0476 Matt White with 41.0466 Towel Hangers

Trent Aluminium Radiators with ridged front panels and curved flat end panels will stand out in every room, with adding from a choice of towel hangers, your bathroom can also be heated while drying your towels. Available only in vertical sizes and 3 colours options.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with chrome cover caps on top and bottom
 - Not suitable for elements
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions



Pictured 41.0482 Matt Anthracite

Warranty

5
Year

Heating



Technical Tables
& Drawings

Page 418-419



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Comes with pre-fitted flow diverter, fitted in the middle of the bottom header. For indirect heating systems only. Tappings are the width of the rail and 38mm off the wall. Projection from wall is 76mm.

Aluminium Range

TRENT VERTICAL

Trent Vertical Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	301	597	41.0474	220.00	264.00
1800 x 375mm	401	796	41.0475	273.00	327.60
1800 x 470mm	501	995	41.0476	329.00	394.80
1800 x 565mm	602	1194	41.0477	383.00	459.60
1800 x 660mm	702	1393	41.0478	426.00	511.20

Trent Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	301	597	41.0479	220.00	264.00
1800 x 375mm	401	796	41.0480	273.00	327.60
1800 x 470mm	501	995	41.0481	329.00	394.80
1800 x 565mm	602	1194	41.0482	383.00	459.60
1800 x 660mm	702	1393	41.0483	426.00	511.20

Trent Vertical Aluminium Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	301	597	41.0484	220.00	264.00
1800 x 375mm	401	796	41.0485	273.00	327.60
1800 x 470mm	501	995	41.0486	329.00	394.80
1800 x 565mm	602	1194	41.0487	383.00	459.60
1800 x 660mm	702	1393	41.0488	426.00	511.20

Prices include radiator and wall fixing sets, valves and accessories extra.



Trent Cover Cap Sets - Brass Effect

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	41.0724	9.00	10.80
Cover Cap Set 375mm	41.0725	11.00	13.20
Cover Cap Set 470mm	41.0726	13.00	15.60
Cover Cap Set 565mm	41.0727	15.00	18.00
Cover Cap Set 660mm	41.0728	18.00	21.60

Cover cap sets only include cover caps for the top or bottom of the radiator.



Towel Hanger - Mirror Polished Premium

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 280mm	41.0464	53.00	63.60
Towel Hanger 375mm	41.0465	58.00	69.60
Towel Hanger 470mm	41.0466	63.00	75.60
Towel Hanger 565mm	41.0467	69.00	82.80
Towel Hanger 660mm	41.0468	74.00	88.80

Must be fitted before installation!



Bleed Valve & Blanking Plug Set - Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.0732	11.00	13.20

Pictured 41.0485 Matt Black with 41.0470 Towel Hangers and 41.0725 Cover Caps x 2



Towel Hanger - Brushed Brass

Description	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 280mm	41.0469	53.00	63.60
Towel Hanger 375mm	41.0470	55.00	66.00
Towel Hanger 470mm	41.0471	58.00	69.60
Towel Hanger 565mm	41.0472	62.00	74.40
Towel Hanger 660mm	41.0473	66.00	79.20

Must be fitted before installation!

Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - GLOSS WHITE




Pictured 86.0372 Gloss White with 91.0113 Towel Hanger



Pictured 86.0360 Gloss White with 91.0082 Towel Hanger

Towel Hangers
Page 181



Single profile construction

Warranty

5
Year

Heating




All Electric



Dual-Fuel



Pictured 86.0358 Gloss White



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - GLOSS WHITE

500mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	171	339	150W	A	86.0348	301.00	361.20
500 x 588mm	196	387	150W	A	86.0349	331.00	397.20

600mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	137	253	150W	A	86.0350	223.00	267.60
600 x 366mm	171	316	150W	A	86.0351	258.00	309.60
600 x 440mm	205	379	150W	A	86.0352	291.00	349.20
600 x 514mm	239	442	300W	A	86.0353	326.00	391.20
600 x 588mm	273	506	300W	A	86.0354	361.00	433.20
600 x 662mm	307	569	300W	A	86.0355	395.00	474.00
600 x 810mm	376	695	300W	A	86.0356	462.00	554.40
600 x 1032mm	478	884	600W	A	86.0357	569.00	682.80
600 x 1180mm	546	1011	600W	A	86.0358	636.00	763.20
600 x 1254mm	580	1074	600W	A	86.0359	666.00	799.20
600 x 1402mm	648	1200	750W	A	86.0508	737.00	884.40
600 x 1624mm	751	1389	900W	A	86.0509	847.00	1016.40
600 x 1772mm	819	1516	900W	A	86.0510	921.00	1105.20

800mm Height

Addington Aluminium Type10 Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	256	521	300W	A	86.0360	375.00	450.00
800 x 588mm	292	595	300W	A	86.0361	416.00	499.20

1000mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	312	635	300W	A	86.0362	427.00	512.40
1000 x 588mm	356	726	300W	A	86.0363	474.00	568.80

1200mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	346	681	300W	A	86.0364	477.00	572.40
1200 x 588mm	395	779	600W	A	86.0365	532.00	638.40

1400mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	402	792	600W	A	86.0366	527.00	632.40
1400 x 588mm	459	905	600W	A	86.0367	587.00	704.40

1800mm Height

Addington Aluminium Type 10 Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	294	606	600W	A	86.0368	396.00	475.20
1800 x 366mm	367	758	600W	A	86.0369	472.00	566.40
1800 x 440mm	441	909	600W	A	86.0370	543.00	651.60
1800 x 514mm	514	1060	900W	A	86.0371	617.00	740.40
1800 x 588mm	587	1212	900W	A	86.0372	686.00	823.20
1800 x 662mm	661	1363	900W	A	86.0506	769.00	922.80

* Further heat output information available on eastbrooktrade.com **E&OA**

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

Technical Tables & Drawings

Page 420-421



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 45mm off the wall. Price includes radiator and wall fixing sets, valves extra.

For element types
see pages 336-349.

For 500 and 600mm Heights :
Element can only be installed
horizontally on the bottom header.
Radiators that are electric only are
restricted to the heat output
of the elements.



For element types
see pages 336-349.

For 800, 1000, 1200, 1400 and 1800mm
Heights: Element can be installed vertically
on the right-hand or left-hand side on the
bottom header. Radiators that are electric
only are restricted to the heat output of the
elements. For dual fuel installations,
element must be installed on flow side.



ADDINGTON ALUMINIUM TYPE10 COVER CAP SETS - CHROME



Addington Aluminium Type10 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0426	34.00	40.80
Cover Cap Set 366mm	86.0427	39.00	46.80
Cover Cap Set 440mm	86.0428	42.00	50.40
Cover Cap Set 514mm	86.0429	49.00	58.80
Cover Cap Set 588mm	86.0430	53.00	63.60
Cover Cap Set 662mm	86.0431	56.00	67.20
Cover Cap Set 810mm	86.0432	67.00	80.40
Cover Cap Set 1032mm	86.0433	81.00	97.20
Cover Cap Set 1180mm	86.0434	91.00	109.20
Cover Cap Set 1254mm	86.0435	96.00	115.20
Cover Cap Set 1402mm	86.0576	104.00	124.80
Cover Cap Set 1624mm	86.0577	115.00	138.00
Cover Cap Set 1772mm	86.0578	123.00	147.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - MATT ANTHRACITE



Warranty

5

Year

Heating

All Electric

Dual-Fuel

Pictured 86.0395 Matt Anthracite with 91.0086 Towel Hangers x2

Towel Hangers

Page 181

Single profile construction



Pictured 86.0379 Matt Anthracite with 91.0093 Towel Hanger



Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Pictured 86.0382 Matt Anthracite

Aluminium Range

ADDINGTON ALUMINIUM TYPE 10 - MATT ANTHRACITE

500mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 514mm	171	339	150W	A	86.0373	301.00	361.20
500 x 588mm	196	387	150W	A	86.0374	331.00	397.20

600mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	137	253	150W	A	86.0375	223.00	267.60
600 x 366mm	171	316	150W	A	86.0376	258.00	309.60
600 x 440mm	205	379	150W	A	86.0377	291.00	349.20
600 x 514mm	239	442	300W	A	86.0378	326.00	391.20
600 x 588mm	273	506	300W	A	86.0379	361.00	433.20
600 x 662mm	307	569	300W	A	86.0380	395.00	474.00
600 x 810mm	376	695	300W	A	86.0381	462.00	554.40
600 x 1032mm	478	884	600W	A	86.0382	569.00	682.80
600 x 1180mm	546	1011	600W	A	86.0383	636.00	763.20
600 x 1254mm	580	1074	600W	A	86.0384	666.00	799.20
600 x 1402mm	648	1200	750W	A	86.0511	737.00	884.40
600 x 1624mm	751	1389	900W	A	86.0512	847.00	1016.40
600 x 1772mm	819	1516	900W	A	86.0513	921.00	1105.20

800mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
800 x 514mm	256	521	300W	A	86.0385	375.00	450.00
800 x 588mm	292	595	300W	A	86.0386	416.00	499.20

1000mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1000 x 514mm	312	635	300W	A	86.0387	427.00	512.40
1000 x 588mm	356	726	300W	A	86.0388	474.00	568.80

1200mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 514mm	346	681	300W	A	86.0389	477.00	572.40
1200 x 588mm	395	779	600W	A	86.0390	532.00	638.40

1400mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1400 x 514mm	402	792	600W	A	86.0391	527.00	632.40
1400 x 588mm	459	905	600W	A	86.0392	587.00	704.40

1800mm Height

Addington Aluminium Type 10 Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 292mm	294	606	600W	A	86.0393	396.00	475.20
1800 x 366mm	367	758	600W	A	86.0394	472.00	566.40
1800 x 440mm	441	909	600W	A	86.0395	543.00	651.60
1800 x 514mm	514	1060	900W	A	86.0396	617.00	740.40
1800 x 588mm	587	1212	900W	A	86.0397	686.00	823.20
1800 x 662mm	661	1363	900W	A	86.0507	769.00	922.80

* Further heat output information available on eastbrooktrade.com **E&OA**

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator
- * With conditions

Technical Tables & Drawings

Page 420-421




TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 45mm off the wall. Price includes radiator and wall fixing sets, valves extra.

For element types
see pages 336-349.

For 500 and 600mm Heights :
Element can only be installed
horizontally on the bottom header.
Radiators that are electric only are
restricted to the heat output
of the elements.




For element types
see pages 336-349.

For 800, 1000, 1200, 1400 and 1800mm
Heights: Element can be installed vertically
on the right-hand or left-hand side on the
bottom header. Radiators that are electric
only are restricted to the heat output of the
elements. For dual fuel installations,
element must be installed on flow side.



ADDINGTON ALUMINIUM TYPE 10 COVER CAP SETS - CHROME



Addington Aluminium Type 10 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0426	34.00	40.80
Cover Cap Set 366mm	86.0427	39.00	46.80
Cover Cap Set 440mm	86.0428	42.00	50.40
Cover Cap Set 514mm	86.0429	49.00	58.80
Cover Cap Set 588mm	86.0430	53.00	63.60
Cover Cap Set 662mm	86.0431	56.00	67.20
Cover Cap Set 810mm	86.0432	67.00	80.40
Cover Cap Set 1032mm	86.0433	81.00	97.20
Cover Cap Set 1180mm	86.0434	91.00	109.20
Cover Cap Set 1254mm	86.0435	96.00	115.20
Cover Cap Set 1402mm	86.0576	104.00	124.80
Cover Cap Set 1624mm	86.0577	115.00	138.00
Cover Cap Set 1772mm	86.0578	123.00	147.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

ADDINGTON ALUMINIUM TYPE 20 - GLOSS WHITE



Warranty
5
Year

Heating

All Electric

Dual-Fuel

Pictured 86.0409 Gloss White



Pictured 86.0402 Gloss White



Bar Dimensions (mm)
Vertical Bars 70 x 11mm

Pictured 86.0406 Gloss White

Aluminium Range

ADDINGTON ALUMINIUM TYPE 20 - GLOSS WHITE

A luxurious double flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

Technical Tables & Drawings

Page 420-421



600mm Height

Addington Aluminium Type 20 Radiators - Gloss White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	186	352	150W	A	86.0398	283.00	339.60
600 x 366mm	232	440	300W	A	86.0399	329.00	394.80
600 x 440mm	278	528	300W	A	86.0400	374.00	448.80
600 x 514mm	325	616	300W	A	86.0401	424.00	508.80
600 x 588mm	371	704	300W	A	86.0402	472.00	566.40
600 x 662mm	417	792	300W	A	86.0403	527.00	632.40
600 x 810mm	510	968	600W	A	86.0404	622.00	746.40
600 x 1032mm	649	1232	600W	A	86.0405	767.00	920.40
600 x 1180mm	742	1408	900W	A	86.0406	864.00	1036.80
600 x 1254mm	788	1496	900W	A	86.0407	915.00	1098.00
600 x 1402mm	881	1672	900W	A	86.0516	1019.00	1222.80
600 x 1624mm	1020	1936	900W	A	86.0517	1174.00	1408.80
600 x 1772mm	1112	2112	900W	A	86.0518	1279.00	1534.80

1800mm Height

Addington Aluminium Type 20 Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	452	910	600W	A	86.0408	680.00	816.00
1800 x 440mm	543	1092	900W	A	86.0409	808.00	969.60
1800 x 514mm	633	1274	900W	A	86.0410	947.00	1136.40
1800 x 588mm	724	1455	900W	A	86.0411	1074.00	1288.80
1800 x 662mm	814	1637	900W	A	86.0514	1204.00	1444.80


* Further heat output information available on eastbrooktrade.com **E&OA**



Double profile construction

Multi-Purpose Towel Hangers

Page 368



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

For element types
see pages 336-349.

For 600mm Heights :
Element can only be installed
horizontally on the bottom header.
**Radiators that are electric only are
restricted to the heat output
of the elements.**



For element types
see pages 336-349.

For 1800mm Heights: Element can be
installed vertically on the right-hand or left-
hand side on the bottom header. **Radiators
that are electric only are restricted to the
heat output of the elements.** For dual fuel
installations, element must be installed on
flow side.



Radiator Valves

Page 350-365



ADDINGTON ALUMINIUM TYPE 20 COVER CAP SETS - CHROME



Addington Aluminium Type 20 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0436	53.00	63.60
Cover Cap Set 366mm	86.0437	62.00	74.40
Cover Cap Set 440mm	86.0438	74.00	88.80
Cover Cap Set 514mm	86.0439	81.00	97.20
Cover Cap Set 588mm	86.0440	91.00	109.20
Cover Cap Set 662mm	86.0441	101.00	121.20
Cover Cap Set 810mm	86.0442	121.00	145.20
Cover Cap Set 1032mm	86.0443	149.00	178.80
Cover Cap Set 1180mm	86.0444	167.00	200.40
Cover Cap Set 1254mm	86.0445	156.00	187.20
Cover Cap Set 1402mm	86.0579	172.00	206.40
Cover Cap Set 1624mm	86.0580	194.00	232.80
Cover Cap Set 1772mm	86.0581	207.00	248.40

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range


ADDINGTON ALUMINIUM TYPE 20 - MATT ANTHRACITE



Pictured 86.0425 Matt Anthracite



Pictured 86.0417 Matt Anthracite



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 86.0421 Matt Anthracite

Bar Dimensions (mm)

Vertical Bars 70 x 11mm

Aluminium Range

ADDINGTON ALUMINIUM TYPE 20 - MATT ANTHRACITE

A luxurious double flat panelled radiator range with stunning clean lines which will be the focus of any room is now available also in aluminium. Available in horizontal or vertical sizes and different heights.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

Technical Tables & Drawings

Page 420-421



600mm Height

Addington Aluminium Type 20 Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 292mm	186	352	150W	A	86.0412	283.00	339.60
600 x 366mm	232	440	300W	A	86.0413	329.00	394.80
600 x 440mm	278	528	300W	A	86.0414	374.00	448.80
600 x 514mm	325	616	300W	A	86.0415	424.00	508.80
600 x 588mm	371	704	300W	A	86.0416	472.00	566.40
600 x 662mm	417	792	300W	A	86.0417	527.00	632.40
600 x 810mm	510	968	600W	A	86.0418	622.00	746.40
600 x 1032mm	649	1232	600W	A	86.0419	767.00	920.40
600 x 1180mm	742	1408	900W	A	86.0420	864.00	1036.80
600 x 1254mm	788	1496	900W	A	86.0421	915.00	1098.00
600 x 1402mm	881	1672	900W	A	86.0519	1019.00	1222.80
600 x 1624mm	1020	1936	900W	A	86.0520	1174.00	1408.80
600 x 1772mm	1112	2112	900W	A	86.0521	1279.00	1534.80

1800mm Height

Addington Aluminium Type 20 Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 366mm	452	910	600W	A	86.0422	680.00	816.00
1800 x 440mm	543	1092	900W	A	86.0423	808.00	969.60
1800 x 514mm	633	1274	900W	A	86.0424	947.00	1136.40
1800 x 588mm	724	1455	900W	A	86.0425	1074.00	1288.80
1800 x 662mm	814	1637	900W	A	86.0515	1204.00	1444.80


* Further heat output information available on eastbrooktrade.com E&OA



Double profile construction

Multi-Purpose Towel Hangers

Page 368




TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

For element types
see pages 336-349.

For 600mm Heights :
Element can only be installed
horizontally on the bottom header.
**Radiators that are electric only are
restricted to the heat output
of the elements.**



For element types
see pages 336-349.

For 1800mm Heights: Element can be
installed vertically on the right-hand or left-
hand side on the bottom header. **Radiators
that are electric only are restricted to the
heat output of the elements.** For dual fuel
installations, element must be installed on
flow side.



Radiator Valves

Page 350-365



ADDINGTON ALUMINIUM TYPE 20 COVER CAP SETS - CHROME



Addington Aluminium Type 20 Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 292mm	86.0436	53.00	63.60
Cover Cap Set 366mm	86.0437	62.00	74.40
Cover Cap Set 440mm	86.0438	74.00	88.80
Cover Cap Set 514mm	86.0439	81.00	97.20
Cover Cap Set 588mm	86.0440	91.00	109.20
Cover Cap Set 662mm	86.0441	101.00	121.20
Cover Cap Set 810mm	86.0442	121.00	145.20
Cover Cap Set 1032mm	86.0443	149.00	178.80
Cover Cap Set 1180mm	86.0444	167.00	200.40
Cover Cap Set 1254mm	86.0445	156.00	187.20
Cover Cap Set 1402mm	86.0579	172.00	206.40
Cover Cap Set 1624mm	86.0580	194.00	232.80
Cover Cap Set 1772mm	86.0581	207.00	248.40

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

CHARLTON VERTICAL



Pictured 89.0128 Matt White with 89.0134 Towel Hangers x3

A contemporary versatile aluminium radiator style, that come in a variety of sizes and three finishes, with an optional extra of stylish towel hangers.



Pictured 89.0764 Matt Black

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour.
 - Can be single, dual fuel or all electric
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 422-423



Aluminium Range

CHARLTON VERTICAL



Matt White



Matt Anthracite



Matt Black

Charlton Vertical Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	123	240	150W	A, A+, F, G	89.0758	182.00	218.40
1200 x 280mm	238	461	300W	A, A+, F, G	89.0925	251.00	301.20
1200 x 375mm	315	611	300W	A, A+, F, G	89.0926	323.00	387.60
1200 x 470mm	392	760	450W	A, A+, F, G	89.0927	395.00	474.00
1200 x 565mm	468	908	600W	A, A+, F, G	89.0928	472.00	566.40
1800 x 280mm	345	667	450W	A, A+, F, G	89.0128	307.00	368.40
1800 x 375mm	457	884	600W	A, A+, F, G	89.0130	397.00	476.40
1800 x 470mm	569	1099	750W	A, A+, F, G	89.0132	479.00	574.80
1800 x 565mm	679	1313	1000W	A, A+, F, G	89.0759	595.00	714.00

Charlton Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	123	240	150W	A, A+, F, G	89.0760	182.00	218.40
1200 x 280mm	238	461	300W	A, A+, F, G	89.0958	251.00	301.20
1200 x 375mm	315	611	300W	A, A+, F, G	89.0959	323.00	387.60
1200 x 470mm	392	760	450W	A, A+, F, G	89.0960	395.00	474.00
1200 x 565mm	468	908	600W	A, A+, F, G	89.0961	472.00	566.40
1800 x 280mm	345	667	450W	A, A+, F, G	89.0129	307.00	368.40
1800 x 375mm	457	884	600W	A, A+, F, G	89.0131	397.00	476.40
1800 x 470mm	569	1099	750W	A, A+, F, G	89.0133	479.00	574.80
1800 x 565mm	679	1313	1000W	A, A+, F, G	89.0761	595.00	714.00

Charlton Vertical Aluminium Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	123	240	150W	A, A+, F, G	89.0762	182.00	218.40
1200 x 280mm	238	461	300W	A, A+, F, G	89.0979	251.00	301.20
1200 x 375mm	315	611	300W	A, A+, F, G	89.0980	323.00	387.60
1200 x 470mm	392	760	450W	A, A+, F, G	89.0981	395.00	474.00
1200 x 565mm	468	908	600W	A, A+, F, G	89.0982	472.00	566.40
1800 x 280mm	345	667	450W	A, A+, F, G	89.0763	307.00	368.40
1800 x 375mm	457	884	600W	A, A+, F, G	89.0764	397.00	476.40
1800 x 470mm	569	1099	750W	A, A+, F, G	89.0765	479.00	574.80
1800 x 565mm	679	1313	1000W	A, A+, F, G	89.0766	595.00	714.00

Prices include radiator and wall fixing sets, valves and accessories extra.



Pictured 89.0960 Matt Anthracite with 89.0182 Towel Hangers x2

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Charlton Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	89.0165	18.00	21.60
Cover Cap Set 375mm	89.0166	21.00	25.20
Cover Cap Set 470mm	89.0167	23.00	27.60
Cover Cap Set 565mm	89.0837	28.00	33.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

For element types
see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Aluminium Range

CHARLTON HORIZONTAL



Pictured 89.0751 Matt Anthracite

A contemporary versatile aluminium radiator, that come in three finishes, with an optional extra of stylish towel hangers.

Charlton Horizontal Aluminium Radiators - Matt White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	203	396	300W	A, A+, C, H	89.0743	252.00	302.40
600 x 660mm	282	550	450W	A, A+, C, H	89.0744	332.00	398.40
600 x 850mm	360	701	600W	A, A+, C, H	89.0745	415.00	498.00
600 x 1040mm	437	852	750W	A, A+, C, H	89.0746	493.00	591.60
600 x 1230mm	514	1002	900W	A, A+, C, H	89.0747	580.00	696.00
600 x 1420mm	590	1151	900W	A, A+, C, H	89.0929	679.00	814.80


Charlton Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	203	396	300W	A, A+, C, H	89.0748	252.00	302.40
600 x 660mm	282	550	450W	A, A+, C, H	89.0749	332.00	398.40
600 x 850mm	360	701	600W	A, A+, C, H	89.0750	415.00	498.00
600 x 1040mm	437	852	750W	A, A+, C, H	89.0751	493.00	591.60
600 x 1230mm	514	1002	900W	A, A+, C, H	89.0752	580.00	696.00
600 x 1420mm	590	1151	900W	A, A+, C, H	89.0962	679.00	814.80

Charlton Horizontal Aluminium Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	203	396	300W	A, A+, C, H	89.0753	252.00	302.40
600 x 660mm	282	550	450W	A, A+, C, H	89.0754	332.00	398.40
600 x 850mm	360	701	600W	A, A+, C, H	89.0755	415.00	498.00
600 x 1040mm	437	852	750W	A, A+, C, H	89.0756	493.00	591.60
600 x 1230mm	514	1002	900W	A, A+, C, H	89.0757	580.00	696.00
600 x 1420mm	590	1151	900W	A, A+, C, H	89.0983	679.00	814.80

Prices include radiator and wall fixing sets, valves and accessories extra.



FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 422-423



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Charlton Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	89.0167	23.00	27.60
Cover Cap Set 660mm	89.0838	33.00	39.60
Cover Cap Set 850mm	89.0839	40.00	48.00
Cover Cap Set 1040mm	89.0840	47.00	56.40
Cover Cap Set 1230mm	89.0841	56.00	67.20
Cover Cap Set 1420mm	89.1404	61.00	73.20

Cover cap sets only include cover caps for the top or bottom of the radiator.

For element types see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Aluminium Range

CHARLTON STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0177	62.00	74.40
375mm	89.0178	66.00	79.20
470mm	89.0179	74.00	88.80
565mm	86.0333	78.00	93.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0180	62.00	74.40
375mm	89.0181	66.00	79.20
470mm	89.0182	74.00	88.80
565mm	86.0334	78.00	93.60



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0183	62.00	74.40
375mm	89.0184	66.00	79.20
470mm	89.0185	74.00	88.80
565mm	86.0335	78.00	93.60



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0134	53.00	63.60
375mm	89.0135	56.00	67.20
470mm	89.0136	65.00	78.00
565mm	86.0336	72.00	86.40

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Charlton Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

600mm height x 470mm width radiator can have one towel hanger.

Can be fitted after installation only on high adjustment bracket fitting.



Towel Hanger - Brushed Brass			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	41.0616	56.00	67.20
375mm	41.0617	63.00	75.60
470mm	41.0618	72.00	86.40
565mm	41.0619	76.00	91.20




Towel Hanger - Mirror Polished Premium			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0198	73.00	87.60
375mm	86.0199	80.00	96.00
470mm	86.0200	87.00	104.40
565mm	86.0337	93.00	111.60

CHARLTON FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	72.00	86.40
375mm	89.0284	79.00	94.80
470mm	89.0285	89.00	106.80
565mm	91.0163	95.00	114.00
660mm	89.0286	100.00	120.00
850mm	89.0287	112.00	134.40



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	72.00	86.40
375mm	89.0289	79.00	94.80
470mm	89.0290	89.00	106.80
565mm	91.0164	95.00	114.00
660mm	89.0291	100.00	120.00
850mm	89.0292	112.00	134.40



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	72.00	86.40
375mm	89.0294	79.00	94.80
470mm	89.0295	89.00	106.80
565mm	91.0165	95.00	114.00
660mm	89.0296	100.00	120.00
850mm	89.0297	112.00	134.40




Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	98.00	117.60
375mm	91.0095	100.00	120.00
470mm	91.0096	102.00	122.40
565mm	91.0166	103.00	123.60
660mm	91.0097	108.00	129.60
850mm	91.0098	115.00	138.00

DOUBLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	88.00	105.60
375mm	89.0370	92.00	110.40
470mm	89.0371	103.00	123.60
565mm	91.0167	114.00	136.80
660mm	89.0372	121.00	145.20
850mm	89.0373	135.00	162.00



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	88.00	105.60
375mm	89.0375	92.00	110.40
470mm	89.0376	103.00	123.60
565mm	91.0168	114.00	136.80
660mm	89.0377	121.00	145.20
850mm	89.0378	135.00	162.00



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	88.00	105.60
375mm	89.0380	92.00	110.40
470mm	89.0381	103.00	123.60
565mm	91.0169	114.00	136.80
660mm	89.0382	121.00	145.20
850mm	89.0383	135.00	162.00



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	124.00	148.80
375mm	91.0115	130.00	156.00
470mm	91.0116	132.00	158.40
565mm	91.0170	138.00	165.60
660mm	91.0117	142.00	170.40
850mm	91.0118	154.00	184.80

TECHNICAL INFORMATION

Material: **Steel**

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



Aluminium Range

WITHINGTON VERTICAL



For all Withington Towel Hangers, please refer to page 235.

Pictured 89.0142 Matt Anthracite with 86.0079 Towel Hangers x3 & 89.0170 Cover Caps x2



Pictured 89.0139 Matt White with 101.0058 Towel Hanger

An elegant aluminium radiator with clean lines which will be the centre of attention in any room. Towel hangers and chrome caps are available as an additional extras.



FEATURES

- Excellent heat conductivity and lightweight
- Heats up very quickly
- Only requires a low water volume
- Radiators come with cover caps on top and bottom, same as radiator colour. Matt Cobalt Blue radiators come with Chrome Cover Caps
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 422-423



Aluminium Range

WITHINGTON VERTICAL



Withington Aluminium Radiators - Matt White							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	122	240	150W	A, A+, F, G	89.0782	182.00	218.40
1200 x 280mm	223	439	300W	A, A+, F, G	89.0930	251.00	301.20
1200 x 375mm	296	583	300W	A, A+, F, G	89.0931	323.00	387.60
1200 x 470mm	368	724	450W	A, A+, F, G	89.0932	395.00	474.00
1200 x 565mm	440	865	600W	A, A+, F, G	89.0933	472.00	566.40
1800 x 280mm	322	636	450W	A, A+, F, G	89.0137	307.00	368.40
1800 x 375mm	427	844	600W	A, A+, F, G	89.0139	397.00	476.40
1800 x 470mm	531	1049	750W	A, A+, F, G	89.0141	479.00	574.80
1800 x 565mm	634	1253	1000W	A, A+, F, G	89.0783	595.00	714.00

Withington Aluminium Radiators - Matt Anthracite							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	122	240	150W	A, A+, F, G	89.0784	182.00	218.40
1200 x 280mm	223	439	300W	A, A+, F, G	89.0963	251.00	301.20
1200 x 375mm	296	583	300W	A, A+, F, G	89.0964	323.00	387.60
1200 x 470mm	368	724	450W	A, A+, F, G	89.0965	395.00	474.00
1200 x 565mm	440	865	600W	A, A+, F, G	89.0966	472.00	566.40
1800 x 280mm	322	636	450W	A, A+, F, G	89.0138	307.00	368.40
1800 x 375mm	427	844	600W	A, A+, F, G	89.0140	397.00	476.40
1800 x 470mm	531	1049	750W	A, A+, F, G	89.0142	479.00	574.80
1800 x 565mm	634	1253	1000W	A, A+, F, G	89.0785	595.00	714.00

Withington Aluminium Radiators - Matt Black							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	122	240	150W	A, A+, F, G	89.0786	182.00	218.40
1200 x 280mm	223	439	300W	A, A+, F, G	89.0984	251.00	301.20
1200 x 375mm	296	583	300W	A, A+, F, G	89.0985	323.00	387.60
1200 x 470mm	368	724	450W	A, A+, F, G	89.0986	395.00	474.00
1200 x 565mm	440	865	600W	A, A+, F, G	89.0987	472.00	566.40
1800 x 280mm	322	636	450W	A, A+, F, G	89.0787	307.00	368.40
1800 x 375mm	427	844	600W	A, A+, F, G	89.0788	397.00	476.40
1800 x 470mm	531	1049	750W	A, A+, F, G	89.0789	479.00	574.80
1800 x 565mm	634	1253	1000W	A, A+, F, G	89.0790	595.00	714.00

Withington Aluminium Radiators - Matt Cobalt Blue							
Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	322	636	450W	A, A+, F, G	89.1608	307.00	368.40
1800 x 375mm	427	844	600W	A, A+, F, G	89.1609	397.00	476.40
1800 x 470mm	531	1049	750W	A, A+, F, G	89.1610	479.00	574.80

Prices include radiator and wall fixing sets, valves and accessories extra.



Pictured 89.0987 Matt Black

For all Withington Towel Hangers, please refer to [page 235](#).

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

Withington Cover Cap Sets - Chrome			
Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	89.0168	18.00	21.60
Cover Cap Set 375mm	89.0169	21.00	25.20
Cover Cap Set 470mm	89.0170	23.00	27.60
Cover Cap Set 565mm	89.0842	28.00	33.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

Round Vent Caps

Page 369



For element types see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Aluminium Range

WITHINGTON HORIZONTAL



Pictured 89.0767 Matt White

A contemporary versatile radiator style, that come in four finishes, with an optional extra of stylish towel hangers.

Withington Horizontal Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	202	395	300W	A, A+, C, H	89.0767	252.00	302.40
600 x 660mm	280	548	450W	A, A+, C, H	89.0768	332.00	398.40
600 x 850mm	358	700	600W	A, A+, C, H	89.0769	415.00	498.00
600 x 1040mm	434	850	750W	A, A+, C, H	89.0770	493.00	591.60
600 x 1230mm	511	1000	900W	A, A+, C, H	89.0771	580.00	696.00
600 x 1420mm	587	1148	900W	A, A+, C, H	89.0934	679.00	814.80

Withington Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	202	395	300W	A, A+, C, H	89.0772	252.00	302.40
600 x 660mm	280	548	450W	A, A+, C, H	89.0773	332.00	398.40
600 x 850mm	358	700	600W	A, A+, C, H	89.0774	415.00	498.00
600 x 1040mm	434	850	750W	A, A+, C, H	89.0775	493.00	591.60
600 x 1230mm	511	1000	900W	A, A+, C, H	89.0776	580.00	696.00
600 x 1420mm	587	1148	900W	A, A+, C, H	89.0967	679.00	814.80

Withington Horizontal Aluminium Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	202	395	300W	A, A+, C, H	89.0777	252.00	302.40
600 x 660mm	280	548	450W	A, A+, C, H	89.0778	332.00	398.40
600 x 850mm	358	700	600W	A, A+, C, H	89.0779	415.00	498.00
600 x 1040mm	434	850	750W	A, A+, C, H	89.0780	493.00	591.60
600 x 1230mm	511	1000	900W	A, A+, C, H	89.0781	580.00	696.00
600 x 1420mm	587	1148	900W	A, A+, C, H	89.0988	679.00	814.80

Withington Horizontal Aluminium Radiators - Matt Cobalt Blue

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	202	395	300W	A, A+, C, H	89.1611	252.00	302.40
600 x 660mm	280	548	450W	A, A+, C, H	89.1612	332.00	398.40
600 x 850mm	358	700	600W	A, A+, C, H	89.1613	415.00	498.00
600 x 1040mm	434	850	750W	A, A+, C, H	89.1614	493.00	591.60
600 x 1230mm	511	1000	900W	A, A+, C, H	89.1615	580.00	696.00



Pictured 89.1612 Matt Cobalt Blue

Warranty

5
Year

Heating



All Electric



Dual-Fuel



FEATURES

- Excellent heat conductivity and lightweight
- Heats up very quickly
- Only requires a low water volume
- Radiators come with cover caps on top and bottom, same as radiator colour. Matt Cobalt Blue radiators come with Chrome Cover Caps
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 422-423



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Withington Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	89.0170	23.00	27.60
Cover Cap Set 660mm	89.0843	33.00	39.60
Cover Cap Set 850mm	89.0844	40.00	48.00
Cover Cap Set 1040mm	89.0845	47.00	56.40
Cover Cap Set 1230mm	89.0846	56.00	67.20
Cover Cap Set 1420mm	89.1405	61.00	73.20

Cover cap sets only include cover caps for the top or bottom of the radiator.

For element types see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Aluminium Range

WITHINGTON STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0186	62.00	74.40
375mm	89.0187	66.00	79.20
470mm	89.0188	74.00	88.80
565mm	86.0338	78.00	93.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0189	62.00	74.40
375mm	89.0190	66.00	79.20
470mm	89.0191	74.00	88.80
565mm	86.0339	78.00	93.60



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0192	62.00	74.40
375mm	89.0193	66.00	79.20
470mm	89.0194	74.00	88.80
565mm	86.0340	78.00	93.60



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0077	53.00	63.60
375mm	86.0078	62.00	74.40
470mm	86.0079	69.00	82.80
565mm	86.0341	72.00	86.40



Towel Hanger - Mirror Polished Premium			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0201	73.00	87.60
375mm	86.0202	80.00	96.00
470mm	86.0203	87.00	104.40
565mm	86.0342	93.00	111.60



Towel Hanger - Brushed Brass			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	41.0612	59.00	70.80
375mm	41.0613	68.00	81.60
470mm	41.0614	77.00	92.40
565mm	41.0615	81.00	97.20

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Withington Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

600mm height x 470mm width radiator can have one towel hanger.

Can be fitted after installation only on high adjustment bracket fitting.

WITHINGTON FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	72.00	86.40
375mm	89.0284	79.00	94.80
470mm	89.0285	89.00	106.80
565mm	91.0163	95.00	114.00
660mm	89.0286	100.00	120.00
850mm	89.0287	112.00	134.40



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	72.00	86.40
375mm	89.0289	79.00	94.80
470mm	89.0290	89.00	106.80
565mm	91.0164	95.00	114.00
660mm	89.0291	100.00	120.00
850mm	89.0292	112.00	134.40



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	72.00	86.40
375mm	89.0294	79.00	94.80
470mm	89.0295	89.00	106.80
565mm	91.0165	95.00	114.00
660mm	89.0296	100.00	120.00
850mm	89.0297	112.00	134.40



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	98.00	117.60
375mm	91.0095	100.00	120.00
470mm	91.0096	102.00	122.40
565mm	91.0166	103.00	123.60
660mm	91.0097	108.00	129.60
850mm	91.0098	115.00	138.00


DOUBLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	88.00	105.60
375mm	89.0370	92.00	110.40
470mm	89.0371	103.00	123.60
565mm	91.0167	114.00	136.80
660mm	89.0372	121.00	145.20
850mm	89.0373	135.00	162.00



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	88.00	105.60
375mm	89.0375	92.00	110.40
470mm	89.0376	103.00	123.60
565mm	91.0168	114.00	136.80
660mm	89.0377	121.00	145.20
850mm	89.0378	135.00	162.00



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	88.00	105.60
375mm	89.0380	92.00	110.40
470mm	89.0381	103.00	123.60
565mm	91.0169	114.00	136.80
660mm	89.0382	121.00	145.20
850mm	89.0383	135.00	162.00



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	124.00	148.80
375mm	91.0115	130.00	156.00
470mm	91.0116	132.00	158.40
565mm	91.0170	138.00	165.60
660mm	91.0117	142.00	170.40
850mm	91.0118	154.00	184.80

TECHNICAL INFORMATION

Material: **Steel**

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm



Aluminium Range

MALMESBURY VERTICAL

Round Vent Caps
Page 369



An aluminium radiator range available in both Vertical and Horizontal designs in Matt White, Matt Anthracite, Matt Cappuccino, Matt Grey or Matt Black finishes. Optional extras include chrome cover caps and towel hangers.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

**Technical Tables
& Drawings**
Page 424-425



Warranty

5
Year

Heating



All Electric



Dual-Fuel



For all Multi-Purpose Towel Hangers, please refer to **page 368**.

Pictured 89.0148 Matt White with 89.0883L Multi-Purpose Towel Hanger



Pictured 89.0279 Matt Grey with 89.0301 Towel Hangers

Aluminium Range

MALMESBURY VERTICAL

Malmesbury Vertical Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	153	296	150W	A, A+, F, G	89.0935	187.00	224.40
1200 x 280mm	226	437	300W	A, A+, F, G	89.0936	266.00	319.20
1200 x 375mm	297	576	300W	A, A+, F, G	89.0937	343.00	411.60
1200 x 470mm	368	713	450W	A, A+, F, G	89.0938	418.00	501.60
1200 x 565mm	437	848	600W	A, A+, F, G	89.0939	500.00	600.00
1800 x 185mm	220	429	300W	A, A+, F, G	89.0277	231.00	277.20
1800 x 280mm	325	634	450W	A, A+, F, G	89.0146	327.00	392.40
1800 x 375mm	428	835	600W	A, A+, F, G	89.0148	416.00	499.20
1800 x 470mm	530	1033	750W	A, A+, F, G	89.0150	509.00	610.80
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.0739	613.00	735.60

Malmesbury Vertical Aluminium Radiators - Matt Grey

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	153	296	150W	A, A+, F, G	89.0946	187.00	224.40
1200 x 280mm	226	437	300W	A, A+, F, G	89.0947	266.00	319.20
1200 x 375mm	297	576	300W	A, A+, F, G	89.0948	343.00	411.60
1200 x 470mm	368	713	450W	A, A+, F, G	89.0949	418.00	501.60
1200 x 565mm	437	848	600W	A, A+, F, G	89.0950	500.00	600.00
1800 x 185mm	220	429	300W	A, A+, F, G	89.0279	231.00	277.20
1800 x 280mm	325	634	450W	A, A+, F, G	89.0280	327.00	392.40
1800 x 375mm	428	835	600W	A, A+, F, G	89.0281	416.00	499.20
1800 x 470mm	530	1033	750W	A, A+, F, G	89.0282	509.00	610.80
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.0740	613.00	735.60

Malmesbury Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	153	296	150W	A, A+, F, G	89.0968	187.00	224.40
1200 x 280mm	226	437	300W	A, A+, F, G	89.0969	266.00	319.20
1200 x 375mm	297	576	300W	A, A+, F, G	89.0970	343.00	411.60
1200 x 470mm	368	713	450W	A, A+, F, G	89.0971	418.00	501.60
1200 x 565mm	437	848	600W	A, A+, F, G	89.0972	500.00	600.00
1800 x 185mm	220	429	300W	A, A+, F, G	89.0278	231.00	277.20
1800 x 280mm	325	634	450W	A, A+, F, G	89.0147	327.00	392.40
1800 x 375mm	428	835	600W	A, A+, F, G	89.0149	416.00	499.20
1800 x 470mm	530	1033	750W	A, A+, F, G	89.0151	509.00	610.80
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.0742	613.00	735.60

Malmesbury Vertical Aluminium Radiators - Matt Cappuccino

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	153	296	150W	A, A+, F, G	89.0952	187.00	224.40
1200 x 280mm	226	437	300W	A, A+, F, G	89.0953	266.00	319.20
1200 x 375mm	297	576	300W	A, A+, F, G	89.0954	343.00	411.60
1200 x 470mm	368	713	450W	A, A+, F, G	89.0955	418.00	501.60
1200 x 565mm	437	848	600W	A, A+, F, G	89.0956	500.00	600.00
1800 x 185mm	220	429	300W	A, A+, F, G	89.0477	257.00	308.40
1800 x 280mm	325	634	450W	A, A+, F, G	89.0478	363.00	435.60
1800 x 375mm	428	835	600W	A, A+, F, G	89.0479	467.00	560.40
1800 x 470mm	530	1033	750W	A, A+, F, G	89.0480	571.00	685.20
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.0741	675.00	810.00

Malmesbury Vertical Aluminium Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 185mm	220	429	300W	A, A+, F, G	89.1753	231.00	277.20
1800 x 280mm	325	634	450W	A, A+, F, G	89.1754	327.00	392.40
1800 x 375mm	428	835	600W	A, A+, F, G	89.1755	416.00	499.20
1800 x 470mm	530	1033	750W	A, A+, F, G	89.1756	509.00	610.80
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.1757	613.00	735.60

Prices include radiator and wall fixing sets, valves and accessories extra.



For all Malmesbury Matt White, Matt Anthracite, Matt Cappuccino, Matt Grey, Matt Black & Chrome Towel Hangers, please refer to **page 241**.

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

For element types see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Malmesbury Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 185mm	89.0422	19.00	22.80
Cover Cap Set 280mm	89.0171	19.00	22.80
Cover Cap Set 375mm	89.0172	21.00	25.20
Cover Cap Set 470mm	89.0173	24.00	28.80
Cover Cap Set 565mm	89.0174	28.00	33.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

MALMESBURY VERTICAL

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Malmesbury Aluminium Radiators combine sleek, modern design with exceptional durability. Finished using advanced plasma technology painting, they offer a flawless, long-lasting surface that resists wear and maintains its vibrant look for years. A perfect blend of performance and style, these radiators make a striking statement in any space.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Can be single, dual fuel or all electric
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

Premium Plasma Colours

Our new Plasma Colour radiators bring a bold, modern aesthetic to your space with a sleek, gloss finish. Designed for both durability, and an eco-friendly solution with a vibrant look.

Brass Effect



Silver Effect



Black Effect



SWATCHES AVAILABLE

**Technical Tables
& Drawings**
Page 424-425



Pictured 89.1778 Black Effect

Aluminium Range

MALMESBURY VERTICAL

Malmesbury Vertical Aluminium Radiators - Brass Effect

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	325	634	450W	A, A+, F, G	89.1768	392.00	470.40
1800 x 375mm	428	835	600W	A, A+, F, G	89.1769	503.00	603.60
1800 x 470mm	530	1033	750W	A, A+, F, G	89.1770	615.00	738.00
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.1771	738.00	885.60

Malmesbury Vertical Aluminium Radiators - Silver Effect

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	325	634	450W	A, A+, F, G	89.1772	392.00	470.40
1800 x 375mm	428	835	600W	A, A+, F, G	89.1773	503.00	603.60
1800 x 470mm	530	1033	750W	A, A+, F, G	89.1774	615.00	738.00
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.1775	738.00	885.60

Malmesbury Vertical Aluminium Radiators - Black Effect

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	325	634	450W	A, A+, F, G	89.1776	392.00	470.40
1800 x 375mm	428	835	600W	A, A+, F, G	89.1777	503.00	603.60
1800 x 470mm	530	1033	750W	A, A+, F, G	89.1778	615.00	738.00
1800 x 565mm	630	1229	1000W	A, A+, F, G	89.1779	738.00	885.60

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.

For element types
see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Malmesbury Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	89.0171	19.00	22.80
Cover Cap Set 375mm	89.0172	21.00	25.20
Cover Cap Set 470mm	89.0173	24.00	28.80
Cover Cap Set 565mm	89.0174	28.00	33.60

Cover cap sets only include cover caps for the top or bottom of the radiator.



Pictured 89.1773 Silver Effect with
89.0159 Towel Hangers x 3



Pictured 89.1771 Brass Effect

Aluminium Range

MALMESBURY HORIZONTAL

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 89.0425 Matt White

An aluminium radiator range available in both Vertical and Horizontal designs in Matt White, Matt Anthracite, Matt Cappuccino, Matt Grey or Matt Black finishes. Optional extras include chrome cover caps and towel hangers.

500mm Height

Malmesbury Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 375mm	140	269	150W	A, A+, C, H	89.0432	195.00	234.00
500 x 470mm	173	333	150W	A, A+, C, H	89.0433	242.00	290.40
500 x 565mm	205	396	300W	A, A+, C, H	89.0434	285.00	342.00

Malmesbury Horizontal Aluminium Radiators - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 375mm	140	269	150W	A, A+, C, H	89.0435	195.00	234.00
500 x 470mm	173	333	150W	A, A+, C, H	89.0436	242.00	290.40
500 x 565mm	205	396	300W	A, A+, C, H	89.0437	285.00	342.00

Malmesbury Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
500 x 375mm	140	269	150W	A, A+, C, H	89.0438	195.00	234.00
500 x 470mm	173	333	150W	A, A+, C, H	89.0439	242.00	290.40
500 x 565mm	205	396	300W	A, A+, C, H	89.0440	285.00	342.00

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 424-425



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

600mm Height

Malmesbury Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	163	314	150W	A, A+, C, H	89.0152	210.00	252.00
600 x 470mm	202	389	300W	A, A+, C, H	89.0154	261.00	313.20
600 x 565mm	240	462	300W	A, A+, C, H	89.0156	307.00	368.40
600 x 850mm	352	680	450W	A, A+, C, H	89.0423	436.00	523.20
600 x 1040mm	426	822	600W	A, A+, C, H	89.0424	530.00	636.00
600 x 1230mm	499	963	750W	A, A+, C, H	89.0425	627.00	752.40
600 x 1420mm	572	1103	900W	A, A+, C, H	89.0940	780.00	936.00

Malmesbury Horizontal Aluminium Radiators - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	163	314	150W	A, A+, C, H	89.0274	210.00	252.00
600 x 470mm	202	389	300W	A, A+, C, H	89.0275	261.00	313.20
600 x 565mm	240	462	300W	A, A+, C, H	89.0276	307.00	368.40
600 x 850mm	352	680	450W	A, A+, C, H	89.0426	436.00	523.20
600 x 1040mm	426	822	600W	A, A+, C, H	89.0427	530.00	636.00
600 x 1230mm	499	963	750W	A, A+, C, H	89.0428	627.00	752.40
600 x 1420mm	572	1103	900W	A, A+, C, H	89.0951	780.00	936.00

Malmesbury Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	163	314	150W	A, A+, C, H	89.0153	210.00	252.00
600 x 470mm	202	389	300W	A, A+, C, H	89.0155	261.00	313.20
600 x 565mm	240	462	300W	A, A+, C, H	89.0157	307.00	368.40
600 x 850mm	352	680	450W	A, A+, C, H	89.0429	436.00	523.20
600 x 1040mm	426	822	600W	A, A+, C, H	89.0430	530.00	636.00
600 x 1230mm	499	963	750W	A, A+, C, H	89.0431	627.00	752.40
600 x 1420mm	572	1103	900W	A, A+, C, H	89.0973	780.00	936.00

Malmesbury Horizontal Aluminium Radiators - Matt Cappuccino

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	163	314	150W	A, A+, C, H	89.0481	237.00	284.40
600 x 470mm	202	389	300W	A, A+, C, H	89.0482	294.00	352.80
600 x 565mm	240	462	300W	A, A+, C, H	89.0483	344.00	412.80
600 x 850mm	352	680	450W	A, A+, C, H	89.0484	513.00	615.60
600 x 1040mm	426	822	600W	A, A+, C, H	89.0485	623.00	747.60
600 x 1230mm	499	963	750W	A, A+, C, H	89.0486	738.00	885.60
600 x 1420mm	572	1103	900W	A, A+, C, H	89.0957	780.00	936.00

Prices include radiator and wall fixing sets, valves and accessories extra.



Malmesbury Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 375mm	89.0172	21.00	25.20
Cover Cap Set 470mm	89.0173	24.00	28.80
Cover Cap Set 565mm	89.0174	28.00	33.60
Cover Cap Set 850mm	89.0497	37.00	44.40
Cover Cap Set 1040mm	89.0498	44.00	52.80
Cover Cap Set 1230mm	89.0499	50.00	60.00
Cover Cap Set 1420mm	89.1406	55.00	66.00

Cover cap sets only include cover caps for the top or bottom of the radiator.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H can be increased up to full capacity of 900 watts).



Aluminium Range

MALMESBURY STANDARD TOWEL HANGERS




Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0298	47.00	56.40
280mm	89.0215	56.00	67.20
375mm	89.0207	63.00	75.60
470mm	89.0208	72.00	86.40
565mm	89.0209	76.00	91.20




Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0300	47.00	56.40
280mm	89.0302	56.00	67.20
375mm	89.0303	63.00	75.60
470mm	89.0304	72.00	86.40
565mm	89.0305	76.00	91.20



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0299	47.00	56.40
280mm	89.0216	56.00	67.20
375mm	89.0210	63.00	75.60
470mm	89.0211	72.00	86.40
565mm	89.0212	76.00	91.20



Towel Hanger - Matt Cappuccino			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0487	47.00	56.40
280mm	89.0488	56.00	67.20
375mm	89.0489	63.00	75.60
470mm	89.0490	72.00	86.40
565mm	89.0491	76.00	91.20



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.1758	47.00	56.40
280mm	89.1759	56.00	67.20
375mm	89.1760	63.00	75.60
470mm	89.1761	72.00	86.40
565mm	89.1762	76.00	91.20



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0301	47.00	56.40
280mm	89.0158	53.00	63.60
375mm	89.0159	56.00	67.20
470mm	89.0160	65.00	78.00
565mm	89.0176	70.00	84.00



TECHNICAL INFORMATION

Vertical Radiators:

1200mm radiators come with 2 pre-drilled towel hanger locations with a maximum of 2 towel hangers and 1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 185, 280, 375, 470 and 565mm. The standard towel hangers are only compatible with the Vertical Radiators.

Can be fitted after installation only on high adjustment bracket fitting.

Material: **Steel**

Horizontal Radiators:

500mm & 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - (only 375, 470 and 565mm widths).

Standard towel hanger can be fitted.

Can be fitted after installation only on high adjustment bracket fitting.

The Malmesbury Standard Towel Hangers will add approx 22mm width on each side once fitted to the radiator.

MALMESBURY FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0306	83.00	99.60
375mm	89.0307	89.00	106.80
470mm	89.0308	92.00	110.40
565mm	89.0309	116.00	139.20



Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0314	83.00	99.60
375mm	89.0315	89.00	106.80
470mm	89.0316	92.00	110.40
565mm	89.0317	116.00	139.20



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0310	83.00	99.60
375mm	89.0311	89.00	106.80
470mm	89.0312	92.00	110.40
565mm	89.0313	116.00	139.20



Towel Hanger - Matt Cappuccino			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0492	90.00	108.00
375mm	89.0493	98.00	117.60
470mm	89.0494	102.00	122.40
565mm	89.0495	128.00	153.60

TECHNICAL INFORMATION

Vertical and Horizontal Radiators:

Single Flat style hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Material: **Steel**

Hanger Fitting Widths
96/191/286/476mm




Aluminium Range

ROSANO VERTICAL



Pictured 86.0008 Matt Anthracite with 101.0085 Towel Hanger x1 & 86.0112 Cover Caps x2 (Side connection valves shown)



Side or Bottom connection options

Pictured 86.0004 Matt White with 101.0049 Towel Hanger x1 & 86.0112 Cover Caps x2 (Side connection valves shown)

A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room. Available in a choice of colours and in horizontal or vertical designs. Stunning towel hangers will complement the vertical design allowing room for your towels.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings

Page 424-425



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and 35 or 55mm off the wall. **Bottom connection:** Tappings are 90mm less than the width of the rail and 35 or 55mm off the wall.

Aluminium Range

ROSANO VERTICAL



Matt White

Matt Anthracite

Matt Black

Rosano Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	141	263	150W	A, A+	86.0147	223.00	267.60
1800 x 280mm	432	800	450W	A, A+	86.0001	361.00	433.20
1800 x 375mm	576	1067	750W	A, A+	86.0004	460.00	552.00
1800 x 470mm	720	1334	900W	A, A+	86.0007	562.00	674.40
1800 x 565mm	864	1600	1000W	A, A+	86.0284	682.00	818.40

Rosano Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	141	263	150W	A, A+	86.0148	223.00	267.60
1800 x 280mm	432	800	450W	A, A+	86.0002	361.00	433.20
1800 x 375mm	576	1067	750W	A, A+	86.0005	460.00	552.00
1800 x 470mm	720	1334	900W	A, A+	86.0008	562.00	674.40
1800 x 565mm	864	1600	1000W	A, A+	86.0285	682.00	818.40

Rosano Vertical Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	141	263	150W	A, A+	86.0149	223.00	267.60
1800 x 280mm	432	800	450W	A, A+	86.0003	361.00	433.20
1800 x 375mm	576	1067	750W	A, A+	86.0006	460.00	552.00
1800 x 470mm	720	1334	900W	A, A+	86.0009	562.00	674.40
1800 x 565mm	864	1600	1000W	A, A+	86.0286	682.00	818.40

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options (only on vertical sizes)
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator
- * With conditions

For element types see pages 336-349.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



Pictured 86.0005 Matt Anthracite with 86.0026 Towel Hangers (bottom connection valves shown)



For all Rosano Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 246-247.




Rosano Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	86.0111	28.00	33.60
Cover Cap Set 375mm	86.0112	34.00	40.80
Cover Cap Set 470mm	86.0113	38.00	45.60
Cover Cap Set 565mm	86.0309	46.00	55.20

Cover cap sets only include cover caps for the top or bottom of the radiator.

Multi-Purpose Towel Hangers

Page 368



Aluminium Range

ROSANO HORIZONTAL

Pictured 86.0020 Matt Anthracite

Pictured 86.0021 Matt Black



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings
Page 424-425



A luxurious flat panelled radiator range with stunning clean lines which will be the focus of any room. Available in a choice of colours and in horizontal or vertical designs.

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

Radiator Valves

Page 350-365



Aluminium Range

ROSANO HORIZONTAL

Pictured 86.0016 Matt White with 89.0372 Towel Hanger



Rosano Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	235	438	300W	A, A+, C, H	86.0010	288.00	345.60
600 x 660mm	329	613	450W	A, A+, C, H	86.0013	382.00	458.40
600 x 850mm	423	788	600W	A, A+, C, H	86.0016	472.00	566.40
600 x 1040mm	517	963	750W	A, A+, C, H	86.0019	566.00	679.20
600 x 1230mm	611	1138	900W	A, A+, C, H	86.0022	657.00	788.40

Rosano Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	235	438	300W	A, A+, C, H	86.0011	288.00	345.60
600 x 660mm	329	613	450W	A, A+, C, H	86.0014	382.00	458.40
600 x 850mm	423	788	600W	A, A+, C, H	86.0017	472.00	566.40
600 x 1040mm	517	963	750W	A, A+, C, H	86.0020	566.00	679.20
600 x 1230mm	611	1138	900W	A, A+, C, H	86.0023	657.00	788.40

Rosano Horizontal Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	235	438	300W	A, A+, C, H	86.0012	288.00	345.60
600 x 660mm	329	613	450W	A, A+, C, H	86.0015	382.00	458.40
600 x 850mm	423	788	600W	A, A+, C, H	86.0018	472.00	566.40
600 x 1040mm	517	963	750W	A, A+, C, H	86.0021	566.00	679.20
600 x 1230mm	611	1138	900W	A, A+, C, H	86.0024	657.00	788.40

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

For element types
see pages 336-349.


Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




Matt White



Matt Anthracite



Matt Black



For all Rosano Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 246-247.



Rosano Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	86.0113	38.00	45.60
Cover Cap Set 660mm	86.0114	50.00	60.00
Cover Cap Set 850mm	86.0115	60.00	72.00
Cover Cap Set 1040mm	86.0116	70.00	84.00
Cover Cap Set 1230mm	86.0117	83.00	99.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

ROSANO STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0177	62.00	74.40
375mm	89.0178	66.00	79.20
470mm	89.0179	74.00	88.80
565mm	86.0333	78.00	93.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0180	62.00	74.40
375mm	89.0181	66.00	79.20
470mm	89.0182	74.00	88.80
565mm	86.0334	78.00	93.60



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0183	62.00	74.40
375mm	89.0184	66.00	79.20
470mm	89.0185	74.00	88.80
565mm	86.0335	78.00	93.60



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0025	53.00	63.60
375mm	86.0026	62.00	74.40
470mm	86.0027	69.00	82.80
565mm	86.0336	72.00	86.40

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Rosano Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

600mm height x 470mm width radiator can have one towel hanger.

Can be fitted after installation only on high adjustment bracket fitting.



Towel Hanger - Brushed Brass			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	41.0616	56.00	67.20
375mm	41.0617	63.00	75.60
470mm	41.0618	72.00	86.40
565mm	41.0619	76.00	91.20




Towel Hanger - Mirror Polished Premium			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0198	73.00	87.60
375mm	86.0199	80.00	96.00
470mm	86.0200	87.00	104.40
565mm	86.0337	93.00	111.60

ROSANO FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	72.00	86.40
375mm	89.0284	79.00	94.80
470mm	89.0285	89.00	106.80
565mm	91.0163	95.00	114.00
660mm	89.0286	100.00	120.00
850mm	89.0287	112.00	134.40



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	72.00	86.40
375mm	89.0289	79.00	94.80
470mm	89.0290	89.00	106.80
565mm	91.0164	95.00	114.00
660mm	89.0291	100.00	120.00
850mm	89.0292	112.00	134.40



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	72.00	86.40
375mm	89.0294	79.00	94.80
470mm	89.0295	89.00	106.80
565mm	91.0165	95.00	114.00
660mm	89.0296	100.00	120.00
850mm	89.0297	112.00	134.40



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	98.00	117.60
375mm	91.0095	100.00	120.00
470mm	91.0096	102.00	122.40
565mm	91.0166	103.00	123.60
660mm	91.0097	108.00	129.60
850mm	91.0098	115.00	138.00

DOUBLE FLAT STYLE



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	88.00	105.60
375mm	89.0370	92.00	110.40
470mm	89.0371	103.00	123.60
565mm	91.0167	114.00	136.80
660mm	89.0372	121.00	145.20
850mm	89.0373	135.00	162.00



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	88.00	105.60
375mm	89.0375	92.00	110.40
470mm	89.0376	103.00	123.60
565mm	91.0168	114.00	136.80
660mm	89.0377	121.00	145.20
850mm	89.0378	135.00	162.00



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	88.00	105.60
375mm	89.0380	92.00	110.40
470mm	89.0381	103.00	123.60
565mm	91.0169	114.00	136.80
660mm	89.0382	121.00	145.20
850mm	89.0383	135.00	162.00



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	124.00	148.80
375mm	91.0115	130.00	156.00
470mm	91.0116	132.00	158.40
565mm	91.0170	138.00	165.60
660mm	91.0117	142.00	170.40
850mm	91.0118	154.00	184.80

TECHNICAL INFORMATION

Material: **Steel**

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm



Hanger Fitting Widths
96/191/286/381/476/666mm




Aluminium Range

ROSANO FLAT TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Flat Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0048	240.00	288.00
375mm	101.0049	261.00	313.20
470mm	101.0050	299.00	358.80
565mm	101.0064	335.00	402.00

Flat Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0054	240.00	288.00
375mm	101.0055	261.00	313.20
470mm	101.0056	299.00	358.80
565mm	101.0065	335.00	402.00

ROSANO CURVED TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Curved Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0051	240.00	288.00
375mm	101.0052	261.00	313.20
470mm	101.0053	299.00	358.80
565mm	101.0066	335.00	402.00

Curved Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0057	240.00	288.00
375mm	101.0058	261.00	313.20
470mm	101.0059	299.00	358.80
565mm	101.0067	335.00	402.00

Material: **Stainless Steel - Grade 304**

TECHNICAL INFORMATION

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations. 600mm height radiators come with 1 pre-drilled towel hanger location. The flat triple & curved triple towel hangers are only compatible with the Vertical Radiators and can be fitted to the pre-drilled holes on 1800mm & 600mm height radiators. **Can be fitted after installation only on high adjustment bracket fitting.**

Horizontal Radiators:

The flat triple & curved triple towel hangers are not suitable for horizontal radiators.

ROSANO DESIGNER TOWEL HANGERS

Square Style



Square Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0075	72.00	86.40
470mm	101.0076	79.00	94.80
565mm	101.0077	92.00	110.40

Square Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0078	72.00	86.40
470mm	101.0079	79.00	94.80
565mm	101.0080	92.00	110.40

Square Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0081	72.00	86.40
470mm	101.0082	79.00	94.80
565mm	101.0083	92.00	110.40

Square Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0084	83.00	99.60
470mm	101.0085	96.00	115.20
565mm	101.0086	112.00	134.40

Triangle Style



Triangle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0087	74.00	88.80
470mm	101.0088	83.00	99.60
565mm	101.0089	97.00	116.40

Triangle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0090	74.00	88.80
470mm	101.0091	83.00	99.60
565mm	101.0092	97.00	116.40

Triangle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0093	74.00	88.80
470mm	101.0094	83.00	99.60
565mm	101.0095	97.00	116.40

Triangle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0096	84.00	100.80
470mm	101.0097	97.00	116.40
565mm	101.0098	115.00	138.00

Circle Style



Circle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0099	78.00	93.60
470mm	101.0100	86.00	103.20
565mm	101.0101	100.00	120.00

Circle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0102	78.00	93.60
470mm	101.0103	86.00	103.20
565mm	101.0104	100.00	120.00

Circle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0105	78.00	93.60
470mm	101.0106	86.00	103.20
565mm	101.0107	100.00	120.00

Circle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0108	84.00	100.80
470mm	101.0109	98.00	117.60
565mm	101.0110	116.00	139.20

Material: **Steel**

TECHNICAL INFORMATION

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Aluminium Range

PERETTI VERTICAL

Side or Bottom connection options



Pictured 86.0178 Polished Aluminium with 86.0078 Towel Hangers (side connection valves shown)



Pictured 86.0061 Matt Black with 101.0109 Towel Hanger x1 (bottom connection valves shown)

A refined version of the designer flat panelled radiators with a curve to the end two panels. This radiator will add a touch of sophistication creating an impact in any room. Available in both vertical and horizontal designs as well as four different colours for maximum choice. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Side or bottom connection options (only on vertical sizes)
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- Radiators come with cover caps on top and bottom, the same colour as the radiator

* With conditions

**Technical Tables
& Drawings**
Page 426-427



Warranty

5
Year

Heating



All Electric



Dual-Fuel



For all Peretti Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 252-253.



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and 35 or 55mm off the wall. **Bottom connection:** Tappings are 90mm less than the width of the rail and 35 or 55mm off the wall.

Aluminium Range

PERETTI VERTICAL



Matt White

Matt Anthracite

Matt Black

Polished

Peretti Vertical Aluminium Radiators - Matt White

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	145	267	150W	A, A+	86.0150	223.00	267.60
1800 x 280mm	432	800	450W	A, A+	86.0053	361.00	433.20
1800 x 375mm	576	1067	750W	A, A+	86.0056	460.00	552.00
1800 x 470mm	720	1334	900W	A, A+	86.0059	562.00	674.40
1800 x 565mm	864	1600	1000W	A, A+	86.0287	682.00	818.40

Peretti Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	145	267	150W	A, A+	86.0151	223.00	267.60
1800 x 280mm	432	800	450W	A, A+	86.0054	361.00	433.20
1800 x 375mm	576	1067	750W	A, A+	86.0057	460.00	552.00
1800 x 470mm	720	1334	900W	A, A+	86.0060	562.00	674.40
1800 x 565mm	864	1600	1000W	A, A+	86.0288	682.00	818.40

Peretti Vertical Aluminium Radiators - Matt Black

Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	145	267	150W	A, A+	86.0152	223.00	267.60
1800 x 280mm	432	800	450W	A, A+	86.0055	361.00	433.20
1800 x 375mm	576	1067	750W	A, A+	86.0058	460.00	552.00
1800 x 470mm	720	1334	900W	A, A+	86.0061	562.00	674.40
1800 x 565mm	864	1600	1000W	A, A+	86.0289	682.00	818.40

Peretti Vertical Aluminium Radiators - Polished Aluminium


Size H x W	△T30 Watts*	△T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 280mm	140	259	150W	A, A+	86.0176	243.00	291.60
1800 x 280mm	420	776	450W	A, A+	86.0177	424.00	508.80
1800 x 375mm	559	1035	750W	A, A+	86.0178	543.00	651.60
1800 x 470mm	699	1294	900W	A, A+	86.0179	663.00	795.60
1800 x 565mm	839	1552	1000W	A, A+	86.0290	767.00	920.40

* Further heat output information available on eastbrooktrade.com **E&O A**

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types
see pages 336-349.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.



Pictured 86.0056 Matt White (side connection valves shown)




Peretti Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	86.0125	28.00	33.60
Cover Cap Set 375mm	86.0126	34.00	40.80
Cover Cap Set 470mm	86.0113	38.00	45.60
Cover Cap Set 565mm	86.0310	46.00	55.20

Cover cap sets only include cover caps for the top or bottom of the radiator.

Multi-Purpose Towel Hangers

Page 368



Aluminium Range

PERETTI HORIZONTAL

Pictured 86.0183 Polished Aluminium with 91.0117 Towel Hanger



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Technical Tables
& Drawings

Page 426-427



A refined version of the designer flat panelled radiators with a curve to the end two panels. This radiator will add a touch of sophistication creating an impact in any room. Available in both vertical and horizontal designs as well as four different colours for maximum choice. Stunning towel hangers will complement the vertical design allowing room for your towels.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
 - Radiators come with cover caps on top and bottom, the same colour as the radiator
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

For all Peretti Matt White, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 252-253.



Radiator Valves

Page 350-365



Aluminium Range

PERETTI HORIZONTAL

Pictured 86.0069 Matt Anthracite with 89.0290 Towel Hanger



Peretti Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	241	445	300W	A, A+, C, H	86.0062	288.00	345.60
600 x 660mm	337	623	450W	A, A+, C, H	86.0065	382.00	458.40
600 x 850mm	433	801	600W	A, A+, C, H	86.0068	472.00	566.40
600 x 1040mm	529	979	750W	A, A+, C, H	86.0071	566.00	679.20
600 x 1230mm	625	1156	900W	A, A+, C, H	86.0074	658.00	789.60

Peretti Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	241	445	300W	A, A+, C, H	86.0063	281.00	337.20
600 x 660mm	337	623	450W	A, A+, C, H	86.0066	382.00	458.40
600 x 850mm	433	801	600W	A, A+, C, H	86.0069	472.00	566.40
600 x 1040mm	529	979	750W	A, A+, C, H	86.0072	566.00	679.20
600 x 1230mm	625	1156	900W	A, A+, C, H	86.0075	658.00	789.60

Peretti Horizontal Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	241	445	300W	A, A+, C, H	86.0064	288.00	345.60
600 x 660mm	337	623	450W	A, A+, C, H	86.0067	382.00	458.40
600 x 850mm	433	801	600W	A, A+, C, H	86.0070	472.00	566.40
600 x 1040mm	529	979	750W	A, A+, C, H	86.0073	566.00	679.20
600 x 1230mm	625	1156	900W	A, A+, C, H	86.0076	658.00	789.60

Peretti Horizontal Aluminium Radiators - Polished Aluminium

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	233	432	300W	A, A+, C, H	86.0180	341.00	409.20
600 x 660mm	327	604	450W	A, A+, C, H	86.0181	451.00	541.20
600 x 850mm	420	777	600W	A, A+, C, H	86.0182	558.00	669.60
600 x 1040mm	513	949	750W	A, A+, C, H	86.0183	666.00	799.20
600 x 1230mm	606	1122	900W	A, A+, C, H	86.0184	776.00	931.20

* Further heat output information available on eastbrooktrade.com **E&O**

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types
see pages 336-349.


Element can only be installed horizontally
on the bottom header. Radiators that are
electric only are restricted to the heat output
of the elements (Type C&H up to 900 watts).




Matt White



Matt Anthracite



Matt Black



Polished Aluminium



Peretti Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	86.0127	38.00	45.60
Cover Cap Set 660mm	86.0128	50.00	60.00
Cover Cap Set 850mm	86.0129	60.00	72.00
Cover Cap Set 1040mm	86.0130	76.00	91.20
Cover Cap Set 1230mm	86.0131	83.00	99.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

PERETTI STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0186	62.00	74.40
375mm	89.0187	66.00	79.20
470mm	89.0188	74.00	88.80
565mm	86.0338	78.00	93.60



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0189	62.00	74.40
375mm	89.0190	66.00	79.20
470mm	89.0191	74.00	88.80
565mm	86.0339	78.00	93.60



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0192	62.00	74.40
375mm	89.0193	66.00	79.20
470mm	89.0194	74.00	88.80
565mm	86.0340	78.00	93.60



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0077	53.00	63.60
375mm	86.0078	62.00	74.40
470mm	86.0079	69.00	82.80
565mm	86.0341	72.00	86.40

TECHNICAL INFORMATION

Material: **Steel (Premium: Stainless Steel - Grade 304)**

1800mm height radiators come with 3 pre-drilled towel hanger locations with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. 600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger - 280mm width. The Peretti Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

600mm height x 470mm width radiator can have one towel hanger.

Can be fitted after installation only on high adjustment bracket fitting.



Towel Hanger - Brushed Brass

Size	Code	£ Ex VAT	£ Inc VAT
280mm	41.0612	59.00	70.80
375mm	41.0613	68.00	81.60
470mm	41.0614	77.00	92.40
565mm	41.0615	81.00	97.20



Towel Hanger - Mirror Polished Premium

Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0201	73.00	87.60
375mm	86.0202	80.00	96.00
470mm	86.0203	87.00	104.40
565mm	86.0342	93.00	111.60

PERETTI FLAT STYLE TOWEL HANGERS

SINGLE FLAT STYLE



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0283	72.00	86.40
375mm	89.0284	79.00	94.80
470mm	89.0285	89.00	106.80
565mm	91.0163	95.00	114.00
660mm	89.0286	100.00	120.00
850mm	89.0287	112.00	134.40



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0288	72.00	86.40
375mm	89.0289	79.00	94.80
470mm	89.0290	89.00	106.80
565mm	91.0164	95.00	114.00
660mm	89.0291	100.00	120.00
850mm	89.0292	112.00	134.40



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0293	72.00	86.40
375mm	89.0294	79.00	94.80
470mm	89.0295	89.00	106.80
565mm	91.0165	95.00	114.00
660mm	89.0296	100.00	120.00
850mm	89.0297	112.00	134.40



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0094	98.00	117.60
375mm	91.0095	100.00	120.00
470mm	91.0096	102.00	122.40
565mm	91.0166	103.00	123.60
660mm	91.0097	108.00	129.60
850mm	91.0098	115.00	138.00

DOUBLE FLAT STYLE



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0369	88.00	105.60
375mm	89.0370	92.00	110.40
470mm	89.0371	103.00	123.60
565mm	91.0167	114.00	136.80
660mm	89.0372	121.00	145.20
850mm	89.0373	135.00	162.00



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0374	88.00	105.60
375mm	89.0375	92.00	110.40
470mm	89.0376	103.00	123.60
565mm	91.0168	114.00	136.80
660mm	89.0377	121.00	145.20
850mm	89.0378	135.00	162.00



Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0379	88.00	105.60
375mm	89.0380	92.00	110.40
470mm	89.0381	103.00	123.60
565mm	91.0169	114.00	136.80
660mm	89.0382	121.00	145.20
850mm	89.0383	135.00	162.00



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	91.0114	124.00	148.80
375mm	91.0115	130.00	156.00
470mm	91.0116	132.00	158.40
565mm	91.0170	138.00	165.60
660mm	91.0117	142.00	170.40
850mm	91.0118	154.00	184.80

TECHNICAL INFORMATION

Material: **Steel**

Vertical and Horizontal Radiators:

Flat & Double Flat Style Hangers are compatible with both Vertical and Horizontal radiators. (Depending on the radiators and hangers width)

Must be fitted before installation!

Hanger Fitting Widths
96/191/286/381/476/666mm




Hanger Fitting Widths
96/191/286/381/476/666mm




Aluminium Range

PERETTI FLAT TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Flat Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0048	240.00	288.00
375mm	101.0049	261.00	313.20
470mm	101.0050	299.00	358.80
565mm	101.0064	335.00	402.00

Flat Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0054	240.00	288.00
375mm	101.0055	261.00	313.20
470mm	101.0056	299.00	358.80
565mm	101.0065	335.00	402.00

PERETTI CURVED TRIPLE TOWEL HANGER

Brushed Stainless Steel



Polished Stainless Steel



Curved Triple Hanger - Brushed Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0051	240.00	288.00
375mm	101.0052	261.00	313.20
470mm	101.0053	299.00	358.80
565mm	101.0066	335.00	402.00

Curved Triple Hanger - Polished Stainless Steel

Size	Code	£ Ex VAT	£ Inc VAT
280mm	101.0057	240.00	288.00
375mm	101.0058	261.00	313.20
470mm	101.0059	299.00	358.80
565mm	101.0067	335.00	402.00

Material: **Stainless Steel - Grade 304**

TECHNICAL INFORMATION

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations. 600mm height radiators come with 1 pre-drilled towel hanger location. The flat triple & curved triple towel hangers are only compatible with the Vertical Radiators and can be fitted to the pre-drilled holes on 1800mm & 600mm height radiators. **Can be fitted after installation only on high adjustment bracket fitting.**

Horizontal Radiators:

The flat triple & curved triple towel hangers are not suitable for horizontal radiators.

PERETTI DESIGNER TOWEL HANGERS

Square Style



Square Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0075	72.00	86.40
470mm	101.0076	79.00	94.80
565mm	101.0077	92.00	110.40

Square Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0078	72.00	86.40
470mm	101.0079	79.00	94.80
565mm	101.0080	92.00	110.40

Square Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0081	72.00	86.40
470mm	101.0082	79.00	94.80
565mm	101.0083	92.00	110.40

Square Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0084	83.00	99.60
470mm	101.0085	96.00	115.20
565mm	101.0086	112.00	134.40

Triangle Style



Triangle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0087	74.00	88.80
470mm	101.0088	83.00	99.60
565mm	101.0089	97.00	116.40

Triangle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0090	74.00	88.80
470mm	101.0091	83.00	99.60
565mm	101.0092	97.00	116.40

Triangle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0093	74.00	88.80
470mm	101.0094	83.00	99.60
565mm	101.0095	97.00	116.40

Triangle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0096	84.00	100.80
470mm	101.0097	97.00	116.40
565mm	101.0098	115.00	138.00

Circle Style



Circle Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0099	78.00	93.60
470mm	101.0100	86.00	103.20
565mm	101.0101	100.00	120.00

Circle Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0102	78.00	93.60
470mm	101.0103	86.00	103.20
565mm	101.0104	100.00	120.00

Circle Towel Hanger - Matt Black

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0105	78.00	93.60
470mm	101.0106	86.00	103.20
565mm	101.0107	100.00	120.00

Circle Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0108	84.00	100.80
470mm	101.0109	98.00	117.60
565mm	101.0110	116.00	139.20

Material: **Steel**

TECHNICAL INFORMATION

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Aluminium Range

SANDHURST VERTICAL

Side or Bottom connection options



Pictured 86.0279 Matt Anthracite with 86.0331 x3 Towel Hangers (side connection valves shown)

An aluminium radiator with elliptical vertical panels that will take everyone's attention. Vertical model is available in 3 different colours, 3 width and 1 height options. This radiator is capable of heating up very quickly, thanks to being constructed in aluminium.

Sandhurst Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	376	716	450W	A, A+	86.0270	335.00	402.00
1800 x 415mm	563	1074	750W	A, A+	86.0271	468.00	561.60
1800 x 485mm	657	1253	900W	A, A+	86.0272	531.00	637.20

Sandhurst Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	376	716	450W	A, A+	86.0278	335.00	402.00
1800 x 415mm	563	1074	750W	A, A+	86.0279	468.00	561.60
1800 x 485mm	657	1253	900W	A, A+	86.0280	531.00	637.20

Sandhurst Vertical Aluminium Radiators - Polished Aluminium

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	364	695	450W	A, A+	86.0281	377.00	452.40
1800 x 415mm	546	1042	750W	A, A+	86.0282	525.00	630.00
1800 x 485mm	637	1215	900W	A, A+	86.0283	599.00	718.80

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Side or bottom connection options
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. **Side connection:** Tappings are the width of the rail and approx 65mm off the wall. **Bottom connection:** Tappings are 65mm less than the width of the rail and approx 65mm off the wall.

Warranty

5
Year

Heating



All Electric




Dual-Fuel



For element types
see pages 336-349.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.




Sandhurst Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 275mm	86.0302	29.00	34.80
Cover Cap Set 415mm	86.0303	38.00	45.60
Cover Cap Set 485mm	86.0304	40.00	48.00


Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

SANDHURST VERTICAL



Matt White




Matt Anthracite




Polished

SANDHURST STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
275mm	86.0324	50.00	60.00
415mm	86.0325	57.00	68.40
485mm	86.0326	65.00	78.00



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
275mm	86.0327	50.00	60.00
415mm	86.0328	57.00	68.40
485mm	86.0329	65.00	78.00

TECHNICAL INFORMATION

Material: **Steel**

Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 275, 415 and 485mm. The standard towel hangers are only compatible with the Vertical Radiators. The Sandhurst Standard Towel Hangers will add approx 42mm width on each side once fitted to the radiator.

Must be fitted before installation!



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
275mm	86.0330	50.00	60.00
415mm	86.0331	57.00	68.40
485mm	86.0332	65.00	78.00

**Technical Tables
& Drawings**
Page 426-427



Pictured 86.0283 Polished Aluminium with 86.0332 x3 Towel Hangers
(bottom connection valves shown)

Aluminium Range

SANDHURST HORIZONTAL

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 86.0269 Matt White with 86.0308 Cover Caps

An aluminium radiator with elliptical vertical panels that will take everyone's attention. Horizontal model is available in 2 different colours, 5 width and 1 Height options. This radiator is capable of heating up very quickly, thanks to being constructed in aluminium.

Sandhurst Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	219	418	300W	A, A+	86.0265	271.00	325.20
600 x 625mm	282	537	450W	A, A+	86.0266	326.00	391.20
600 x 835mm	376	716	450W	A, A+	86.0267	410.00	492.00
600 x 1045mm	469	895	600W	A, A+	86.0268	493.00	591.60
600 x 1255mm	563	1074	750W	A, A+	86.0269	580.00	696.00

Sandhurst Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	219	418	300W	A, A+	86.0273	271.00	325.20
600 x 625mm	282	537	450W	A, A+	86.0274	326.00	391.20
600 x 835mm	376	716	450W	A, A+	86.0275	410.00	492.00
600 x 1045mm	469	895	600W	A, A+	86.0276	493.00	591.60
600 x 1255mm	563	1074	750W	A, A+	86.0277	580.00	696.00

* Further heat output information available on eastbrooktrade.com E&OA

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 426-427



Sandhurst Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 485mm	86.0304	40.00	48.00
Cover Cap Set 625mm	86.0305	49.00	58.80
Cover Cap Set 835mm	86.0306	60.00	72.00
Cover Cap Set 1045mm	86.0307	69.00	82.80
Cover Cap Set 1255mm	86.0308	81.00	97.20

Cover cap sets only include cover caps for the top or bottom of the radiator.

For element types
see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements.



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall.

TOWEL HANGERS

Horizontal Radiators:

Horizontal radiators do not have holes for Standard Towel Hangers. Standard Towel Hangers cannot be fitted.

Aluminium Range

BERKELEY

Matt White



Pictured 89.0712 Matt White

Matt Grey



Pictured 89.0722 Matt Grey

Matt Anthracite



Pictured 89.0732 Matt Anthracite

Warranty

5
Year

Heating



Berkeley Aluminium Radiator - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
603 x 600mm	186	342	N/A	N/A	89.0711	150.00	180.00
603 x 800mm	244	449	N/A	N/A	89.0712	197.00	236.40
603 x 1000mm	302	555	N/A	N/A	89.0713	247.00	296.40
603 x 1200mm	359	660	N/A	N/A	89.0714	296.00	355.20
603 x 1400mm	415	763	N/A	N/A	89.0715	344.00	412.80
603 x 1600mm	472	866	N/A	N/A	89.0716	391.00	469.20
603 x 1800mm	527	969	N/A	N/A	89.0717	441.00	529.20
603 x 2000mm	583	1071	N/A	N/A	89.0718	490.00	588.00

Berkeley Aluminium Radiator - Matt Grey

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
603 x 600mm	186	342	N/A	N/A	89.0719	150.00	180.00
603 x 800mm	244	449	N/A	N/A	89.0720	197.00	236.40
603 x 1000mm	302	555	N/A	N/A	89.0721	247.00	296.40
603 x 1200mm	359	660	N/A	N/A	89.0722	296.00	355.20
603 x 1400mm	415	763	N/A	N/A	89.0723	344.00	412.80
603 x 1600mm	472	866	N/A	N/A	89.0724	391.00	469.20
603 x 1800mm	527	969	N/A	N/A	89.0725	441.00	529.20
603 x 2000mm	583	1071	N/A	N/A	89.0726	490.00	588.00

Horizontally positioned sleek and futuristic panels combined to create the radiator that will create an elegant look in every room it will be installed. When you are bored with the standard, old fashioned single panel radiators, just replace with a brand new Berkeley aluminium radiator, the perfect alternative for single panel radiators.

FEATURES

- Perfect alternative for Single Panel (Type11) Radiators
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements

* With conditions

Technical Tables & Drawings


Page 426-427



Berkeley Aluminium Radiator - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
603 x 600mm	186	342	N/A	N/A	89.0727	150.00	180.00
603 x 800mm	244	449	N/A	N/A	89.0728	197.00	236.40
603 x 1000mm	302	555	N/A	N/A	89.0729	247.00	296.40
603 x 1200mm	359	660	N/A	N/A	89.0730	296.00	355.20
603 x 1400mm	415	763	N/A	N/A	89.0731	344.00	412.80
603 x 1600mm	472	866	N/A	N/A	89.0732	391.00	469.20
603 x 1800mm	527	969	N/A	N/A	89.0733	441.00	529.20
603 x 2000mm	583	1071	N/A	N/A	89.0734	490.00	588.00

Side View



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. For indirect heating systems only. Tappings are the width of the rail and approx. 50mm off the wall. Projection from wall 70mm.

Aluminium Range

TORDINO VERTICAL



Round Vent Caps
Page 369

Pictured 89.1208 Matt White with
101.0110 Circle Towel Hanger Chrome



Pictured 89.1225 Matt Anthracite
with 89.0136 Towel Hangers

An aluminium radiator with front facing curved panels that will add luxury to your desired room, with a choice of towel hangers and your bathroom can also be heated while drying your towels. Available in vertical and horizontal styles and 4 colours options.

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 31 or 51mm off the wall. Projection from wall is 80 or 100mm.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 428-429



Warranty

5
Year

Heating



All Electric




Dual-Fuel




Radiator Valves

Page 350-365



Aluminium Range

TORDINO VERTICAL



Matt White

Matt Grey

Matt Anthracite

Matt Black

Tordino Vertical Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	359	686	450W	A, A+, F, G	89.1205	314.00	376.80
1800 x 375mm	477	912	600W	A, A+, F, G	89.1206	403.00	483.60
1800 x 470mm	595	1136	750W	A, A+, F, G	89.1207	492.00	590.40
1800 x 565mm	712	1360	1000W	A, A+, F, G	89.1208	590.00	708.00

Tordino Vertical Aluminium Radiators - Matt Grey

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	359	686	450W	A, A+, F, G	89.1214	314.00	376.80
1800 x 375mm	477	912	600W	A, A+, F, G	89.1215	403.00	483.60
1800 x 470mm	595	1136	750W	A, A+, F, G	89.1216	492.00	590.40
1800 x 565mm	712	1360	1000W	A, A+, F, G	89.1217	590.00	708.00

Tordino Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	359	686	450W	A, A+, F, G	89.1223	314.00	376.80
1800 x 375mm	477	912	600W	A, A+, F, G	89.1224	403.00	483.60
1800 x 470mm	595	1136	750W	A, A+, F, G	89.1225	492.00	590.40
1800 x 565mm	712	1360	1000W	A, A+, F, G	89.1226	590.00	708.00

Tordino Vertical Aluminium Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	359	686	450W	A, A+, F, G	89.1232	314.00	376.80
1800 x 375mm	477	912	600W	A, A+, F, G	89.1233	403.00	483.60
1800 x 470mm	595	1136	750W	A, A+, F, G	89.1234	492.00	590.40
1800 x 565mm	712	1360	1000W	A, A+, F, G	89.1235	590.00	708.00

Prices include radiator and wall fixing sets, valves and accessories extra.

For all Tordino Matt White, Matt Grey, Matt Anthracite, Matt Black, Chrome and Premium Towel Hangers, please refer to page 261.

For element types
see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Pictured 89.1215 Matt Grey with 89.0886L Towel Hanger




Tordino Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	89.1236	14.00	16.80
Cover Cap Set 375mm	89.1237	16.00	19.20
Cover Cap Set 470mm	89.1238	18.00	21.60
Cover Cap Set 565mm	89.1239	23.00	27.60

Cover cap sets only include cover caps for the top or bottom of the radiator.

Multi-Purpose Towel Hangers

Page 368



Aluminium Range

TORDINO HORIZONTAL



Pictured 89.1221 Matt Anthracite



Pictured 89.1212 Matt Grey

Tordino Horizontal Aluminium Radiators - Matt White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	208	409	300W	A, A+, C, H	89.1200	258.00	309.60
600 x 660mm	290	569	450W	A, A+, C, H	89.1201	339.00	406.80
600 x 850mm	371	728	600W	A, A+, C, H	89.1202	424.00	508.80
600 x 1040mm	451	887	750W	A, A+, C, H	89.1203	502.00	602.40
600 x 1230mm	531	1044	900W	A, A+, C, H	89.1204	592.00	710.40

Tordino Horizontal Aluminium Radiators - Matt Grey

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	208	409	300W	A, A+, C, H	89.1209	258.00	309.60
600 x 660mm	290	569	450W	A, A+, C, H	89.1210	339.00	406.80
600 x 850mm	371	728	600W	A, A+, C, H	89.1211	424.00	508.80
600 x 1040mm	451	887	750W	A, A+, C, H	89.1212	502.00	602.40
600 x 1230mm	531	1044	900W	A, A+, C, H	89.1213	592.00	710.40

Tordino Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	208	409	300W	A, A+, C, H	89.1218	258.00	309.60
600 x 660mm	290	569	450W	A, A+, C, H	89.1219	339.00	406.80
600 x 850mm	371	728	600W	A, A+, C, H	89.1220	424.00	508.80
600 x 1040mm	451	887	750W	A, A+, C, H	89.1221	502.00	602.40
600 x 1230mm	531	1044	900W	A, A+, C, H	89.1222	592.00	710.40

Tordino Horizontal Aluminium Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	208	409	300W	A, A+, C, H	89.1227	258.00	309.60
600 x 660mm	290	569	450W	A, A+, C, H	89.1228	339.00	406.80
600 x 850mm	371	728	600W	A, A+, C, H	89.1229	424.00	508.80
600 x 1040mm	451	887	750W	A, A+, C, H	89.1230	502.00	602.40
600 x 1230mm	531	1044	900W	A, A+, C, H	89.1231	592.00	710.40

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types
see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. (Type C&H up to 900 Watts)



Warranty

5
Year

Heating



All Electric



Dual-Fuel



FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions


Technical Tables & Drawings

Page 428-429



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 31 or 51mm off the wall. Projection from wall is 80 or 100mm.



Tordino Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	89.1238	18.00	21.60
Cover Cap Set 660mm	89.1240	28.00	33.60
Cover Cap Set 850mm	89.1241	34.00	40.80
Cover Cap Set 1040mm	89.1242	41.00	49.20
Cover Cap Set 1230mm	89.1243	47.00	56.40

Cover cap sets only include cover caps for the top or bottom of the radiator.

Round Vent Caps

Page 369



Aluminium Range

TORDINO STANDARD TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0177	62.00	74.40
375mm	89.0178	66.00	79.20
470mm	89.0179	74.00	88.80
565mm	86.0333	78.00	93.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0180	62.00	74.40
375mm	89.0181	66.00	79.20
470mm	89.0182	74.00	88.80
565mm	86.0334	78.00	93.60



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0183	62.00	74.40
375mm	89.0184	66.00	79.20
470mm	89.0185	74.00	88.80
565mm	86.0335	78.00	93.60



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0134	53.00	63.60
375mm	89.0135	56.00	67.20
470mm	89.0136	65.00	78.00
565mm	86.0336	72.00	86.40

TECHNICAL INFORMATION

Material: Steel (Premium: Stainless Steel - Grade 304)


Vertical Radiators:

1800mm height radiators comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers - all widths; 280, 375, 470 and 565mm. The standard towel hangers are only compatible with the Vertical Radiators.

Can be fitted after installation only on high adjustment bracket fitting.

Horizontal Radiators:

Don't have holes for Standard Towel Hangers. Standard Towel Hanger can not be fitted. The Tordino Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.



Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.1616	62.00	74.40
375mm	89.1617	66.00	79.20
470mm	89.1618	74.00	88.80
565mm	89.1619	78.00	93.60



Towel Hanger - Mirror Polished Premium			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0198	73.00	87.60
375mm	86.0199	80.00	96.00
470mm	86.0200	87.00	104.40
565mm	86.0337	93.00	111.60

TORDINO DESIGNER TOWEL HANGERS

Square Style




Square Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0075	72.00	86.40
470mm	101.0076	79.00	94.80
565mm	101.0077	92.00	110.40

Square Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0078	72.00	86.40
470mm	101.0079	79.00	94.80
565mm	101.0080	92.00	110.40

Square Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0081	72.00	86.40
470mm	101.0082	79.00	94.80
565mm	101.0083	92.00	110.40

Square Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0084	83.00	99.60
470mm	101.0085	96.00	115.20
565mm	101.0086	112.00	134.40

Triangle Style



Triangle Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0087	74.00	88.80
470mm	101.0088	83.00	99.60
565mm	101.0089	97.00	116.40

Triangle Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0090	74.00	88.80
470mm	101.0091	83.00	99.60
565mm	101.0092	97.00	116.40

Triangle Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0093	74.00	88.80
470mm	101.0094	83.00	99.60
565mm	101.0095	97.00	116.40

Triangle Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0096	84.00	100.80
470mm	101.0097	97.00	116.40
565mm	101.0098	115.00	138.00

Circle Style



Circle Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0099	78.00	93.60
470mm	101.0100	86.00	103.20
565mm	101.0101	100.00	120.00

Circle Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0102	78.00	93.60
470mm	101.0103	86.00	103.20
565mm	101.0104	100.00	120.00

Circle Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0105	78.00	93.60
470mm	101.0106	86.00	103.20
565mm	101.0107	100.00	120.00

Circle Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	101.0108	84.00	100.80
470mm	101.0109	98.00	117.60
565mm	101.0110	116.00	139.20

TECHNICAL INFORMATION

Material: Steel

Square, Triangle and Circle Towel Hangers are only compatible with vertical radiators and can be fitted to one of the three pre-drilled holes on the 1800mm height radiators. Square, Triangle and Circle Towel Hangers will add approx 8mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Aluminium Range

GUARDIA VERTICAL

High Output



Warranty

5
Year

Heating



Pictured 86.0032 Matt White with 86.0239 Towel Hanger

A versatile designer radiator which can be fitted to show the flat side or the curved profile of the panels, allowing the radiator to fit into your lifestyle and decor. Available in horizontal and vertical designs this radiator heats up quickly to warm your whole room.

Guardia Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	344	668	N/A	N/A	86.0446	416.00	499.20
1200 x 375mm	458	890	N/A	N/A	86.0449	539.00	646.80
1200 x 470mm	572	1113	N/A	N/A	86.0452	658.00	789.60
1200 x 565mm	687	1335	N/A	N/A	86.0455	781.00	937.20
1800 x 280mm	488	946	N/A	N/A	86.0029	524.00	628.80
1800 x 375mm	650	1261	N/A	N/A	86.0032	679.00	814.80
1800 x 470mm	813	1576	N/A	N/A	86.0035	832.00	998.40
1800 x 565mm	975	1892	N/A	N/A	86.0291	1013.00	1215.60
1800 x 660mm	1137	2207	N/A	N/A	86.0494	1167.00	1400.40

Guardia Vertical Aluminium Radiators - Matt Grey

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	344	668	N/A	N/A	86.0482	416.00	499.20
1200 x 375mm	458	890	N/A	N/A	86.0483	539.00	646.80
1200 x 470mm	572	1113	N/A	N/A	86.0484	658.00	789.60
1200 x 565mm	687	1335	N/A	N/A	86.0485	781.00	937.20
1800 x 280mm	488	946	N/A	N/A	86.0189	524.00	628.80
1800 x 375mm	650	1261	N/A	N/A	86.0190	679.00	814.80
1800 x 470mm	813	1576	N/A	N/A	86.0191	832.00	998.40
1800 x 565mm	975	1892	N/A	N/A	86.0292	1013.00	1215.60
1800 x 660mm	1137	2207	N/A	N/A	86.0495	1167.00	1400.40

Guardia Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	344	668	N/A	N/A	86.0447	416.00	499.20
1200 x 375mm	458	890	N/A	N/A	86.0450	539.00	646.80
1200 x 470mm	572	1113	N/A	N/A	86.0453	658.00	789.60
1200 x 565mm	687	1335	N/A	N/A	86.0456	781.00	937.20
1800 x 280mm	488	946	N/A	N/A	86.0030	524.00	628.80
1800 x 375mm	650	1261	N/A	N/A	86.0033	679.00	814.80
1800 x 470mm	813	1576	N/A	N/A	86.0036	832.00	998.40
1800 x 565mm	975	1892	N/A	N/A	86.0293	1013.00	1215.60
1800 x 660mm	1137	2207	N/A	N/A	86.0496	1167.00	1400.40

Guardia Vertical Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 280mm	344	668	N/A	N/A	86.0448	416.00	499.20
1200 x 375mm	458	890	N/A	N/A	86.0451	539.00	646.80
1200 x 470mm	572	1113	N/A	N/A	86.0454	658.00	789.60
1200 x 565mm	687	1335	N/A	N/A	86.0457	781.00	937.20
1800 x 280mm	488	946	N/A	N/A	86.0031	524.00	628.80
1800 x 375mm	650	1261	N/A	N/A	86.0034	679.00	814.80
1800 x 470mm	813	1576	N/A	N/A	86.0037	832.00	998.40
1800 x 565mm	975	1892	N/A	N/A	86.0294	1013.00	1215.60
1800 x 660mm	1137	2207	N/A	N/A	86.0497	1167.00	1400.40

* Further heat output information available on eastbrooktrade.com **E&OA**



Guardia Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 280mm	86.0118	29.00	34.80
Cover Cap Set 375mm	86.0119	38.00	45.60
Cover Cap Set 470mm	86.0120	41.00	49.20
Cover Cap Set 565mm	86.0311	49.00	58.80
Cover Cap Set 660mm	86.0121	55.00	66.00

Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range

GUARDIA VERTICAL

FEATURES

- Can be reversed when hanging on the wall
 - Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Not suitable for elements
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.


Can be reversed when hanging on the wall. Either side can be used as front facing.

Flat Side


Curved Side




Matt White



Matt Grey



Matt Anthracite



Matt Black

GUARDIA - WALL MOUNTED TOWEL HANGERS



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0226	83.00	99.60
375mm	86.0227	92.00	110.40
470mm	86.0228	98.00	117.60
565mm	86.0343	109.00	130.80



Towel Hanger - Matt Grey			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0229	83.00	99.60
375mm	86.0230	92.00	110.40
470mm	86.0231	98.00	117.60
565mm	86.0344	109.00	130.80



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0232	83.00	99.60
375mm	86.0233	92.00	110.40
470mm	86.0234	98.00	117.60
565mm	86.0345	109.00	130.80



Towel Hanger - Matt Black			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0235	83.00	99.60
375mm	86.0236	92.00	110.40
470mm	86.0237	98.00	117.60
565mm	86.0346	109.00	130.80



TECHNICAL INFORMATION

Material: Steel

Vertical Radiators:

- Guardia Towel Hangers must be mounted on the wall. Can be fitted on both flat and curved type of installation.
- Guardia Towel Hangers can be mounted Left Hand or Right Hand of the radiator. Once the towel hanger is mounted on the wall, the radiator must be fitted from the side.
- Total length of each towel hanger is 30mm longer than the width of the radiator, making the radiator's width +30mm on the side they are mounted on. Towel hangers can be mounted at any height vertically on the wall.

Must be fitted before radiator installation!



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
280mm	86.0238	87.00	104.40
375mm	86.0239	96.00	115.20
470mm	86.0240	111.00	133.20
565mm	86.0347	118.00	141.60

Technical Tables
& Drawings
Page 428-429



Aluminium Range

GUARDIA HORIZONTAL

Warranty
5
Year

Heating

All Electric

Dual-Fuel

High Output

Curved Side
Pictured 86.0045 Matt Anthracite with Chrome Cover Caps 86.0122 (x2)

Flat Side
Pictured 86.0194 Matt Grey with Chrome Cover Caps 86.0122 (x2)



Guardia Cover Cap Sets - Chrome			
Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 470mm	86.0120	41.00	49.20
Cover Cap Set 660mm	86.0121	55.00	66.00
Cover Cap Set 850mm	86.0122	70.00	84.00
Cover Cap Set 1040mm	86.0123	83.00	99.60
Cover Cap Set 1230mm	86.0124	96.00	115.20
Cover Cap Set 1420mm	86.0175	104.00	124.80
Cover Cap Set 1610mm	86.0574	115.00	138.00
Cover Cap Set 1800mm	86.0575	131.00	157.20

Cover cap sets only include cover caps for the top or bottom of the radiator.

For element types see pages 336-349.
Element can only be installed horizontally on the bottom header. When ordering fluid filled rails with elements, please specify the front facing side. The element will be fitted on the right hand side as standard.

Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).

Curved Side

Flat Side

Aluminium Range

GUARDIA HORIZONTAL

A versatile designer radiator which can be fitted to show the flat panel side or the curved style of the panels, allowing the radiator to fit into your lifestyle and decor. Available in horizontal and vertical designs this radiator heats up quickly to warm your whole room.

Guardia Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	336	637	300W	A, A+, C, H	86.0038	373.00	447.60
600 x 660mm	470	892	450W	A, A+, C, H	86.0041	497.00	596.40
600 x 850mm	604	1146	600W	A, A+, C, H	86.0044	623.00	747.60
600 x 1040mm	738	1401	900W	A, A+, H	86.0047	747.00	896.40
600 x 1230mm	873	1655	1000W	A, A+	86.0050	873.00	1047.60
600 x 1420mm	1007	1910	1000W	A, A+	86.0170	1020.00	1224.00
600 x 1610mm	1141	2165	1200W	A, A+	86.0498	1154.00	1384.80
600 x 1800mm	1275	2419	1200W	A, A+	86.0502	1285.00	1542.00

Guardia Horizontal Aluminium Radiators - Matt Grey

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	336	637	300W	A, A+, C, H	86.0192	373.00	447.60
600 x 660mm	470	892	450W	A, A+, C, H	86.0193	497.00	596.40
600 x 850mm	604	1146	600W	A, A+, C, H	86.0194	623.00	747.60
600 x 1040mm	738	1401	900W	A, A+, H	86.0195	747.00	896.40
600 x 1230mm	873	1655	1000W	A, A+	86.0196	873.00	1047.60
600 x 1420mm	1007	1910	1000W	A, A+	86.0197	1020.00	1224.00
600 x 1610mm	1141	2165	1200W	A, A+	86.0499	1154.00	1384.80
600 x 1800mm	1275	2419	1200W	A, A+	86.0503	1285.00	1542.00

Guardia Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	336	637	300W	A, A+, C, H	86.0039	373.00	447.60
600 x 660mm	470	892	450W	A, A+, C, H	86.0042	497.00	596.40
600 x 850mm	604	1146	600W	A, A+, C, H	86.0045	623.00	747.60
600 x 1040mm	738	1401	900W	A, A+, H	86.0048	747.00	896.40
600 x 1230mm	873	1655	1000W	A, A+	86.0051	873.00	1047.60
600 x 1420mm	1007	1910	1000W	A, A+	86.0171	1020.00	1224.00
600 x 1610mm	1141	2165	1200W	A, A+	86.0500	1154.00	1384.80
600 x 1800mm	1275	2419	1200W	A, A+	86.0504	1285.00	1542.00

Guardia Horizontal Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	336	637	300W	A, A+, C, H	86.0040	373.00	447.60
600 x 660mm	470	892	450W	A, A+, C, H	86.0043	497.00	596.40
600 x 850mm	604	1146	600W	A, A+, C, H	86.0046	623.00	747.60
600 x 1040mm	738	1401	900W	A, A+, H	86.0049	747.00	896.40
600 x 1230mm	873	1655	1000W	A, A+	86.0052	873.00	1047.60
600 x 1420mm	1007	1910	1000W	A, A+	86.0172	1020.00	1224.00
600 x 1610mm	1141	2165	1200W	A, A+	86.0501	1154.00	1384.80
600 x 1800mm	1275	2419	1200W	A, A+	86.0505	1285.00	1542.00

* Further heat output information available on eastbrooktrade.com E&OA

FEATURES

- Can be reversed when hanging on the wall
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 428-429



Can be reversed when hanging on the wall. Either side can be used as front facing.

Flat Side >>


Curved Side >>




Matt White



Matt Grey



Matt Anthracite



Matt Black



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 350-365



Aluminium Range

HADLEIGH VERTICAL

High Output



Pictured 86.0247 Matt White with 86.0322 Towel Hanger

A versatile aluminium radiator with double profile construction panels that allows the radiator to produce high heat outputs. This radiator will fit into your lifestyle. Vertical version is available in 3 colours, 2 heights and 4 different widths.

Hadleigh Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 275mm	267	533	N/A	N/A	86.0461	396.00	475.20
1200 x 415mm	400	799	N/A	N/A	86.0464	564.00	676.80
1200 x 485mm	467	932	N/A	N/A	86.0467	649.00	778.80
1200 x 555mm	533	1065	N/A	N/A	86.0470	733.00	879.60
1800 x 275mm	350	689	N/A	N/A	86.0246	469.00	562.80
1800 x 415mm	524	1033	N/A	N/A	86.0247	666.00	799.20
1800 x 485mm	611	1205	N/A	N/A	86.0248	766.00	919.20
1800 x 555mm	699	1377	N/A	N/A	86.0458	934.00	1120.80

Hadleigh Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 275mm	267	533	N/A	N/A	86.0462	396.00	475.20
1200 x 415mm	400	799	N/A	N/A	86.0465	564.00	676.80
1200 x 485mm	467	932	N/A	N/A	86.0468	649.00	778.80
1200 x 555mm	533	1065	N/A	N/A	86.0471	733.00	879.60
1800 x 275mm	350	689	N/A	N/A	86.0254	469.00	562.80
1800 x 415mm	524	1033	N/A	N/A	86.0255	666.00	799.20
1800 x 485mm	611	1205	N/A	N/A	86.0256	766.00	919.20
1800 x 555mm	699	1377	N/A	N/A	86.0459	934.00	1120.80

Hadleigh Vertical Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 275mm	267	533	N/A	N/A	86.0463	396.00	475.20
1200 x 415mm	400	799	N/A	N/A	86.0466	564.00	676.80
1200 x 485mm	467	932	N/A	N/A	86.0469	649.00	778.80
1200 x 555mm	533	1065	N/A	N/A	86.0472	733.00	879.60
1800 x 275mm	350	689	N/A	N/A	86.0262	469.00	562.80
1800 x 415mm	524	1033	N/A	N/A	86.0263	666.00	799.20
1800 x 485mm	611	1205	N/A	N/A	86.0264	766.00	919.20
1800 x 555mm	699	1377	N/A	N/A	86.0460	934.00	1120.80

* Further heat output information available on eastbrooktrade.com **E&OA**

FEATURES

- Special double profile construction for high heat output
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- Not suitable for elements
- 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Hadleigh Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 275mm	86.0295	42.00	50.40
Cover Cap Set 415mm	86.0296	60.00	72.00
Cover Cap Set 485mm	86.0297	67.00	80.40
Cover Cap Set 555mm	86.0488	79.00	94.80


Cover cap sets only include cover caps for the top or bottom of the radiator.

Aluminium Range


HADLEIGH VERTICAL




Pictured 86.0468 Matt Anthracite



Matt White




Matt Anthracite




Matt Black

HADLEIGH - WALL MOUNTED TOWEL HANGERS




Towel Hanger - Matt White				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0312	81.00	97.20	
415mm	86.0313	90.00	108.00	
485mm	86.0314	98.00	117.60	
555mm	86.0490	113.00	135.60	



Towel Hanger - Matt Anthracite				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0315	81.00	97.20	
415mm	86.0316	90.00	108.00	
485mm	86.0317	98.00	117.60	
555mm	86.0491	113.00	135.60	



Towel Hanger - Matt Black				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0318	81.00	97.20	
415mm	86.0319	90.00	108.00	
485mm	86.0320	98.00	117.60	
555mm	86.0492	113.00	135.60	



Towel Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
275mm	86.0321	87.00	104.40	
415mm	86.0322	95.00	114.00	
485mm	86.0323	110.00	132.00	
555mm	86.0493	125.00	150.00	



TECHNICAL INFORMATION

Material: **Steel**

Vertical Radiators:

- Hadleigh Towel Hangers must be mounted on the wall.
- Hadleigh Towel Hangers can be mounted Left Hand or Right Hand of the radiator. Once the towel hanger is mounted on the wall, the radiator must be fitted from the side.
- Total length of each towel hanger is 30mm longer than the width of the radiator, making the radiator's width +30mm on the side they are mounted on. Towel hangers can be mounted at any height vertically on the wall.

Must be fitted before radiator installation!



Radiator Valves

Page 350-365



Technical Tables & Drawings

Page 430-431



Aluminium Range

HADLEIGH HORIZONTAL

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 86.0243 Matt White



Pictured 86.0252 Matt Anthracite with 86.0300 x2 Cover Caps Chrome

Aluminium Range

HADLEIGH HORIZONTAL

A versatile aluminium radiator with double profile construction panels that allows the radiator to produce high heat outputs. This radiator will fit into your lifestyle. Horizontal version is available in 3 colours, 1 height and 6 different widths.

Hadleigh Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	304	588	400W	A, A+, C, H	86.0241	346.00	415.20
600 x 625mm	391	755	450W	A, A+, C, H	86.0242	426.00	511.20
600 x 835mm	521	1007	600W	A, A+, C, H	86.0243	543.00	651.60
600 x 1045mm	651	1259	900W	A, A+, C, H	86.0244	663.00	795.60
600 x 1255mm	781	1510	1000W	A, A+, C, H	86.0245	782.00	938.40
600 x 1395mm	867	1678	1200W	A, A+, C, H	86.0473	939.00	1126.80

Hadleigh Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	304	588	400W	A, A+, C, H	86.0249	346.00	415.20
600 x 625mm	391	755	450W	A, A+, C, H	86.0250	426.00	511.20
600 x 835mm	521	1007	600W	A, A+, C, H	86.0251	543.00	651.60
600 x 1045mm	651	1259	900W	A, A+, C, H	86.0252	663.00	795.60
600 x 1255mm	781	1510	1000W	A, A+, C, H	86.0253	782.00	938.40
600 x 1395mm	867	1678	1200W	A, A+, C, H	86.0474	939.00	1126.80

Hadleigh Horizontal Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	304	588	400W	A, A+, C, H	86.0257	346.00	415.20
600 x 625mm	391	755	450W	A, A+, C, H	86.0258	426.00	511.20
600 x 835mm	521	1007	600W	A, A+, C, H	86.0259	543.00	651.60
600 x 1045mm	651	1259	900W	A, A+, C, H	86.0260	663.00	795.60
600 x 1255mm	781	1510	1000W	A, A+, C, H	86.0261	782.00	938.40
600 x 1395mm	867	1678	1200W	A, A+, C, H	86.0475	939.00	1126.80

* Further heat output information available on eastbrooktrade.com **E&OA**

FEATURES


- Special double profile construction for high heat output
- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings


Page 430-431




Matt White



Matt Anthracite



Matt Black



Hadleigh Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 485mm	86.0297	67.00	80.40
Cover Cap Set 625mm	86.0298	81.00	97.20
Cover Cap Set 835mm	86.0299	102.00	122.40
Cover Cap Set 1045mm	86.0300	124.00	148.80
Cover Cap Set 1255mm	86.0301	149.00	178.80
Cover Cap Set 1395mm	86.0486	174.00	208.80

Cover cap sets only include cover caps for the top or bottom of the radiator.

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and approx. 65mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Radiator Valves

Page 350-365



For element types see pages 336-349.

Element can only be installed horizontally on the bottom header.

Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Aluminium Range

VESIMA VERTICAL



Multi-Purpose Towel Hangers

Page 368

A sleek elegant aluminium radiator with clean lines which will provide a stylish focus to any room. Available in three colours as well as horizontal and vertical designs. Additional towel hangers available with the vertical design to allow versatility.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

*With conditions

Technical Tables & Drawings

Page 430-431



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Vesima Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 303mm	452	852	600W	A	86.0080	409.00	490.80
1800 x 403mm	603	1135	900W	A	86.0083	514.00	616.80
1800 x 503mm	754	1419	900W	A	86.0086	622.00	746.40
1800 x 603mm	904	1703	900W	A	86.0476	790.00	948.00

Vesima Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 303mm	452	852	600W	A	86.0081	409.00	490.80
1800 x 403mm	603	1135	900W	A	86.0084	514.00	616.80
1800 x 503mm	754	1419	900W	A	86.0087	622.00	746.40
1800 x 603mm	904	1703	900W	A	86.0477	790.00	948.00

Vesima Vertical Aluminium Radiators - Matt Black


Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 303mm	452	852	600W	A	86.0082	409.00	490.80
1800 x 403mm	603	1135	900W	A	86.0085	514.00	616.80
1800 x 503mm	754	1419	900W	A	86.0088	622.00	746.40
1800 x 603mm	904	1703	900W	A	86.0478	790.00	948.00

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

Aluminium Range

VESIMA VERTICAL



Matt White

Matt Anthracite

Matt Black

VESIMA STANDARD TOWEL HANGERS

Vesima Standard Towel Hangers Premium Stainless Steel Mirror Polished

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Premium Mirror Polished	86.0204	77.00	92.40
Towel Hanger 403mm	Premium Mirror Polished	86.0205	81.00	97.20
Towel Hanger 503mm	Premium Mirror Polished	86.0206	90.00	108.00
Towel Hanger 603mm	Premium Mirror Polished	86.0489	114.00	136.80

Vesima Standard Towel Hangers - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Matt White	89.0195	65.00	78.00
Towel Hanger 403mm	Matt White	89.0196	70.00	84.00
Towel Hanger 503mm	Matt White	89.0197	79.00	94.80
Towel Hanger 603mm	Matt White	89.1400	86.00	103.20

Vesima Standard Towel Hangers - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Matt Anthracite	89.0198	65.00	78.00
Towel Hanger 403mm	Matt Anthracite	89.0199	70.00	84.00
Towel Hanger 503mm	Matt Anthracite	89.0200	79.00	94.80
Towel Hanger 603mm	Matt Anthracite	89.1401	86.00	103.20

Vesima Standard Towel Hangers - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Matt Black	89.0201	65.00	78.00
Towel Hanger 403mm	Matt Black	89.0202	70.00	84.00
Towel Hanger 503mm	Matt Black	89.0203	79.00	94.80
Towel Hanger 603mm	Matt Black	89.1402	86.00	103.20

Vesima Standard Towel Hangers - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 303mm	Chrome	86.0104	55.00	66.00
Towel Hanger 403mm	Chrome	86.0105	65.00	78.00
Towel Hanger 503mm	Chrome	86.0106	70.00	84.00
Towel Hanger 603mm	Chrome	89.1403	77.00	92.40



Pictured 86.0083 Matt White with 86.0105
Towel Hangers x3 & 86.0133 Cover Caps x2

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 60 or 80mm off the wall.



Vesima Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 303mm	86.0132	29.00	34.80
Cover Cap Set 403mm	86.0133	35.00	42.00
Cover Cap Set 503mm	86.0134	40.00	48.00
Cover Cap Set 603mm	86.0135	50.00	60.00

Cover cap sets only include cover caps for the top or bottom of the radiator.

For element types see pages 336-349.

Element can be installed vertically on the right-hand side or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



Aluminium Range

VESIMA HORIZONTAL



Pictured 86.0101 Matt White & 86.0138 Cover Caps x2

A sleek elegant aluminium radiator with clean lines which will provide a stylish focus to any room. Available in three colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
 - Only requires a low water volume
 - Heats up very quickly
 - Radiators come with cover caps on top and bottom, same as radiator colour
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 430-431



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Aluminium Range

VESIMA HORIZONTAL

Vesima Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 503mm	279	526	300W	A, C, H	86.0089	287.00	344.40
600 x 603mm	335	631	300W	A, C, H	86.0092	330.00	396.00
600 x 803mm	447	841	600W	A, C, H	86.0095	414.00	496.80
600 x 1003mm	558	1051	900W	A, C, H	86.0098	502.00	602.40
600 x 1203mm	670	1262	1000W	A, C, H	86.0101	587.00	704.40
600 x 1403mm	781	1472	1200W	A, C, H	86.0479	717.00	860.40

Vesima Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 503mm	279	526	300W	A, C, H	86.0090	287.00	344.40
600 x 603mm	335	631	300W	A, C, H	86.0093	330.00	396.00
600 x 803mm	447	841	600W	A, C, H	86.0096	414.00	496.80
600 x 1003mm	558	1051	900W	A, C, H	86.0099	502.00	602.40
600 x 1203mm	670	1262	1000W	A, C, H	86.0102	587.00	704.40
600 x 1403mm	781	1472	1200W	A, C, H	86.0480	717.00	860.40

Vesima Horizontal Aluminium Radiators - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 503mm	279	526	300W	A, C, H	86.0091	287.00	344.40
600 x 603mm	335	631	300W	A, C, H	86.0094	330.00	396.00
600 x 803mm	447	841	600W	A, C, H	86.0097	414.00	496.80
600 x 1003mm	558	1051	900W	A, C, H	86.0100	502.00	602.40
600 x 1203mm	670	1262	1000W	A, C, H	86.0103	587.00	704.40
600 x 1403mm	781	1472	1200W	A, C, H	86.0481	717.00	860.40


* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

Matt White



Matt Anthracite



Matt Black



Vesima Cover Cap Sets

Cover cap sets only include cover caps for the top or bottom of the radiator.

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 60 or 80mm off the wall. Element can only be installed horizontally on the bottom header.



Pictured 86.0480 Matt Anthracite



Vesima Cover Cap Sets - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 503mm	86.0134	40.00	48.00
Cover Cap Set 603mm	86.0135	50.00	60.00
Cover Cap Set 803mm	86.0136	60.00	72.00
Cover Cap Set 1003mm	86.0137	77.00	92.40
Cover Cap Set 1203mm	86.0138	89.00	106.80
Cover Cap Set 1403mm	86.0487	97.00	116.40

Cover cap sets only include cover caps for the top or bottom of the radiator.


Radiator Valves

Page 350-365



For element types see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Aluminium Range

PRESTON VERTICAL



Pictured 89.0161 Matt White & 89.0164 Towel Hangers



Pictured 89.0793 Matt Black & 89.0164 Towel Hangers

Multi-Purpose Towel Hangers

Page 368



A slimline radiator ideal for those situations where space is at a minimum. With the additional extra towel hangers this radiator is ideal for drying kitchen or bathroom towels. Available in three finishes.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 432-433



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Aluminium Range

PRESTON VERTICAL

Preston Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	154	296	150W	A, A+, F, G	89.0791	197.00	236.40
1800 x 185mm	222	427	300W	A, A+, F, G	89.0161	213.00	255.60

Preston Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	154	296	150W	A, A+, F, G	89.0792	197.00	236.40
1800 x 185mm	222	427	300W	A, A+, F, G	89.0162	213.00	255.60

Preston Aluminium Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	154	296	150W	A, A+, F, G	89.0793	197.00	236.40
1800 x 185mm	222	427	300W	A, A+, F, G	89.0163	213.00	255.60

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Preston Cover Cap Sets - Chrome

Cap Set Size	Code	£ Ex VAT	£ Inc VAT
185mm	89.0175	17.00	20.40

Cover cap set only includes cover caps for the top or bottom of the radiator.

Preston Standard Towel Hangers

Hanger Size	Colour	Code	£ Ex VAT	£ Inc VAT
185mm	Premium Mirror Polished	86.0207	67.00	80.40
185mm	Matt White	89.0204	54.00	64.80
185mm	Matt Anthracite	89.0205	54.00	64.80
185mm	Matt Black	89.0206	54.00	64.80
185mm	Chrome	89.0164	46.00	55.20

1800mm height radiator comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. 1200mm height radiators comes with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers. The Preston Standard Towel Hangers will add approx. 23mm width on each side once fitted to the radiator. Premium mirror polished towel hanger is made of stainless steel. **Can be fitted after installation only on high adjustment bracket fitting.**



Premium

86.0207



Matt White

89.0204



Matt Anthracite

89.0205



Matt Black

89.0206



Chrome

89.0164



SWATCHES AVAILABLE



Pictured 89.0162 Matt Anthracite with 89.0164 Towel Hangers x3 & 89.0175 Cover Caps x2

For element types see pages 336-349.

Element can only be installed vertically on the right-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



Round Vent Caps Page 369



Aluminium Range

BERLINI VERTICAL



Pictured 86.0186 Polished Aluminium with 86.0110 Towel Hangers x3 & 86.0139 Cover Caps x2

This slimline radiator will be an ideal solution for those tight spaces. The radiator looks stunning paired with the towel hangers to complete the look. Available in four finishes, this radiator heats up quickly and is lightweight.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**
Page 432-433



Pictured 86.0107 Matt White with 86.0110 Towel Hangers

Multi-Purpose Towel Hangers

Page 368



Warranty

5
Year

Heating



All Electric




Dual-Fuel



Aluminium Range

BERLINI VERTICAL



Matt White Matt Anthracite Matt Black Polished

Berlini Aluminium Radiator - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	183	338	150W	A, A+	86.0144	235.00	282.00
1800 x 185mm	275	508	300W	A, A+	86.0107	250.00	300.00

Berlini Aluminium Radiator - Matt Anthracite

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	183	338	150W	A, A+	86.0145	235.00	282.00
1800 x 185mm	275	508	300W	A, A+	86.0108	250.00	300.00

Berlini Aluminium Radiator - Matt Black

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	183	338	150W	A, A+	86.0146	235.00	282.00
1800 x 185mm	275	508	300W	A, A+	86.0109	250.00	300.00

Berlini Aluminium Radiator - Polished Aluminium

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 185mm	178	328	150W	A, A+	86.0185	257.00	308.40
1800 x 185mm	267	492	300W	A, A+	86.0186	292.00	350.40

* Further heat output information available on eastbrooktrade.com **E&OA**

Prices include radiator and wall fixing sets, valves and accessories extra.

TECHNICAL INFORMATION


All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 35 or 55mm off the wall.

For element types see pages 336-349.

Element can only be installed vertically on the right hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. For dual fuel installations, element must be installed on flow side.



Pictured 86.0145 Matt Anthracite with 89.0882R Multi-Purpose Towel Hanger & 86.0139 Cover Caps x2



Berlini Standard Towel Hangers

Description	Colour	Code	£ Ex VAT	£ Inc VAT
Towel Hanger 185mm	Premium Mirror Polished	86.0207	67.00	80.40
Towel Hanger 185mm	Matt White	89.0204	54.00	64.80
Towel Hanger 185mm	Matt Anthracite	89.0205	54.00	64.80
Towel Hanger 185mm	Matt Black	89.0206	54.00	64.80
Towel Hanger 185mm	Chrome	86.0110	47.00	56.40

1800mm height radiator comes with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. 1200mm height radiators comes with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers. The Berlini Standard Towel Hangers will add approx 23mm width on each side once fitted to the radiator. **Can be fitted after installation only on high adjustment bracket fitting.**

Berlini Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap Set 185mm	86.0139	26.00	31.20

Cover cap sets only include cover caps for the top or bottom of the radiator.



Aluminium Range

FAIRFORD VERTICAL



Pictured 89.0227 Matt Anthracite with 89.0320

This slimline radiator is an ideal solution for those tight or tall spaces. This wavy vertical panel design has a curved front that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Fairford Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 375mm	302	596	450W	A, A+, F, G	89.0221	398.00	477.60
1200 x 565mm	454	897	750W	A, A+, F, G	89.0737	565.00	678.00
1800 x 375mm	449	892	750W	A, A+, F, G	89.0222	460.00	552.00
1800 x 565mm	676	1343	1000W	A, A+, F, G	89.0735	656.00	787.20

Fairford Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1200 x 375mm	302	596	450W	A, A+, F, G	89.0227	398.00	477.60
1200 x 565mm	454	897	750W	A, A+, F, G	89.0738	565.00	678.00
1800 x 375mm	449	892	750W	A, A+, F, G	89.0228	460.00	552.00
1800 x 565mm	676	1343	1000W	A, A+, F, G	89.0736	656.00	787.20

Prices include radiator and wall fixing sets, valves and accessories extra.

Warranty

5 Year

Heating



All Electric



Dual-Fuel



For element types see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



FAIRFORD VERTICAL COVER CAPS



Fairford Cover Caps - Chrome


Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 375mm	89.0399	21.00	25.20
Cover Cap 565mm	89.0400	28.00	33.60

Cover cap set only includes cover caps for the top or bottom of the radiator.


FAIRFORD TOWEL HANGERS (VERTICAL & HORIZONTAL)



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	89.0318	56.00	67.20
565mm	89.0319	70.00	84.00



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	89.0320	56.00	67.20
565mm	89.0321	70.00	84.00



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
375mm	89.0322	56.00	67.20
565mm	89.0323	70.00	84.00

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers.

1200mm height radiators come with 2 pre-drilled towel hanger locations, with a maximum of 2 towel hangers.


600mm height radiators come with 1 pre-drilled towel hanger location, with a maximum of 1 towel hanger. (only 375 and 565mm widths)

Can be fitted after installation only on high adjustment bracket fitting.

The Fairford Standard Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

Aluminium Range

FAIRFORD HORIZONTAL



Pictured 89.0225 Matt Anthracite



This modern radiator has a wavy front design that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

Fairford Horizontal Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	157	308	300W	A, A+	89.0217	231.00	277.20
600 x 565mm	236	464	300W	A, A+, C, H	89.0218	324.00	388.80
600 x 945mm	395	775	600W	A, A+, C, H	89.0219	531.00	637.20
600 x 1325mm	553	1086	900W	A, A+, C, H	89.0220	731.00	877.20

Fairford Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 375mm	157	308	300W	A, A+	89.0223	231.00	277.20
600 x 565mm	236	464	300W	A, A+, C, H	89.0224	324.00	388.80
600 x 945mm	395	775	600W	A, A+, C, H	89.0225	531.00	637.20
600 x 1325mm	553	1086	900W	A, A+, C, H	89.0226	731.00	877.20

Prices include radiator and wall fixing sets, valves and accessories extra.

FAIRFORD HORIZONTAL COVER CAPS



Fairford Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 375mm	89.0399	21.00	25.20
Cover Cap 565mm	89.0400	28.00	33.60
Cover Cap 945mm	89.0401	37.00	44.40
Cover Cap 1325mm	89.0402	50.00	60.00

Cover cap set only includes cover caps for the top or bottom of the radiator.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 432-433



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.


For element types see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Multi-Purpose Towel Hangers

Page 368



Aluminium Range

BURFORD VERTICAL



Pictured 89.0236 Matt White with 89.0342 Towel Hangers

This aluminium radiator would be an ideal solution for those tight or tall spaces. This design has round vertical panels that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Burford Vertical Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	373	756	600W	A, A+, B, F, G	89.0234	434.00	520.80
1800 x 345mm	464	939	750W	A, A+, B, F, G	89.0235	519.00	622.80
1800 x 415mm	553	1122	1000W	A, A+, B, F, G	89.0236	618.00	741.60
1800 x 485mm	643	1302	1200W	A, A+, B, F, G	89.0237	711.00	853.20

Burford Vertical Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	373	756	600W	A, A+, B, F, G	89.0243	434.00	520.80
1800 x 345mm	464	939	750W	A, A+, B, F, G	89.0244	519.00	622.80
1800 x 415mm	553	1122	1000W	A, A+, B, F, G	89.0245	618.00	741.60
1800 x 485mm	643	1302	1200W	A, A+, B, F, G	89.0246	711.00	853.20

Prices include radiator and wall fixing sets, valves and accessories extra.

For element types see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



BURFORD VERTICAL COVER CAPS



Burford Cover Caps - Chrome


Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 275mm	89.0403	23.00	27.60
Cover Cap 345mm	89.0404	26.00	31.20
Cover Cap 415mm	89.0405	30.00	36.00
Cover Cap 485mm	89.0406	32.00	38.40

Cover cap set only includes cover caps for the top or bottom of the radiator.


BURFORD TOWEL HANGERS (VERTICAL & HORIZONTAL)



Towel Hanger - Matt White			
Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0330	54.00	64.80
345mm	89.0331	56.00	67.20
415mm	89.0332	63.00	75.60
485mm	89.0333	73.00	87.60
625mm	89.0334	83.00	99.60



Towel Hanger - Matt Anthracite			
Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0335	54.00	64.80
345mm	89.0336	56.00	67.20
415mm	89.0337	63.00	75.60
485mm	89.0338	73.00	87.60
625mm	89.0339	83.00	99.60



Towel Hanger - Chrome			
Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0340	54.00	64.80
345mm	89.0341	56.00	67.20
415mm	89.0342	63.00	75.60
485mm	89.0343	73.00	87.60
625mm	89.0344	83.00	99.60

600mm height radiators have 1 pre-drilled location and fit 1 towel hanger (only for 485mm and 625mm widths).


1800mm height radiators have 3 pre-drilled locations and fit up to 3 hangers (for all widths: 275mm, 345mm, 415mm, 485mm).

Standard Towel Hangers are compatible with vertical and horizontal radiators, depending on their widths. Can be fitted post-installation on high adjustment brackets.

The Burford Standard Towel Hangers add approximately 50mm of width on each side once attached.

Aluminium Range

BURFORD HORIZONTAL



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pictured 89.0241 Matt Anthracite

This aluminium radiator would be an ideal solution for those tight or tall spaces. This design has round vertical panels that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

Burford Horizontal Aluminium Radiators - Matt White


Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	246	478	300W	A, A+, C, H	89.0229	369.00	442.80
600 x 625mm	313	609	450W	A, A+, C, H	89.0230	460.00	552.00
600 x 835mm	414	804	600W	A, A+, C, H	89.0231	609.00	730.80
600 x 1045mm	513	997	750W	A, A+, C, H	89.0232	750.00	900.00
600 x 1185mm	579	1125	900W	A, A+, C, H	89.0233	840.00	1008.00

Burford Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	246	478	300W	A, A+, C, H	89.0238	369.00	442.80
600 x 625mm	313	609	450W	A, A+, C, H	89.0239	460.00	552.00
600 x 835mm	414	804	600W	A, A+, C, H	89.0240	609.00	730.80
600 x 1045mm	513	997	750W	A, A+, C, H	89.0241	750.00	900.00
600 x 1185mm	579	1125	900W	A, A+, C, H	89.0242	840.00	1008.00

Prices include radiator and wall fixing sets, valves and accessories extra.

BURFORD HORIZONTAL COVER CAPS



Burford Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 485mm	89.0406	32.00	38.40
Cover Cap 625mm	89.0407	35.00	42.00
Cover Cap 835mm	89.0408	45.00	54.00
Cover Cap 1045mm	89.0409	52.00	62.40
Cover Cap 1185mm	89.0410	56.00	67.20

Cover cap set only includes cover caps for the top or bottom of the radiator.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 434-435



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.


For element types
see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Multi-Purpose Towel Hangers

Page 368



Aluminium Range

KELMSCOTT VERTICAL



Pictured 89.0262 Matt Anthracite with 89.0351 Towel Hangers

This slimline radiator would be an ideal solution for those tight or tall spaces. This design has a curved front that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour.
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Kelmscott Vertical Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	360	740	600W	A, A+, B, F, G	89.0252	415.00	498.00
1800 x 345mm	450	924	750W	A, A+, B, F, G	89.0253	500.00	600.00
1800 x 415mm	538	1107	1000W	A, A+, B, F, G	89.0254	592.00	710.40
1800 x 485mm	627	1289	1200W	A, A+, B, F, G	89.0255	682.00	818.40

Kelmscott Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 275mm	360	740	600W	A, A+, B, F, G	89.0261	415.00	498.00
1800 x 345mm	450	924	750W	A, A+, B, F, G	89.0262	500.00	600.00
1800 x 415mm	538	1107	1000W	A, A+, B, F, G	89.0263	592.00	710.40
1800 x 485mm	627	1289	1200W	A, A+, B, F, G	89.0264	682.00	818.40

Prices include radiator and wall fixing sets, valves and accessories extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



For element types
see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.



KELMSCOTT VERTICAL COVER CAPS



Kelmscott Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 275mm	89.0411	21.00	25.20
Cover Cap 345mm	89.0412	24.00	28.80
Cover Cap 415mm	89.0413	26.00	31.20
Cover Cap 485mm	89.0414	30.00	36.00


Cover cap set only includes cover caps for the top or bottom of the radiator.

KELMSCOTT TOWEL HANGERS (VERTICAL & HORIZONTAL)



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0345	52.00	62.40
345mm	89.0346	53.00	63.60
415mm	89.0347	56.00	67.20
485mm	89.0348	69.00	82.80
625mm	89.0349	78.00	93.60



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0350	52.00	62.40
345mm	89.0351	53.00	63.60
415mm	89.0352	56.00	67.20
485mm	89.0353	69.00	82.80
625mm	89.0354	78.00	93.60



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
275mm	89.0355	52.00	62.40
345mm	89.0356	53.00	63.60
415mm	89.0357	56.00	67.20
485mm	89.0358	69.00	82.80
625mm	89.0359	78.00	93.60

600mm height radiators have 1 pre-drilled location and fit 1 towel hanger (only for 485mm and 625mm widths).

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 275, 345, 415 and 485mm)

Standard Towel Hangers are compatible with vertical and horizontal radiators, depending on their widths. Can be fitted post-installation on high adjustment brackets.

The Kelmscott Standard Towel Hangers add approximately 43mm of width on each side once attached.

Aluminium Range

KELMSCOTT HORIZONTAL



Pictured 89.0250 Matt White

This modern radiator has a curved front design that will provide a stylish warmth to any room. Available in two colours as well as horizontal and vertical designs.

Kelmscott Horizontal Aluminium Radiators - Matt White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	245	476	300W	A, A+, C, H	89.0247	350.00	420.00
600 x 625mm	314	610	450W	A, A+, C, H	89.0248	441.00	529.20
600 x 835mm	417	809	600W	A, A+, C, H	89.0249	583.00	699.60
600 x 1045mm	519	1008	750W	A, A+, C, H	89.0250	722.00	866.40
600 x 1185mm	587	1140	900W	A, A+, C, H	89.0251	807.00	968.40

Kelmscott Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 485mm	245	476	300W	A, A+, C, H	89.0256	350.00	420.00
600 x 625mm	314	610	450W	A, A+, C, H	89.0257	441.00	529.20
600 x 835mm	417	809	600W	A, A+, C, H	89.0258	583.00	699.60
600 x 1045mm	519	1008	750W	A, A+, C, H	89.0259	722.00	866.40
600 x 1185mm	587	1140	900W	A, A+, C, H	89.0260	807.00	968.40

Prices include radiator and wall fixing sets, valves and accessories extra.

KELMSCOTT HORIZONTAL COVER CAPS



Kelmscott Cover Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 485mm	89.0414	30.00	36.00
Cover Cap 625mm	89.0415	34.00	40.80
Cover Cap 835mm	89.0416	41.00	49.20
Cover Cap 1045mm	89.0417	47.00	56.40
Cover Cap 1185mm	89.0418	52.00	62.40

Cover cap set only includes cover caps for the top or bottom of the radiator.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables & Drawings

Page 434-435



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.


For element types
see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).




Multi-Purpose Towel Hangers

Page 368



Aluminium Range

WITNEY VERTICAL



Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pictured 89.0266 Matt White with 89.0361 Towel Hangers x3

A high heat capacity vertical radiator ideal for those situations where space is at a minimum. Available in two finishes, three widths and one height.

Witney Vertical Aluminium Radiators - Matt White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	503	985	750W	A, A+, B, F, G	89.0265	586.00	703.20
1800 x 375mm	662	1297	1000W	A, A+, B, F, G	89.0266	772.00	926.40
1800 x 470mm	819	1604	1200W	A, A+, B, F, G	89.0267	930.00	1116.00

Witney Vertical Aluminium Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 280mm	503	985	750W	A, A+, B, F, G	89.0268	586.00	703.20
1800 x 375mm	662	1297	1000W	A, A+, B, F, G	89.0269	772.00	926.40
1800 x 470mm	819	1604	1200W	A, A+, B, F, G	89.0270	930.00	1116.00

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric

* With conditions

Technical Tables
& Drawings
Page 434-435



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. Corrosion inhibitor must be added to the heating system and maintained. Flow diverter must only be fitted when radiator installed on central heating system. For indirect heating systems only. Tappings are the width of the rail and 33 or 53mm off the wall.



Witney Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 280mm	89.0419	32.00	38.40
Cover Cap 375mm	89.0420	38.00	45.60
Cover Cap 470mm	89.0421	46.00	55.20

Cover cap set only includes cover caps for the top or bottom of the radiator.

For element types
see pages 336-349.

Element can only be installed vertically on the right-hand or left-hand side on the bottom header. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type F or G. For dual fuel installations, element must be installed on flow side.




WITNEY STANDARD TOWEL HANGERS



Towel Hanger - Matt White

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0360	62.00	74.40
375mm	89.0361	66.00	79.20
470mm	89.0362	74.00	88.80



Towel Hanger - Matt Anthracite

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0363	62.00	74.40
375mm	89.0364	66.00	79.20
470mm	89.0365	74.00	88.80



Towel Hanger - Chrome

Size	Code	£ Ex VAT	£ Inc VAT
280mm	89.0366	62.00	74.40
375mm	89.0367	66.00	79.20
470mm	89.0368	74.00	88.80

1800mm height radiators come with 3 pre-drilled towel hanger locations, with a maximum of 3 towel hangers. (all widths; 280, 375 and 470mm)

Can be fitted after installation only on high adjustment bracket fitting.

The Witney Towel Hangers will add approx 8mm width on each side once fitted to the radiator.

Radiator Valves

Page 350-365



Aluminium Range

WITNEY HORIZONTAL



Pictured 89.0943 Matt White



Pictured 89.0978 Matt Anthracite

A high heat capacity horizontal radiator that will provide a stylish warmth to any room. Available in two finishes and five widths.

Witney Horizontal Aluminium Radiators - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	328	646	300W	A, A+, C, H	89.0941	522.00	626.40
600 x 660mm	451	889	600W	A, A+, C, H	89.0942	723.00	867.60
600 x 850mm	573	1128	900W	A, A+, C, H	89.0943	920.00	1104.00
600 x 1040mm	692	1364	1000W	A, A+, C, H	89.0944	1116.00	1339.20
600 x 1230mm	811	1597	1200W	A, A+, C, H	89.0945	1305.00	1566.00

Witney Horizontal Aluminium Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 470mm	328	646	300W	A, A+, C, H	89.0974	522.00	626.40
600 x 660mm	451	889	600W	A, A+, C, H	89.0975	723.00	867.60
600 x 850mm	573	1128	900W	A, A+, C, H	89.0976	920.00	1104.00
600 x 1040mm	692	1364	1000W	A, A+, C, H	89.0977	1116.00	1339.20
600 x 1230mm	811	1597	1200W	A, A+, C, H	89.0978	1305.00	1566.00

Prices include radiator and wall fixing sets, valves and accessories extra.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Radiators come with cover caps on top and bottom, same as radiator colour
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 434-435



Witney Cover Cap Set - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Cover Cap 470mm	89.0421	46.00	55.20
Cover Cap 660mm	89.1407	60.00	72.00
Cover Cap 850mm	89.1408	74.00	88.80
Cover Cap 1040mm	89.1409	91.00	109.20
Cover Cap 1230mm	89.1410	108.00	129.60

Cover cap set only includes cover caps for the top or bottom of the radiator.

For element types
see pages 336-349.

Element can only be installed horizontally on the bottom header. Radiators that are electric only are restricted to the heat output of the elements (Type C&H up to 900 watts).



Aluminium Range

PELAGO

Pictured 86.0224 Polished Aluminium



With its slim construction and modern design, the Pelago aluminium towel rail is ready to heat up your towels.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 436-437



Pelago - Matt White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	126	231	150W	A, A+	86.0208	151.00	181.20
600 x 600mm	149	272	150W	A, A+	86.0209	162.00	194.40
1200 x 500mm	237	449	300W	A, A+	86.0214	248.00	297.60
1200 x 600mm	270	505	450W	A, A+	86.0215	266.00	319.20
1800 x 500mm	362	685	600W	A, A+	86.0220	353.00	423.60
1800 x 600mm	417	771	600W	A, A+	86.0221	382.00	458.40

Pelago - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	126	231	150W	A, A+	86.0210	151.00	181.20
600 x 600mm	149	272	150W	A, A+	86.0211	162.00	194.40
1200 x 500mm	237	449	300W	A, A+	86.0216	248.00	297.60
1200 x 600mm	270	505	450W	A, A+	86.0217	266.00	319.20
1800 x 500mm	362	685	600W	A, A+	86.0222	353.00	423.60
1800 x 600mm	417	771	600W	A, A+	86.0223	382.00	458.40


Pelago - Polished Aluminium

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	122	224	150W	A, A+	86.0212	167.00	200.40
600 x 600mm	145	264	150W	A, A+	86.0213	180.00	216.00
1200 x 500mm	230	435	300W	A, A+	86.0218	277.00	332.40
1200 x 600mm	262	490	450W	A, A+	86.0219	298.00	357.60
1800 x 500mm	351	664	600W	A, A+	86.0224	396.00	475.20
1800 x 600mm	405	748	600W	A, A+	86.0225	430.00	516.00

* Further heat output information available on eastbrooktrade.com **E&OA**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 25mm less than the width of the rail and approx. 75-105mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Pictured 86.0210 Matt Anthracite

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Aluminium Range

VELOR

High Output



Pictured 86.0167 Matt Anthracite



Pictured 86.0163 Matt White

The Velor is light weight aluminium towel rail that has a high heat output. It's available in two colours; Matt White & Matt Anthracite, both with slanted horizontal bars.

FEATURES

- Excellent heat conductivity and lightweight
- Only requires a low water volume
- Heats up very quickly
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 436-437



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Velor Straight Towel Rail - Matt Anthracite


Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	142	271	150W	A, D, E	86.0164	201.00	241.20
600 x 600mm	168*	320*	150W	A, D, E	86.0165	218.00	261.60
1200 x 500mm	312*	565*	300W	A, D, E	86.0166	398.00	477.60
1200 x 600mm	374*	678*	300W	A, D, E	86.0167	441.00	529.20
1800 x 500mm	460*	834*	600W	A, D, E	86.0168	570.00	684.00
1800 x 600mm	552*	1001*	600W	A, D, E	86.0169	639.00	766.80

* Further heat output information available on eastbrooktrade.com E&OA


Velor Straight Towel Rail - Matt White

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 500mm	142	271	150W	A, D, E	86.0158	201.00	241.20
600 x 600mm	168*	320*	150W	A, D, E	86.0159	218.00	261.60
1200 x 500mm	312*	565*	300W	A, D, E	86.0160	398.00	477.60
1200 x 600mm	374*	678*	300W	A, D, E	86.0161	441.00	529.20
1800 x 500mm	460*	834*	600W	A, D, E	86.0162	570.00	684.00
1800 x 600mm	552*	1001*	600W	A, D, E	86.0163	639.00	766.80

* Further heat output information available on eastbrooktrade.com E&OA




Slanted Horizontal Bars



Exposed Chrome Cover Caps

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D or E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 25mm less than the width of the rail and approx. 80-110mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Traditional Range

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. Most of these radiators and towel rails can be powered via dual fuel, single fuel and / or all electric.

Contents

Windrush, Chrome	290
Stour, Available in 5 colours	291-293
Painswick, Chrome	294
Frome, Chrome	294
Thames, Chrome / Gloss White	295
Leadon, Chrome / Gloss White	296
Sherbourne, Chrome	296
Coln, Chrome / Gloss White	297
Twyver, Chrome / Gloss White	297
Avon, Available in 4 colours	298-299
Isbourne, Available in 5 colours - NEW COLOUR	300-301
Imperia 2 Column, Available in 4 colours - NEW SIZES	302-308
Imperia 3 Column, Available in 4 colours - NEW SIZES	309-315
Imperia 4 Column, Available in 3 colours - NEW PRODUCT	316-317
Imperia 6 Column, Available in 3 colours - NEW PRODUCT	318-320
Imperia 6 Column Bench, Available in 3 colours - NEW PRODUCT	321
Imperia Multirail 2 Column, Available in 3 colours	322-323
Rivassa 2 Column, Available in 5 colours	324-327
Rivassa 3 Column, Available in 5 colours	328-331
Rivassa 4 Column, Available in 3 colours	332-333



Traditional Range

WINDRUSH

Warranty

5

Year

Heating



All Electric




Dual-Fuel




Pictured 41.1009 Chrome

Valves are only shown for illustration purposes.

Pictured 41.1016 Chrome



Pictured 41.1014 Chrome



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Windrush is a simple, traditional design that will add a vintage feel to your bathroom.

Windrush - Chrome

Size H x W x D	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
950 x 500 x 130mm	74	137	100W	A, A+	41.1009	323.00	387.60
950 x 600 x 130mm	75	139	100W	A, A+	41.1003	345.00	414.00
1195 x 500 x 130mm	93	176	150W	A, A+, E	41.1014	349.00	418.80
1195 x 600 x 130mm	101	189	150W	A, A+, E	41.1015	369.00	442.80
1550 x 500 x 130mm	117	223	150W	A, A+, E	41.1016	423.00	507.60
1550 x 600 x 130mm	126	237	150W	A, A+, E	41.1017	441.00	529.20

FEATURES

- Can be single, dual fuel or all electric
 - Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
- * With conditions

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 130mm less than the width of the rail (144mm for 41.1009) and approx. 105mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Technical Tables
& Drawings
Page 436-437



Traditional Range

STOUR

Warranty
5
Year


Heating



All Electric



Dual-Fuel



Pictured 41.1018 Chrome

Pictured 41.1020 Chrome



Pictured 41.1018 Chrome



Pictured 41.1010 Chrome



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in chrome finish offers a Victorian feel to complement a traditional bathroom.

FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*

* With conditions

Technical Tables & Drawings

Page 436-437



Stour - Chrome							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm	69	129	150W	E	41.1010	242.00	290.40
690 x 600mm	79	149	100W	A, A+, E	41.1005	265.00	318.00
1195 x 500mm	106	201	100W	A, A+, E	41.1018	382.00	458.40
1195 x 600mm	118	223	150W	A, A+, E	41.1019	401.00	481.20
1550 x 500mm	131	247	150W	A, A+, E	41.1020	450.00	540.00
1550 x 600mm	146	276	150W	A, A+, E	41.1021	479.00	574.80

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Traditional Range

STOUR



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in featured colours, brushed brass and matt white offers a Victorian feel to complement a traditional bathroom.

Stour - Brushed Brass								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
690 x 500mm	97	183	150W	E	41.0377	373.00	447.60	
690 x 600mm	105	197	100W	A, A+, E	41.0378	403.00	483.60	
1195 x 500mm	153	288	100W	A, A+, E	41.0379	594.00	712.80	
1195 x 600mm	170	319	150W	A, A+, E	41.0380	626.00	751.20	
1550 x 500mm	184	347	150W	A, A+, E	41.0381	731.00	877.20	
1550 x 600mm	213	401	150W	A, A+, E	41.0382	782.00	938.40	

FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- Comes with same colour bleed valve (brushed brass colour only)
- 5 Year Manufacturer's Warranty*

* With conditions

**Technical Tables
& Drawings**
Page 436-437



Stour - Matt White								
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT	
690 x 500mm	183	343	150W	E	41.0431	207.00	248.40	
690 x 600mm	116	216	100W	A, A+, E	41.0432	222.00	266.40	
1195 x 500mm	166	310	100W	A, A+, E	41.0433	332.00	398.40	
1195 x 600mm	183	343	150W	A, A+, E	41.0434	354.00	424.80	
1550 x 500mm	210	391	150W	A, A+, E	41.0435	364.00	436.80	
1550 x 600mm	229	430	150W	A, A+, E	41.0436	395.00	474.00	

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Traditional Range

STOUR



Pictured 41.0437 Matt Anthracite

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Stour in featured colours, matt anthracite and matt black offers a Victorian feel to complement a traditional bathroom.

Stour - Matt Anthracite							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm	183	343	150W	E	41.0437	207.00	248.40
690 x 600mm	116	216	100W	A, A+, E	41.0438	222.00	266.40
1195 x 500mm	166	310	100W	A, A+, E	41.0439	332.00	398.40
1195 x 600mm	183	343	150W	A, A+, E	41.0440	354.00	424.80
1550 x 500mm	210	391	150W	A, A+, E	41.0441	364.00	436.80
1550 x 600mm	229	430	150W	A, A+, E	41.0442	395.00	474.00

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type E. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems only. Tappings are approx. 74mm less than the width of the rail and approx. 53mm off the wall. Price includes radiator and wall fixing sets, valves extra.



Pictured 41.0445 Matt Black

FEATURES

- Can be single, dual fuel or all electric
- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables
& Drawings
Page 436-437



Stour - Matt Black							
Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
690 x 500mm	183	343	150W	E	41.0443	207.00	248.40
690 x 600mm	116	216	100W	A, A+, E	41.0444	222.00	266.40
1195 x 500mm	166	310	100W	A, A+, E	41.0445	332.00	398.40
1195 x 600mm	183	343	150W	A, A+, E	41.0446	354.00	424.80
1550 x 500mm	210	391	150W	A, A+, E	41.0447	364.00	436.80
1550 x 600mm	229	430	150W	A, A+, E	41.0448	395.00	474.00

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Traditional Range

PAINSWICK



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. The Painswick is a stunning, floor standing classical radiator with elegant practical curves.

Painswick - Chrome

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
778 x 686mm	148	279	N/A	N/A	41.1022	859.00	1030.80

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 438-439



FROME

For element types
see pages 336-349.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Frome - Chrome

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 474mm	112	212	150W	A, A+, C, E, H	41.1013	441.00	529.20

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

FEATURES

- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 438-439



TECHNICAL INFORMATION

All measurements in Height by Width. **Not suitable for elements.** For matching valves see pages 350-365. For indirect heating systems. Tappings are approx. 130mm less than the width of the rail and approx. 100mm off the floor. Price includes radiator and wall fixing sets, valves extra.

TECHNICAL INFORMATION

All measurements in Height by Width. **Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H.** For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5

Heating



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	54.00	64.80

Radiator valves sold separately

Warranty

5

Year

Heating



All Electric



Dual-Fuel



Pair of Radiator Valves & Tails


Code	£ Ex VAT	£ Inc VAT
54.0001	54.00	64.80

Radiator valves sold separately

Traditional Range

THAMES

For element types
see pages 336-349.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Thames - Chrome / Gloss White

Size H x W x D	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1444 x 630 x 187mm	345	654	450W	A, A+, C, H	41.1004	725.00	870.00

Tappings are approx. 130mm less than the width of the rail and approx. 150mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 438-439



Chrome

Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	54.00	64.80

Radiator valves sold separately



Comes with dark
wood effect head

Chrome

Angled TRV with Lockshield (pair)

Code	£ Ex VAT	£ Inc VAT
54.0008	90.00	108.00

Radiator valves sold separately

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Traditional Range

LEADON

For element types
see pages 336-349.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Leadon - Chrome / Gloss White

Size H x W x D	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 700 x 260mm	322	602	450W	A, A+, C, H	41.1007	649.00	778.80

Tappings are approx. 130mm less than the width of the rail and approx. 137mm off the wall.

FEATURES

- Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 438-439



SHERBOURNE

For element types
see pages 336-349.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Sherbourne - Chrome

Size H x W x D	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 600 x 142mm	112	210	150W	A, A+, C, E, H	41.1001	418.00	501.60

Tappings are approx. 130mm less than the width of the rail and approx. 105mm off the wall.

FEATURES

- Tested to BS EN 442 standards.
 - 5 Year Manufacturer's Warranty*
 - Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 440-441



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty
5
 Year

Heating

All Electric

Dual-Fuel

Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	54.00	64.80

Radiator valves sold separately

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty
5
 Year

Heating

All Electric

Dual-Fuel

Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	54.00	64.80

Radiator valves sold separately

Traditional Range

COLN

For element types
see pages 336-349.



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Coln - Chrome / Gloss White

Size H x W x D	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
510 x 680 x 260mm	247	468	300W	A, A+, C, H	41.1002	491.00	589.20

On dual fuel installation, please use only Type A element.

Tappings approx. 4mm less than the width of the rail and approx. 50mm off the wall.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 440-441



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Pair of Radiator Valves & Tails

Code	£ Ex VAT	£ Inc VAT
54.0001	54.00	64.80

Radiator valves sold separately

TWYVER



Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails should only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Twyver - Chrome / Gloss White

Size H x W x D	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
952 x 684 x 158mm	334	644	N/A	N/A	41.1011	669.00	802.80

Tappings are approx. 137mm less than the width of the rail and approx. 108mm off the wall.

FEATURES

- Tested to BS EN 442 standards.
- 5 Year Manufacturer's Warranty*
- Not suitable for elements
- * With conditions

Technical Tables & Drawings

Page 440-441



TECHNICAL INFORMATION

All measurements in Height by Width. Not suitable for elements. For matching valves see pages 350-365. For indirect heating systems. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



Traditional Range

AVON


Pictured 411006 Chrome / Gloss White

Avon - Chrome / Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429	159	302	150W	A, A+, C, H	41.1027	385.00	462.00
960 x 500	205	384	300W	A, A+, C, H	41.1006	408.00	489.60

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

Warranty
5
 Year

Heating

All Electric

Dual-Fuel

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

**Technical Tables
& Drawings**

Page 440-441


TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings from wall 135mm. (for 429mm width is 110mm.) Projection from wall 185mm. (for 429mm width is 160mm.) Prices include radiator and wall fixings sets, valves extra.

Traditional Range

AVON



Avon - Brushed Brass / Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429	182	342	150W	A, A+, C, H	41.0804	551.00	661.20
960 x 500	227	428	300W	A, A+, C, H	41.0805	583.00	699.60

Pictured 41.0805 Brushed Brass / Gloss White



Pictured 41.1028 Chrome / Matt Anthracite

Avon - Chrome / Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429	159	302	150W	A, A+, C, H	41.1028	385.00	462.00
960 x 500	199	377	300W	A, A+, C, H	41.1025	408.00	489.60



Pictured 41.1026 Chrome / Matt Black

Avon - Chrome / Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
960 x 429	159	302	150W	A, A+, C, H	41.1029	385.00	462.00
960 x 500	199	377	300W	A, A+, C, H	41.1026	408.00	489.60

Traditional Range

ISBOURNE



Pictured 41.1000 Chrome / Gloss White

Isbourne - Chrome / Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 507	207*	392*	300W	A, A+, C, H	41.0806	448.00	537.60
940 x 600	274	521	450W	A, A+, C, H	41.1000	476.00	571.20

* Further heat output information available on eastbrooktrade.com **E&OA**

Our traditional range of radiators offer character and flair to ensure they fit in with your classic designs. These rails only be used on closed or indirect heating circuits, not on fresh water hot systems as they are of steel construction.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Can be single or dual fuel, or all electric
- * With conditions

Technical Tables & Drawings

Page 442-443



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings from wall approx 121mm. Projection from wall 260mm. Prices include radiator and wall fixings sets, valves extra.

Warranty

5
Year

Heating



All Electric



Dual-Fuel



Traditional Range

ISBOURNE



Pictured 41.0709 Brushed Brass / Gloss White

Isbourne - Brushed Brass / Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 507	207	392	300W	A, A+, C, H	41.0809	646.00	775.20
940 x 600	275	522	450W	A, A+, C, H	41.0709	687.00	824.40



New Colour Available August 2025

Pictured 41.1031 Brushed Brass / Matt Black

NEW! Isbourne - Brushed Brass / Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 507	207	392	300W	A, A+, C, H	41.1030	646.00	775.20
940 x 600	275	522	450W	A, A+, C, H	41.1031	687.00	824.40



Pictured 41.1024 Chrome / Matt Anthracite

Isbourne - Chrome / Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 507	207*	392*	300W	A, A+, C, H	41.0807	448.00	537.60
940 x 600	274	521	450W	A, A+, C, H	41.1024	476.00	571.20

* Further heat output information available on eastbrooktrade.com E&OA



Pictured 41.1023 Chrome / Matt Black

Isbourne - Chrome / Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
940 x 507	207*	392*	300W	A, A+, C, H	41.0808	448.00	537.60
940 x 600	274	521	450W	A, A+, C, H	41.1023	476.00	571.20

* Further heat output information available on eastbrooktrade.com E&OA

Traditional Range

IMPERIA 2 COLUMN - GLOSS WHITE

New Sizes Available August 2025



Pictured 41.0893 Gloss White with 41.0357 feet



Pictured 41.0907 Gloss White with 41.0357 feet



Pictured 41.0926 Gloss White

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in three, four and six columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 442-443



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

IMPERIA 2 COLUMN - GLOSS WHITE

300mm Height - Horizontal

Imperia Two Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	234	432	300W	A, A+, C, H	41.0892	216.00	259.20
300 x 1010mm	286	528	450W	A, A+, C, H	41.0893	258.00	309.60
300 x 1145mm	325	600	450W	A, A+, C, E*, H	41.0383	288.00	345.60
300 x 1370mm	390	720	450W	A, A+, C, E*, H	41.0384	340.00	408.00
300 x 1460mm	416	768	600W	A, A+, C, E*, H	41.0894	361.00	433.20
300 x 1640mm	468	864	750W	A, A+, C, E*, H	41.0895	402.00	482.40

*600w Type E Element can be fitted

450mm Height - Horizontal

Imperia Two Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
450 x 605mm	247	468	300W	A, A+, C, H	41.0904	188.00	225.60
450 x 830mm	342	648	450W	A, A+, C, E*, H	41.0905	249.00	298.80
450 x 1010mm	418	792	600W	A, A+, C, E*, H	41.0906	297.00	356.40
450 x 1145mm	475	900	750W	A, A+, C, E*, H	41.0907	332.00	259.20
450 x 1460mm	608	1152	900W	A, A+, C, E*, H	41.0908	416.00	499.20

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Projection from wall 92mm. Prices include radiator and wall fixings sets, valves extra.

600mm Height - Horizontal

Imperia Two Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	225	423	300W	A, A+, C, H	41.0385	158.00	189.60
600 x 470mm	250	470	300W	A, A+, C, H	41.0386	172.00	206.40
600 x 515mm	275	517	300W	A, A+, C, H	41.0387	185.00	222.00
600 x 560mm	300	564	300W	A, A+, C, H	41.0388	200.00	189.60
600 x 605mm	325	611	450W	A, A+, C, H	41.0339	236.00	283.20
600 x 830mm	450	846	600W	A, A+, C, E*, H	41.0338	310.00	372.00
600 x 1010mm	550	1034	750W	A, A+, C, H	41.0389	338.00	405.60
600 x 1145mm	625	1175	900W	A, A+, H	41.0337	415.00	498.00
600 x 1460mm	800	1504	1000W	A+	41.0390	476.00	571.20
600 x 1640mm	900	1692	1200W	A, A+, H	41.0919	527.00	632.40
600 x 1820mm	1000	1880	1200W	A, A+, H	41.0920	582.00	698.40

*600w Type E Element can be fitted


1800mm Height - Vertical

Imperia Two Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 290mm	414	804	N/A	N/A	41.0400	227.00	272.40
1800 x 380mm	552	1072	N/A	N/A	41.0346	296.00	355.20
1800 x 470mm	690	1340	N/A	N/A	41.0345	356.00	427.20
1800 x 515mm	759	1474	N/A	N/A	41.0925	397.00	476.40
1800 x 560mm	828	1608	N/A	N/A	41.0926	427.00	512.40
1800 x 605mm	897	1742	N/A	N/A	41.0927	458.00	549.60
1800 x 650mm	966	1876	N/A	N/A	41.0928	489.00	586.80



Pictured 41.0919 Gloss White with 41.0357 feet



Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 2 Column Radiator Feet (pair) Gloss White	41.0357	35.00	42.00

Round Vent Caps

Page 369



Imperia Towel Hangers

Page 366



Traditional Valves

Page 353&364



Imperia Robe Hooks

Page 366



Traditional Range

IMPERIA 2 COLUMN - MATT ANTHRACITE

New Sizes Available August 2025



Pictured 41.0896 Matt Anthracite



Pictured 41.0913 Matt Anthracite with 41.0358 feet



Pictured 41.0345 Matt Anthracite with 41.0358 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in three, four and six columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 442-443



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

IMPERIA 2 COLUMN - MATT ANTHRACITE

300mm Height - Horizontal

Imperia Two Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	234	432	300W	A, A+, C, H	41.0896	216.00	259.20
300 x 1010mm	286	528	450W	A, A+, C, H	41.0897	258.00	309.60
300 x 1145mm	325	600	450W	A, A+, C, E*, H	41.0392	288.00	345.60
300 x 1370mm	390	720	450W	A, A+, C, E*, H	41.0393	340.00	408.00
300 x 1460mm	416	768	600W	A, A+, C, E*, H	41.0898	361.00	433.20
300 x 1640mm	468	864	750W	A, A+, C, E*, H	41.0899	402.00	482.40

*600w Type E Element can be fitted

450mm Height - Horizontal

Imperia Two Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
450 x 605mm	247	468	300W	A, A+, C, H	41.0909	188.00	225.60
450 x 830mm	342	648	450W	A, A+, C, E*, H	41.0910	249.00	298.80
450 x 1010mm	418	792	600W	A, A+, C, E*, H	41.0911	297.00	356.40
450 x 1145mm	475	900	750W	A, A+, C, E*, H	41.0912	332.00	259.20
450 x 1460mm	608	1152	900W	A, A+, C, E*, H	41.0913	416.00	499.20

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Projection from wall 92mm. Prices include radiator and wall fixings sets, valves extra.

600mm Height - Horizontal

Imperia Two Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	225	423	300W	A, A+, C, H	41.0394	158.00	189.60
600 x 470mm	250	470	300W	A, A+, C, H	41.0395	172.00	206.40
600 x 515mm	275	517	300W	A, A+, C, H	41.0396	185.00	222.00
600 x 560mm	300	564	300W	A, A+, C, H	41.0397	200.00	240.00
600 x 605mm	325	611	450W	A, A+, C, H	41.0344	236.00	283.20
600 x 830mm	450	846	600W	A, A+, C, E*, H	41.0343	310.00	372.00
600 x 1010mm	550	1034	750W	A, A+, C, H	41.0398	338.00	405.60
600 x 1145mm	625	1175	900W	A, A+, H	41.0342	415.00	498.00
600 x 1460mm	800	1504	1000W	A+	41.0399	476.00	571.20
600 x 1640mm	900	1692	1200W	A, A+, H	41.0921	527.00	632.40
600 x 1820mm	1000	1880	1200W	A, A+, H	41.0922	582.00	698.40

*600w Type E Element can be fitted


1800mm Height - Vertical

Imperia Two Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 290mm	414	804	N/A	N/A	41.0400	227.00	272.40
1800 x 380mm	552	1072	N/A	N/A	41.0346	296.00	355.20
1800 x 470mm	690	1340	N/A	N/A	41.0345	356.00	427.20
1800 x 515mm	759	1474	N/A	N/A	41.0929	397.00	476.40
1800 x 560mm	828	1608	N/A	N/A	41.0930	427.00	512.40
1800 x 605mm	897	1742	N/A	N/A	41.0931	458.00	549.60
1800 x 650mm	966	1876	N/A	N/A	41.0932	489.00	586.80



Pictured 41.0398 Matt Anthracite with 41.0358 feet



Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 2 Column Radiator Feet (pair) Matt Anthracite	41.0358	35.00	42.00

Round Vent Caps Page 369



Imperia Towel Hangers Page 366



Traditional Valves Page 353&364




Imperia Robe Hooks Page 366




Traditional Range

IMPERIA 2 COLUMN - MATT BLACK

New Sizes Available August 2025



Pictured 41.0902 Matt Black with 41.0763 feet



Pictured 41.0915 Matt Black

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in three, four and six columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings

Page 442-443



Pictured 41.0936 Matt Black with 41.0763 feet

Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

IMPERIA 2 COLUMN - MATT BLACK

300mm Height - Horizontal

Imperia Two Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	234	432	300W	A, A+, C, H	41.0900	216.00	259.20
300 x 1010mm	286	528	450W	A, A+, C, H	41.0901	258.00	309.60
300 x 1145mm	325	600	450W	A, A+, C, E*, H	41.0749	288.00	345.60
300 x 1370mm	390	720	450W	A, A+, C, E*, H	41.0750	340.00	408.00
300 x 1460mm	416	768	600W	A, A+, C, E*, H	41.0902	361.00	433.20
300 x 1640mm	468	864	750W	A, A+, C, E*, H	41.0903	402.00	482.40

*600w Type E Element can be fitted

450mm Height - Horizontal

Imperia Two Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
450 x 605mm	247	468	300W	A, A+, C, H	41.0914	188.00	225.60
450 x 830mm	342	648	450W	A, A+, C, E*, H	41.0915	249.00	298.80
450 x 1010mm	418	792	600W	A, A+, C, E*, H	41.0916	297.00	356.40
450 x 1145mm	475	900	750W	A, A+, C, E*, H	41.0917	332.00	259.20
450 x 1460mm	608	1152	900W	A, A+, C, E*, H	41.0918	416.00	499.20

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Projection from wall 92mm. Prices include radiator and wall fixings sets, valves extra.

600mm Height - Horizontal

Imperia Two Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	225	423	300W	A, A+, C, H	41.0751	158.00	189.60
600 x 470mm	250	470	300W	A, A+, C, H	41.0752	172.00	206.40
600 x 515mm	275	517	300W	A, A+, C, H	41.0753	185.00	222.00
600 x 560mm	300	564	300W	A, A+, C, H	41.0754	200.00	240.00
600 x 605mm	325	611	450W	A, A+, C, H	41.0755	236.00	283.20
600 x 830mm	450	846	600W	A, A+, C, E*, H	41.0756	310.00	372.00
600 x 1010mm	550	1034	750W	A, A+, C, H	41.0757	338.00	405.60
600 x 1145mm	625	1175	900W	A, A+, H	41.0758	415.00	498.00
600 x 1460mm	800	1504	1000W	A+	41.0759	476.00	571.20
600 x 1640mm	900	1692	1200W	A, A+, H	41.0923	527.00	632.40
600 x 1820mm	1000	1880	1200W	A, A+, H	41.0924	582.00	698.40

*600w Type E Element can be fitted

1800mm Height - Vertical

Imperia Two Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 290mm	414	804	N/A	N/A	41.0760	227.00	272.40
1800 x 380mm	552	1072	N/A	N/A	41.0761	296.00	355.20
1800 x 470mm	690	1340	N/A	N/A	41.0762	356.00	427.20
1800 x 515mm	759	1474	N/A	N/A	41.0933	397.00	476.40
1800 x 560mm	828	1608	N/A	N/A	41.0934	427.00	512.40
1800 x 605mm	897	1742	N/A	N/A	41.0935	458.00	549.60
1800 x 650mm	966	1876	N/A	N/A	41.0936	489.00	586.80



Pictured 41.0756 Matt Black




Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 2 Column Radiator Feet (pair) Matt Black	41.0763	35.00	42.00

Round Vent Caps

Page 369



Imperia Towel Hangers

Page 366




Traditional Valves

Page 353&364




Imperia Robe Hooks

Page 366



Traditional Range

IMPERIA 2 COLUMN, BARE METAL




Pictured 41.0422 Bare Metal

Imperia bare metal radiators are hand finished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.

Traditional Valves

Page 353&364



Pictured 41.0420 Bare Metal

New Sizes Available August 2025

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings

Page 442-443



Imperia Two Column Radiators - Bare Metal

Size H x W	ΔT30 Watts*	ΔT50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 605mm	325	611	450W	A, A+, C, H	41.0419	334.00	400.80
600 x 830mm	450	846	600W	A, A+, C, E*, H	41.0420	444.00	532.80
600 x 1010mm	550	1034	750W	A, A+, C, H	41.0937	499.00	598.80
600 x 1145mm	625	1175	900W	A, A+, H	41.0421	595.00	714.00
600 x 1460mm	800	1504	1000W	A+	41.0938	703.00	843.60
1800 x 380mm	552	1072	N/A	N/A	41.0422	446.00	535.20
1800 x 470mm	690	1340	N/A	N/A	41.0423	532.00	638.40
1800 x 560mm	828	1608	N/A	N/A	41.0939	604.00	724.80

* Further heat output information available on eastbrooktrade.com **E&O**

***600w Type E Element can be fitted**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 60mm off the wall. Projection from wall 94mm. Prices include radiator and wall fixings sets, valves extra.

Eastbrook is always on the look out for products and finishes trending in the UK market. We have noticed a trend in bare brick and plain painted walls with traditional engineering items such as small sand casts mounted on the wall. Known in designer circles as the Industrial Chic look.

For those of you looking for Bare metal finish radiator showing the welds, pressings, sanding and tubes that make up a traditional column radiator, we have introduced this range. We have sealed the metal with clear lacquer to ensure no impurities are allowed to discolour or oxidise the metal.



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 2 Column Radiator Feet (pair)	41.0429	45.00	54.00

Traditional Range

IMPERIA 3 COLUMN, BARE METAL



Pictured 41.0428 Bare Metal

New Sizes Available August 2025

Eastbrook is always on the look out for products and finishes trending in the UK market. We have noticed a trend in bare brick and plain painted walls with traditional engineering items such as small sand casts mounted on the wall. Known in designer circles as the Industrial Chic look.

For those of you looking for Bare metal finish radiator showing the welds, pressings, sanding and tubes that make up a traditional column radiator, we have introduced this range. We have sealed the metal with clear lacquer to ensure no impurities are allowed to discolour or oxidise the metal.

Imperia bare metal radiators are hand finished therefore each radiator will have its own unique welding marks and imperfections that are left on purpose. Bare Metal colour shown in images are subject to the limitations of the printing process and may appear different.

Traditional Valves
Page 353&364



Pictured 41.0424 Bare Metal

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mmv
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings
Page 444-445




Imperia Three Column Radiators - Bare Metal

Size H x W	Δ T30 Watts*	Δ T50 Watts*	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 605mm	390	754	600W	A, A+, C, H	41.0424	393.00	471.60
600 x 830mm	540	1044	900W	A+, C, H	41.0425	522.00	626.40
600 x 1010mm	660	1276	1000W	A, A+, C, H	41.0985	594.00	712.80
600 x 1145mm	750	1450	1200W	A, A+, H	41.0426	702.00	842.40
600 x 1460mm	960	1856	1200W	A+, H	41.0986	838.00	1005.60
1800 x 380mm	667	1326	N/A	N/A	41.0427	537.00	644.40
1800 x 470mm	834	1657	N/A	N/A	41.0428	641.00	769.20
1800 x 560mm	1001	1988	N/A	N/A	41.0987	736.00	883.20

* Further heat output information available on eastbrooktrade.com **E&O**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 81mm off the wall. Projection from wall 131mm. Prices include radiator and wall fixings sets, valves extra.



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 3 Column Radiator Feet (pair)	41.0430	49.00	58.80

Traditional Range

IMPERIA 3 COLUMN - GLOSS WHITE

New Sizes Available August 2025



Pictured 41.0401 Gloss White



Pictured 41.0954 Gloss White with 41.0359 feet



Pictured 41.0973 Gloss White

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in two, four and six columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 444-445



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

IMPERIA 3 COLUMN - GLOSS WHITE

300mm Height - Horizontal

Imperia Three Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	293	562	450W	A, A+, C, E*, H	41.0940	250.00	300.00
300 x 1010mm	358	708	600W	A, A+, C, E*, H	41.0941	298.00	357.60
300 x 1145mm	407	830	600W	A, A+, C, E*, H	41.0401	333.00	399.60
300 x 1370mm	488	1026	750W	A, A+, C, E*, H	41.0402	393.00	471.60
300 x 1460mm	520	1126	750W	A, A+, C, E*, H	41.0942	419.00	502.80
300 x 1640mm	585	1303	900W	A, A+, C, E*, H	41.0943	467.00	560.40

*600w Type E Element can be fitted

450mm Height - Horizontal

Imperia Three Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
450 x 605mm	299	585	450W	A, A+	41.0952	221.00	265.20
450 x 830mm	414	810	600W	A, A+, C, H	41.0953	293.00	351.60
450 x 1010mm	506	990	750W	A, A+, C, H	41.0954	349.00	418.80
450 x 1145mm	575	1125	900W	A, A+, C, H	41.0955	392.00	300.00
450 x 1460mm	736	1440	1200W	A+, H	41.0956	492.00	590.40

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Projection from wall 122mm. Prices include radiator and wall fixings sets, valves extra.

600mm Height - Horizontal

Imperia Three Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	270	522	450W	A, A+	41.0403	187.00	224.40
600 x 470mm	300	580	450W	A, A+, C, H	41.0404	203.00	243.60
600 x 515mm	330	638	450W	A, A+, C, H	41.0405	219.00	262.80
600 x 560mm	360	696	600W	A+, C, H	41.0406	237.00	284.40
600 x 605mm	390	754	600W	A, A+, C, H	41.0349	276.00	331.20
600 x 830mm	540	1044	900W	A+, C, H	41.0348	364.00	436.80
600 x 1010mm	660	1276	1000W	A, A+, C, H	41.0407	401.00	481.20
600 x 1145mm	750	1450	1200W	A, A+, H	41.0347	490.00	588.00
600 x 1460mm	960	1856	1200W	A+, H	41.0408	565.00	678.00
600 x 1640mm	1080	2088	1200W	A+, H	41.0967	631.00	757.20
600 x 1820mm	1200	2320	1200W	A+, H	41.0968	696.00	835.20

*600w Type E Element can be fitted


1800mm Height - Vertical

Imperia Three Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 290mm	500	994	N/A	N/A	41.0409	276.00	331.20
1800 x 380mm	667	1326	N/A	N/A	41.0351	356.00	427.20
1800 x 470mm	834	1657	N/A	N/A	41.0350	428.00	513.60
1800 x 515mm	917	1823	N/A	N/A	41.0973	486.00	583.20
1800 x 560mm	1001	1988	N/A	N/A	41.0974	524.00	628.80
1800 x 605mm	1084	2154	N/A	N/A	41.0975	562.00	674.40
1800 x 650mm	1168	2320	N/A	N/A	41.0976	600.00	720.00



Pictured 41.0347 Gloss White



Imperia Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 3 Column Radiator Feet (pair) Gloss White	41.0359	38.00	45.60

Round Vent Caps

Page 369



Imperia Towel Hangers

Page 366



Traditional Valves

Page 353&364



Imperia Robe Hooks

Page 366



Traditional Range

IMPERIA 3 COLUMN - MATT ANTHRACITE

New Sizes Available August 2025



Pictured 41.0411 Matt Anthracite with 41.0360 feet



Pictured 41.0957 Matt Anthracite



Pictured 41.0979 Matt Anthracite with 41.0360 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in two, four and six columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 444-445



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

IMPERIA 3 COLUMN - MATT ANTHRACITE

300mm Height - Horizontal

Imperia Three Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	293	562	450W	A, A+, C, E*, H	41.0944	250.00	300.00
300 x 1010mm	358	708	600W	A, A+, C, E*, H	41.0945	298.00	357.60
300 x 1145mm	407	830	600W	A, A+, C, E*, H	41.0410	333.00	399.60
300 x 1370mm	488	1026	750W	A, A+, C, E*, H	41.0411	393.00	471.60
300 x 1460mm	520	1126	750W	A, A+, C, E*, H	41.0946	419.00	502.80
300 x 1640mm	585	1303	900W	A, A+, C, E*, H	41.0947	467.00	560.40

*600w Type E Element can be fitted

450mm Height - Horizontal

Imperia Three Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
450 x 605mm	299	585	450W	A, A+	41.0957	221.00	265.20
450 x 830mm	414	810	600W	A, A+, C, H	41.0958	293.00	351.60
450 x 1010mm	506	990	750W	A, A+, C, H	41.0959	349.00	418.80
450 x 1145mm	575	1125	900W	A, A+, C, H	41.0960	392.00	300.00
450 x 1460mm	736	1440	1200W	A+, H	41.0961	492.00	590.40

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Projection from wall 122mm. Prices include radiator and wall fixings sets, valves extra.

600mm Height - Horizontal

Imperia Three Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	270	522	450W	A, A+	41.0412	187.00	224.40
600 x 470mm	300	580	450W	A, A+, C, H	41.0413	203.00	243.60
600 x 515mm	330	638	450W	A, A+, C, H	41.0414	219.00	262.80
600 x 560mm	360	696	600W	A+, C, H	41.0415	237.00	284.40
600 x 605mm	390	754	600W	A, A+, C, H	41.0354	276.00	331.20
600 x 830mm	540	1044	900W	A+, C, H	41.0353	364.00	436.80
600 x 1010mm	660	1276	1000W	A, A+, C, H	41.0416	401.00	481.20
600 x 1145mm	750	1450	1200W	A, A+, H	41.0352	490.00	588.00
600 x 1460mm	960	1856	1200W	A+, H	41.0417	565.00	678.00
600 x 1640mm	1080	2088	1200W	A+, H	41.0969	631.00	757.20
600 x 1820mm	1200	2320	1200W	A+, H	41.0970	696.00	835.20

*600w Type E Element can be fitted

1800mm Height - Vertical

Imperia Three Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 290mm	500	994	N/A	N/A	41.0418	276.00	331.20
1800 x 380mm	667	1326	N/A	N/A	41.0356	356.00	427.20
1800 x 470mm	834	1657	N/A	N/A	41.0355	428.00	513.60
1800 x 515mm	917	1823	N/A	N/A	41.0977	486.00	583.20
1800 x 560mm	1001	1988	N/A	N/A	41.0978	524.00	628.80
1800 x 605mm	1084	2154	N/A	N/A	41.0979	562.00	674.40
1800 x 650mm	1168	2320	N/A	N/A	41.0980	600.00	720.00



Pictured 41.0417 Matt Anthracite

Imperia Radiator Feet			
Description	Code	£ Ex VAT	£ Inc VAT
Imperia 3 Column Radiator Feet (pair) Matt Anthracite	41.0360	38.00	45.60

Round Vent Caps Page 369




Imperia Towel Hangers Page 366



Traditional Valves Page 353&364



Imperia Robe Hooks Page 366



Traditional Range

IMPERIA 3 COLUMN - MATT BLACK

New Sizes Available August 2025



Pictured 41.0948 Matt Black



Pictured 41.0965 Matt Black with 41.0778 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite, matt black or bare metal finishes. Also available in two, four and six columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings

Page 444-445



Pictured 41.0777 Matt Black

Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

IMPERIA 3 COLUMN - MATT BLACK

300mm Height - Horizontal

Imperia Three Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	293	562	450W	A, A+, C, E*, H	41.0948	250.00	300.00
300 x 1010mm	358	708	600W	A, A+, C, E*, H	41.0949	298.00	357.60
300 x 1145mm	407	830	600W	A, A+, C, E*, H	41.0764	333.00	399.60
300 x 1370mm	488	1026	750W	A, A+, C, E*, H	41.0765	393.00	471.60
300 x 1460mm	520	1126	750W	A, A+, C, E*, H	41.0950	419.00	502.80
300 x 1640mm	585	1303	900W	A, A+, C, E*, H	41.0951	467.00	560.40

*600w Type E Element can be fitted

450mm Height - Horizontal

Imperia Three Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
450 x 605mm	299	585	450W	A, A+	41.0962	221.00	265.20
450 x 830mm	414	810	600W	A, A+, C, H	41.0963	293.00	351.60
450 x 1010mm	506	990	750W	A, A+, C, H	41.0964	349.00	418.80
450 x 1145mm	575	1125	900W	A, A+, C, H	41.0965	392.00	300.00
450 x 1460mm	736	1440	1200W	A+, H	41.0966	492.00	590.40

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Projection from wall 122mm. Prices include radiator and wall fixings sets, valves extra.

600mm Height - Horizontal

Imperia Three Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	270	522	450W	A, A+	41.0766	187.00	224.40
600 x 470mm	300	580	450W	A, A+, C, H	41.0767	203.00	243.60
600 x 515mm	330	638	450W	A, A+, C, H	41.0768	219.00	262.80
600 x 560mm	360	696	600W	A+, C, H	41.0769	237.00	284.40
600 x 605mm	390	754	600W	A, A+, C, H	41.0770	276.00	331.20
600 x 830mm	540	1044	900W	A+, C, H	41.0771	364.00	436.80
600 x 1010mm	660	1276	1000W	A, A+, C, H	41.0772	401.00	481.20
600 x 1145mm	750	1450	1200W	A, A+, H	41.0773	490.00	588.00
600 x 1460mm	960	1856	1200W	A+, H	41.0774	565.00	678.00
600 x 1640mm	1080	2088	1200W	A+, H	41.0971	631.00	757.20
600 x 1820mm	1200	2320	1200W	A+, H	41.0972	696.00	835.20

*600w Type E Element can be fitted

1800mm Height - Vertical

Imperia Three Column Radiators - Matt Black


Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
1800 x 290mm	500	994	N/A	N/A	41.0775	276.00	331.20
1800 x 380mm	667	1326	N/A	N/A	41.0776	356.00	427.20
1800 x 470mm	834	1657	N/A	N/A	41.0777	428.00	513.60
1800 x 515mm	917	1823	N/A	N/A	41.0981	486.00	583.20
1800 x 560mm	1001	1988	N/A	N/A	41.0982	524.00	628.80
1800 x 605mm	1084	2154	N/A	N/A	41.0983	562.00	674.40
1800 x 650mm	1168	2320	N/A	N/A	41.0984	600.00	720.00

*600w Type E Element can be fitted



Imperia Radiator Feet			
Description	Code	£ Ex VAT	£ Inc VAT
Imperia 3 Column Radiator Feet (pair) Matt Black	41.0778	38.00	45.60

Round Vent Caps Page 369




Imperia Towel Hangers Page 366



Traditional Valves Page 353&364



Imperia Robe Hooks Page 366



Traditional Range

IMPERIA 4 COLUMN

Available August 2025



Pictured 411050 Gloss White



Traditional Valves
Page 353&364



We recommend radiator feet to be used with 600mmx1460mm & 600mmx1640mm Imperia 4 Column Radiators.

Pictured 411039 Matt Anthracite

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two, three and six columns.

FEATURES

- Tested to BS EN 442 standards
 - 5 Year Manufacturer's Warranty*
 - Matching colour wall fixing sets
 - 300mm height option for limited spaces
 - Radiator feet option available to get the classic look
 - Material thickness 1.5mm
 - Doesn't require flow diverter
- * With conditions

Warranty

5
Year

Heating



All Electric



Dual-Fuel



**Technical Tables
& Drawings**
Page 444-445



Traditional Range

IMPERIA 4 COLUMN



Pictured 41.1061 Matt Black

We recommend radiator feet to be used with 600mmx1460mm & 600mmx1640mm Imperia 4 Column Radiators.

Imperia Four Column Radiators - Gloss White

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	378	781	600W	A, A+, C, E*, H	41.0990	329.00	394.80
300 x 1010mm	462	878	750W	A, A+, C, E*, H	41.0991	398.00	477.60
300 x 1145mm	525	998	750W	A, A+, C, E, H	41.1032	449.00	538.80
300 x 1370mm	630	1197	900W	A, A+, C, E, H	41.1033	531.00	637.20
300 x 1460mm	672	1277	1000W	A, A+, H	41.1034	564.00	676.80
300 x 1640mm	756	1436	1200W	A, A+, H	41.1035	630.00	756.00
600 x 425mm	361	688	450W	A, A+, C, H	41.1048	233.00	279.60
600 x 830mm	722	1375	1000W	A, A+, H	41.1049	438.00	525.60
600 x 1010mm	882	1681	1200W	A, A+	41.1050	533.00	639.60
600 x 1145mm	1003	1910	1200W	A, A+	41.1051	600.00	720.00
600 x 1460mm	1283	2445	N/A	N/A	41.1052	758.00	909.60
600 x 1640mm	1444	2750	N/A	N/A	41.1053	851.00	1021.20

*600w Type E Element can be fitted

Imperia Four Column Radiators - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	378	781	600W	A, A+, C, E*, H	41.1036	329.00	394.80
300 x 1010mm	462	878	750W	A, A+, C, E*, H	41.1037	398.00	477.60
300 x 1145mm	525	998	750W	A, A+, C, E, H	41.1038	449.00	538.80
300 x 1370mm	630	1197	900W	A, A+, C, E, H	41.1039	531.00	637.20
300 x 1460mm	672	1277	1000W	A, A+, H	41.1040	564.00	676.80
300 x 1640mm	756	1436	1200W	A, A+, H	41.1041	630.00	756.00
600 x 425mm	361	688	450W	A, A+, C, H	41.1054	233.00	279.60
600 x 830mm	722	1375	1000W	A, A+, H	41.1055	438.00	525.60
600 x 1010mm	882	1681	1200W	A, A+	41.1056	533.00	639.60
600 x 1145mm	1003	1910	1200W	A, A+	41.1057	600.00	720.00
600 x 1460mm	1283	2445	N/A	N/A	41.1058	758.00	909.60
600 x 1640mm	1444	2750	N/A	N/A	41.1059	851.00	1021.20

*600w Type E Element can be fitted


Imperia Four Column Radiators - Matt Black

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	378	781	600W	A, A+, C, E*, H	41.1042	329.00	394.80
300 x 1010mm	462	878	750W	A, A+, C, E*, H	41.1043	398.00	477.60
300 x 1145mm	525	998	750W	A, A+, C, E, H	41.1044	449.00	538.80
300 x 1370mm	630	1197	900W	A, A+, C, E, H	41.1045	531.00	637.20
300 x 1460mm	672	1277	1000W	A, A+, H	41.1046	564.00	676.80
300 x 1640mm	756	1436	1200W	A, A+, H	41.1047	630.00	756.00
600 x 425mm	361	688	450W	A, A+, C, H	41.1060	233.00	279.60
600 x 830mm	722	1375	1000W	A, A+, H	41.1061	438.00	525.60
600 x 1010mm	882	1681	1200W	A, A+	41.1062	533.00	639.60
600 x 1145mm	1003	1910	1200W	A, A+	41.1063	600.00	720.00
600 x 1460mm	1283	2445	N/A	N/A	41.1064	758.00	909.60
600 x 1640mm	1444	2750	N/A	N/A	41.1065	851.00	1021.20

*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 90mm off the wall. Projection from wall 160mm. Prices include radiator and wall fixings sets, valves extra.




Round Vent Caps

Page 369



Rivassa Robe Hooks

Page 366



IMPERIA 4 COLUMN RADIATOR FEET

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 4 Column Radiator Feet (pair) - Gloss White	41.1066	43.00	51.60
Imperia 4 Column Radiator Feet (pair) - Matt Anthracite	41.1067	43.00	51.60
Imperia 4 Column Radiator Feet (pair) - Matt Black	41.1068	43.00	51.60



Traditional Range

IMPERIA 6 COLUMN - GLOSS WHITE

Available August 2025



Pictured 41.1070 Gloss White with 41.1088 feet

We recommend radiator feet to be used with all Imperia 6 Column Radiators.



Pictured 41.1083 Gloss White

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two, three and four columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables
& Drawings
Page 446-447



Warranty
5
Year


Heating



All Electric



Dual-Fuel



300mm Height - Horizontal

Imperia Six Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	535	1008	900W	A, A+, C, H	41.1069	452.00	542.40
300 x 1010mm	654	1232	1000W	A, A+, C, H	41.1070	549.00	658.80
300 x 1145mm	743	1400	1200W	A, A+, H	41.1071	619.00	742.80
300 x 1370mm	892	1680	1200W	A, A+, H	41.1072	735.00	882.00

Imperia Six Column Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 6 Column Radiator Feet (pair) - Gloss White	41.1088	54.00	64.80

600mm Height - Horizontal

Imperia Six Column Radiators - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	478	993	600W	H	41.1081	328.00	393.60
600 x 605mm	691	1434	900W	C, H	41.1082	459.00	550.80
600 x 830mm	956	1986	1200W	A, A+, H	41.1083	623.00	747.60
600 x 1010mm	1169	2427	1200W	A, A+, H	41.1084	758.00	893.60
600 x 1145mm	1328	2758	N/A	N/A	41.1085	856.00	1027.20
600 x 1370mm	1594	3310	N/A	N/A	41.1086	1018.00	1209.60
600 x 1460mm	1700	3530	N/A	N/A	41.1087	1083.00	1299.60

Traditional Range

IMPERIA 6 COLUMN - MATT ANTHRACITE



Pictured 41.1076 Matt Anthracite with 41.1096 feet



We recommend radiator feet to be used with all Imperia 6 Column Radiators.


Pictured 41.1093 Matt Anthracite with 41.1096 feet

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings

Page 446-447



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 133mm off the wall. Projection from wall 243mm. Prices include radiator and wall fixings sets, valves extra.

300mm Height - Horizontal

Imperia Six Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	535	1008	900W	A, A+, C, H	41.1073	452.00	542.40
300 x 1010mm	654	1232	1000W	A, A+, C, H	41.1074	549.00	658.80
300 x 1145mm	743	1400	1200W	A, A+, H	41.1075	619.00	742.80
300 x 1370mm	892	1680	1200W	A, A+, H	41.1076	735.00	882.00

Imperia Six Column Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 6 Column Radiator Feet (pair) - Matt Anthracite	41.1096	54.00	64.80

600mm Height - Horizontal

Imperia Six Column Radiators - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	478	993	600W	H	41.1089	328.00	393.60
600 x 605mm	691	1434	900W	C, H	41.1090	459.00	550.80
600 x 830mm	956	1986	1200W	A, A+, H	41.1091	623.00	747.60
600 x 1010mm	1169	2427	1200W	A, A+, H	41.1092	758.00	893.60
600 x 1145mm	1328	2758	N/A	N/A	41.1093	856.00	1027.20
600 x 1370mm	1594	3310	N/A	N/A	41.1094	1018.00	1209.60
600 x 1460mm	1700	3530	N/A	N/A	41.1095	1083.00	1299.60

Traditional Range

IMPERIA 6 COLUMN - MATT BLACK

Available August 2025



Pictured 41.1077 Mat Black



We recommend radiator feet to be used with all Imperia 6 Column Radiators.

Pictured 41.1100 Matt Black with 41.1104 feet

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two, three and four columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings
Page 446-447



Warranty
5
Year


Heating



All Electric



Dual-Fuel



300mm Height - Horizontal

Imperia Six Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 830mm	535	1008	900W	A, A+, C, H	41.1077	452.00	542.40
300 x 1010mm	654	1232	1000W	A, A+, C, H	41.1078	549.00	658.80
300 x 1145mm	743	1400	1200W	A, A+, H	41.1079	619.00	742.80
300 x 1370mm	892	1680	1200W	A, A+, H	41.1080	735.00	882.00

Imperia Six Column Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Imperia 6 Column Radiator Feet (pair) - Matt Black	41.1104	54.00	64.80

600mm Height - Horizontal

Imperia Six Column Radiators - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 425mm	478	993	600W	H	41.1097	328.00	393.60
600 x 605mm	691	1434	900W	C, H	41.1098	459.00	550.80
600 x 830mm	956	1986	1200W	A, A+, H	41.1099	623.00	747.60
600 x 1010mm	1169	2427	1200W	A, A+, H	41.1100	758.00	393.60
600 x 1145mm	1328	2758	N/A	N/A	41.1101	856.00	1027.20
600 x 1370mm	1594	3310	N/A	N/A	41.1102	1018.00	393.60
600 x 1460mm	1700	3530	N/A	N/A	41.1103	1083.00	1299.60

Traditional Range


IMPERIA 6 COLUMN BENCH

Available August 2025

Warranty
5
Year



Pictured 41.1105 Gloss White



Pictured 41.1108 Matt Anthracite

Combining period elegance with contemporary practicality, the Victorian-style radiator with an oak bench adds a refined touch to any space. The beautifully crafted oak top enhances its timeless design while offering a functional surface, perfect for seating. With powerful heat output to warm the entire room, this radiator is available in gloss white, matt anthracite, or matt black.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Floor standing fixing
- Only 480mm height option
- Material thickness 1.5mm
- Bench style column radiator

* With conditions

Technical Tables
& Drawings
Page 446-447



TECHNICAL INFORMATION

All measurements in Height by Width. For matching valves see pages 350-365. For indirect heating systems. Tappings from floor 130mm. Prices include radiator and wall fixings sets, valves extra.



Top View



Pictured 41.1110 Matt Black

Imperia Six Column Bench Radiators - Gloss White

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
480 x 850mm	335	645	N/A	N/A	41.1105	557.00	668.40
480 x 1200mm	505	974	N/A	N/A	41.1106	639.00	766.80

Imperia Six Column Bench Radiators - Matt Anthracite

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
480 x 850mm	335	645	N/A	N/A	41.1107	557.00	668.40
480 x 1200mm	505	974	N/A	N/A	41.1108	639.00	766.80

Imperia Six Column Bench Radiators - Matt Black

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
480 x 850mm	335	645	N/A	N/A	41.1109	557.00	668.40
480 x 1200mm	505	974	N/A	N/A	41.1110	639.00	766.80

Traditional Range

IMPERIA MULTIRAIL 2 COLUMN



Pictured 41.0816 Gloss White



Experience timeless elegance with our traditional towel rail Imperia Multirail 2 Column, designed to bring an authentic Victorian touch to your bathroom. Combining classic charm with modern sophistication, this traditional towel rail is available in three colors to seamlessly complement any bathroom decor.

FEATURES

- 38mm diameter vertical bars
 - Tested to BS EN 442 standards
 - 3 colours available from stock
 - Towel rail in traditional column radiator look
 - Matching colour wall fixing sets
 - Material thickness 1.5mm
 - Can be single, dual fuel, or all electric
 - 5 Year Manufacturer's Warranty*
- * With conditions

Technical Tables & Drawings

Page 446-447



Traditional Valves

Page 353&364



Warranty

5
Year

Heating



All Electric



Dual-Fuel



Traditional Range

IMPERIA MULTIRAIL 2 COLUMN



Pictured 41.0815 Gloss White

Imperia Multirail Two Column - Gloss White

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
612 x 800mm	259*	495*	300W	A, A+B, D, E, F, G	41.0814	254.00	304.80
612 x 1000mm	321*	613*	300W	A, A+B, D, E, F, G	41.0815	290.00	348.00
832 x 500mm	278	532	300W	A, A+B, D, E, F, G	41.0816	268.00	321.60
832 x 600mm	320	613	300W	A, A+B, D, E, F, G	41.0819	279.00	334.80
1140 x 500mm	385	737	450W	A, A+B, D, E, F, G	41.0817	382.00	458.40
1140 x 600mm	443	849	600W	A, A+B, D, E, F, G	41.0820	397.00	476.40
1430 x 500mm	487	937	600W	A, A+B, D, E, F, G	41.0818	452.00	542.40
1430 x 600mm	561	1079	600W	A, A+B, D, E, F, G	41.0821	471.00	565.20

Imperia Multirail Two Column - Matt Anthracite

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
612 x 800mm	259*	495*	300W	A, A+B, D, E, F, G	41.0822	254.00	304.80
612 x 1000mm	321*	613*	300W	A, A+B, D, E, F, G	41.0823	290.00	348.00
832 x 500mm	278	532	300W	A, A+B, D, E, F, G	41.0824	268.00	321.60
832 x 600mm	320	613	300W	A, A+B, D, E, F, G	41.0827	279.00	334.80
1140 x 500mm	385	737	450W	A, A+B, D, E, F, G	41.0825	382.00	458.40
1140 x 600mm	443	849	600W	A, A+B, D, E, F, G	41.0828	397.00	476.40
1430 x 500mm	487	937	600W	A, A+B, D, E, F, G	41.0826	452.00	542.40
1430 x 600mm	561	1079	600W	A, A+B, D, E, F, G	41.0829	471.00	565.20


Imperia Multirail Two Column - Matt Black

Size H x W	ΔT30 Watts	ΔT50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
612 x 800mm	259*	495*	300W	A, A+B, D, E, F, G	41.0830	254.00	304.80
612 x 1000mm	321*	613*	300W	A, A+B, D, E, F, G	41.0831	290.00	348.00
832 x 500mm	278	532	300W	A, A+B, D, E, F, G	41.0832	268.00	321.60
832 x 600mm	320	613	300W	A, A+B, D, E, F, G	41.0835	279.00	334.80
1140 x 500mm	385	737	450W	A, A+B, D, E, F, G	41.0833	382.00	458.40
1140 x 600mm	443	849	600W	A, A+B, D, E, F, G	41.0836	397.00	476.40
1430 x 500mm	487	937	600W	A, A+B, D, E, F, G	41.0834	452.00	542.40
1430 x 600mm	561	1079	600W	A, A+B, D, E, F, G	41.0837	471.00	565.20

* Further heat output information available on eastbrooktrade.com **E&OA**

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type D, E, F or G. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are approx. 76mm. less than the width of the rail and 63-67mm off the wall. Projection from wall 98-108mm. Prices include radiator and wall fixings sets, valves extra.



Pictured 41.0834 Matt Black



Pictured 41.0828 Matt Anthracite

Traditional Range

RIVASSA 2 COLUMN



Pictured 81.0003 Gloss White



Pictured 81.0025 Matt Anthracite



Pictured 81.0008 Gloss White with 81.0034 Feet and 8.541 Type H element

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in three and four columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 448-449



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

RIVASSA 2 COLUMN

Rivassa Two Column Radiators - Gloss White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	322	619	450W	A, A+, C, E*, H	81.0005	466.00	559.20
300 x 1373mm	386	743	600W	A, A+, C, E*, H	81.0006	558.00	669.60
600 x 428mm	218	420	300W	A, A+, C, H	81.0038	213.00	255.60
600 x 473mm	242	467	300W	A, A+, C, H	81.0039	237.00	284.40
600 x 518mm	266	514	300W	A, A+, C, H	81.0040	259.00	310.80
600 x 563mm	290	560	450W	A, A+, C, H	81.0041	284.00	340.80
600 x 608mm	314	607	450W	A, A+, C, H	81.0007	308.00	369.60
600 x 833mm	435	841	600W	A, A+, C, E*, H	81.0008	427.00	512.40
600 x 1010mm	532	1027	750W	A, A+, C, H	81.0077	522.00	626.40
600 x 1148mm	605	1168	900W	A, A+, H	81.0009	593.00	711.60
600 x 1460mm	774	1494	1200W	A, A+, H	81.0078	760.00	912.00
1800 x 293mm	421	826	N/A	N/A	81.0002	277.00	332.40
1800 x 383mm	561	1101	N/A	N/A	81.0003	364.00	436.80
1800 x 473mm	702	1377	N/A	N/A	81.0004	456.00	547.20

*600w Type E Element can be fitted

Rivassa Two Column Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	322	619	450W	A, A+, C, E*, H	81.0021	473.00	567.60
300 x 1373mm	386	743	600W	A, A+, C, E*, H	81.0022	569.00	682.80
600 x 428mm	218	420	300W	A, A+, C, H	81.0046	217.00	260.40
600 x 473mm	242	467	300W	A, A+, C, H	81.0047	240.00	288.00
600 x 518mm	266	514	300W	A, A+, C, H	81.0048	259.00	310.80
600 x 563mm	290	560	450W	A, A+, C, H	81.0049	288.00	345.60
600 x 608mm	314	607	450W	A, A+, C, H	81.0023	317.00	380.40
600 x 833mm	435	841	600W	A, A+, C, E*, H	81.0024	435.00	522.00
600 x 1010mm	532	1027	750W	A, A+, C, H	81.0090	535.00	642.00
600 x 1148mm	605	1168	900W	A, A+, H	81.0025	604.00	724.80
600 x 1460mm	774	1494	1200W	A, A+, H	81.0091	774.00	928.80
1800 x 293mm	421	826	N/A	N/A	81.0018	284.00	340.80
1800 x 383mm	561	1101	N/A	N/A	81.0019	370.00	444.00
1800 x 473mm	702	1377	N/A	N/A	81.0020	466.00	559.20

*600w Type E Element can be fitted

Rivassa Two Column Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	322	619	450W	A, A+, C, E*, H	81.0208	473.00	567.60
300 x 1373mm	386	743	600W	A, A+, C, E*, H	81.0209	569.00	682.80
600 x 428mm	218	420	300W	A, A+, C, H	81.0210	217.00	260.40
600 x 473mm	242	467	300W	A, A+, C, H	81.0211	240.00	288.00
600 x 518mm	266	514	300W	A, A+, C, H	81.0212	259.00	310.80
600 x 563mm	290	560	450W	A, A+, C, H	81.0213	288.00	345.60
600 x 608mm	314	607	450W	A, A+, C, H	81.0214	317.00	380.40
600 x 833mm	435	841	600W	A, A+, C, E*, H	81.0215	435.00	522.00
600 x 1010mm	532	1027	750W	A, A+, C, H	81.0216	535.00	642.00
600 x 1148mm	605	1168	900W	A, A+, H	81.0217	604.00	724.80
600 x 1460mm	774	1494	1200W	A, A+, H	81.0218	774.00	928.80
1800 x 293mm	421	826	N/A	N/A	81.0219	284.00	340.80
1800 x 383mm	561	1101	N/A	N/A	81.0220	370.00	444.00
1800 x 473mm	702	1377	N/A	N/A	81.0221	466.00	559.20


*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Pictured 81.0208 Matt Black with 81.0222 Feet



Rivassa Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 2 Column Radiator Feet (pair) White	81.0034	37.00	44.40
Rivassa 2 Column Rad. Feet (pair) Matt Anthracite	81.0035	37.00	44.40
Rivassa 2 Column Rad. Feet (pair) Matt Black	81.0222	37.00	44.40



Pictured 81.0049 Matt Anthracite with 16.158 Towel Hanger

Rivassa Towel Hangers

Page 366



Rivassa Robe Hooks

Page 366



Round Vent Caps

Page 369



Traditional Range

RIVASSA 2 COLUMN

Bronze Effect



Pictured 81.0111 Bronze Effect with 81.0114 feet

Bronze effect colour shown in images are subject to the limitations of the printing process and may appear different.



SWATCHES AVAILABLE

Chrome Effect



Pictured 81.0123 Chrome Effect

Chrome effect colour shown in images are subject to the limitations of the printing process and may appear different.

Traditional Range

RIVASSA 2 COLUMN

Rivassa Two Column Radiators - Bronze Effect

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	314	607	450W	A, A+, C, H	81.0108	315.00	378.00
600 x 833mm	435	841	600W	A, A+, C, E*, H	81.0109	436.00	523.20
600 x 1010mm	532	1027	750W	A, A+, C, H	81.0110	535.00	642.00
600 x 1148mm	605	1168	900W	A, A+, H	81.0111	604.00	724.80
1800 x 383mm	561	1101	N/A	N/A	81.0113	375.00	450.00
1800 x 473mm	702	1377	N/A	N/A	81.0112	466.00	559.20

*600w Type E Element can be fitted

Rivassa Two Column Radiators - Chrome Effect WHILE STOCKS LAST

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	314	607	450W	A, A+, C, H	81.0122	327.00	392.40
600 x 833mm	435	841	600W	A, A+, C, E*, H	81.0123	450.00	540.00
600 x 1010mm	532	1027	750W	A, A+, C, H	81.0124	549.00	658.80
600 x 1148mm	605	1168	900W	A, A+, H	81.0125	622.00	746.40
1800 x 383mm	561	1101	N/A	N/A	81.0127	385.00	462.00
1800 x 473mm	702	1377	N/A	N/A	81.0126	480.00	576.00

*600w Type E Element can be fitted

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in bronze effect or chrome effect finishes. Also available in three columns.

FEATURES


- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings


Page 448-449



Bronze Effect



Chrome Effect



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 58mm off the wall. Prices include radiator and wall fixings sets, valves extra.

COMPLETE THE LOOK

Traditional Valves

Page 353&364



Angle TRV with Lockshield 15mm (pair) - Satin Nickel

Code	£ Ex VAT	£ Inc VAT
54.0009	97.00	116.40

Warranty

5
Year


Heating



All Electric



Dual-Fuel




RIVASSA 2 COLUMN RADIATOR FEET

Rivassa 2 Column Feet - Bronze Effect

Description	Code	£ Ex VAT	£ Inc VAT
2 Column Radiator Feet (pair)	81.0114	37.00	44.40

Rivassa 2 Column Feet - Chrome Effect

Description	Code	£ Ex VAT	£ Inc VAT
2 Column Radiator Feet (pair)	81.0128	38.00	45.60



Rivassa Robe Hooks

Page 366



Rivassa Towel Hangers

Page 366



Traditional Range

RIVASSA 3 COLUMN



A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and four columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

**Technical Tables
& Drawings**
Page 448-449



Warranty

5
Year


Heating



All Electric



Dual-Fuel



Traditional Range

RIVASSA 3 COLUMN

Rivassa Three Column Radiators - White

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	404	785	600W	A, A+, C, E*, H	81.0013	496.00	595.20
300 x 1373mm	484	942	750W	A, A+, C, E*, H	81.0014	593.00	711.60
600 x 428mm	279	543	450W	A, A+, C, H	81.0042	227.00	272.40
600 x 473mm	310	604	450W	A, A+, C, H	81.0043	250.00	300.00
600 x 518mm	341	664	450W	A, A+, C, H	81.0044	275.00	330.00
600 x 563mm	372	724	600W	A+, C, H	81.0045	299.00	358.80
600 x 608mm	403	785	600W	A+, C, H	81.0015	329.00	394.80
600 x 833mm	558	1086	900W	A+, C, H	81.0016	454.00	544.80
600 x 1010mm	682	1328	1000W	A, A+, C, H	81.0079	552.00	662.40
600 x 1148mm	776	1509	1200W	A, A+, H	81.0017	626.00	751.20
600 x 1460mm	993	1931	1200W	A, A+, H	81.0080	804.00	964.80
1800 x 293mm	528	1030	N/A	N/A	81.0010	305.00	366.00
1800 x 383mm	705	1374	N/A	N/A	81.0011	380.00	456.00
1800 x 473mm	881	1717	N/A	N/A	81.0012	473.00	567.60

*600w Type E Element can be fitted

Rivassa Three Column Radiators - Matt Anthracite

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	404	785	600W	A, A+, C, E*, H	81.0029	503.00	603.60
300 x 1373mm	484	942	750W	A, A+, C, E*, H	81.0030	604.00	724.80
600 x 428mm	279	543	450W	A, A+, C, H	81.0050	230.00	276.00
600 x 473mm	310	604	450W	A, A+, C, H	81.0051	255.00	306.00
600 x 518mm	341	664	450W	A, A+, C, H	81.0052	283.00	339.60
600 x 563mm	372	724	600W	A+, C, H	81.0053	304.00	364.80
600 x 608mm	403	785	600W	A+, C, H	81.0031	334.00	400.80
600 x 833mm	558	1086	900W	A+, C, H	81.0032	460.00	552.00
600 x 1010mm	682	1328	1000W	A, A+, C, H	81.0092	563.00	675.60
600 x 1148mm	776	1509	1200W	A, A+, H	81.0033	639.00	766.80
600 x 1460mm	993	1931	1200W	A, A+, H	81.0093	817.00	980.40
1800 x 293mm	528	1030	N/A	N/A	81.0026	311.00	373.20
1800 x 383mm	705	1374	N/A	N/A	81.0027	389.00	466.80
1800 x 473mm	881	1717	N/A	N/A	81.0028	482.00	578.40

*600w Type E Element can be fitted

Rivassa Three Column Radiators - Matt Black

Size H x W	△ T30 Watts	△ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1148mm	404	785	600W	A, A+, C, E*, H	81.0223	503.00	603.60
300 x 1373mm	484	942	750W	A, A+, C, E*, H	81.0224	604.00	724.80
600 x 428mm	279	543	450W	A, A+, C, H	81.0225	230.00	276.00
600 x 473mm	310	604	450W	A, A+, C, H	81.0226	255.00	306.00
600 x 518mm	341	664	450W	A, A+, C, H	81.0227	283.00	339.60
600 x 563mm	372	724	600W	A+, C, H	81.0228	304.00	364.80
600 x 608mm	403	785	600W	A+, C, H	81.0229	334.00	400.80
600 x 833mm	558	1086	900W	A+, C, H	81.0230	460.00	552.00
600 x 1010mm	682	1328	1000W	A, A+, C, H	81.0231	563.00	675.60
600 x 1148mm	776	1509	1200W	A, A+, H	81.0232	639.00	766.80
600 x 1460mm	993	1931	1200W	A, A+, H	81.0233	817.00	980.40
1800 x 293mm	528	1030	N/A	N/A	81.0234	311.00	373.20
1800 x 383mm	705	1374	N/A	N/A	81.0235	389.00	466.80
1800 x 473mm	881	1717	N/A	N/A	81.0236	482.00	578.40

*600w Type E Element can be fitted


TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Prices include radiator and wall fixings sets, valves extra.



Pictured 81.0231 Matt Black with 81.0237 Feet

RIVASSA 3 COLUMN RADIATOR FEET



Rivassa Radiator Feet

Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 3 Column Radiator Feet (pair) White	81.0036	37.00	44.40
Rivassa 3 Column Radiator Feet (pair) Matt Anthracite	81.0037	37.00	44.40
Rivassa 3 Column Radiator Feet (pair) Matt Black	81.0237	37.00	44.40



Pictured 81.0042 Gloss White


Rivassa Towel Hangers Page 366



Rivassa Robe Hooks Page 366




Round Vent Caps Page 369



Traditional Range

RIVASSA 3 COLUMN

Bronze Effect



Chrome Effect



Traditional Range

RIVASSA 3 COLUMN

Rivassa Three Column Radiators - Bronze Effect

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	403	785	600W	A+, C, H	81.0115	334.00	400.80
600 x 833mm	558	1086	900W	A+, C, H	81.0116	460.00	552.00
600 x 1010mm	682	1328	1000W	A, A+, C, H	81.0117	563.00	675.60
600 x 1148mm	776	1509	1200W	A, A+, H	81.0118	640.00	768.00
1800 x 383mm	705	1374	N/A	N/A	81.0120	392.00	470.40
1800 x 473mm	881	1717	N/A	N/A	81.0119	491.00	589.20

Rivassa Three Column Radiators - Chrome Effect **WHILE STOCKS LAST**

Size H x W	Δ T30 Watts	Δ T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
600 x 608mm	403	785	600W	A+, C, H	81.0129	345.00	414.00
600 x 833mm	558	1086	900W	A+, C, H	81.0130	474.00	568.80
600 x 1010mm	682	1328	1000W	A, A+, C, H	81.0131	580.00	696.00
600 x 1148mm	776	1509	1200W	A, A+, H	81.0132	658.00	789.60
1800 x 383mm	705	1374	N/A	N/A	81.0134	404.00	484.80
1800 x 473mm	881	1717	N/A	N/A	81.0133	508.00	609.60

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in bronze effect or chrome effect finishes. Also available in two columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Technical Tables & Drawings


Page 448-449



Bronze Effect



Chrome Effect



TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 72mm off the wall. Prices include radiator and wall fixings sets, valves extra.

COMPLETE THE LOOK

Traditional Valves Page 353&364



Angle TRV with Lockshield 15mm (pair) - Satin Nickel

Code	£ Ex VAT	£ Inc VAT
54.0009	97.00	116.40

Warranty

5
Year


Heating



All Electric



Dual-Fuel




RIVASSA 3 COLUMN RADIATOR FEET

Rivassa 3 Column Feet - Bronze Effect

Description	Code	£ Ex VAT	£ Inc VAT
3 Column Radiator Feet (pair)	81.0121	37.00	44.40

Rivassa 3 Column Feet - Chrome Effect

Description	Code	£ Ex VAT	£ Inc VAT
3 Column Radiator Feet (pair)	81.0135	38.00	45.60




Rivassa Towel Hangers

Page 366



Rivassa Robe Hooks

Page 366



Traditional Range

RIVASSA 4 COLUMN



Traditional Valves
Page 353&364



Pictured 81.0074 Gloss White with 81.0076 Feet



Rivassa Towel Hangers
Page 366



Pictured 81.0088 Matt Anthracite

A traditional rail which will give a Victorian touch of authenticity to any room but will also create an elegant look to a contemporary interior. This radiator boasts high outputs to ensure the whole room is warm. Comes with the option of traditional legs and in gloss white, matt anthracite or matt black finishes. Also available in two and three columns.

FEATURES

- Tested to BS EN 442 standards
- 5 Year Manufacturer's Warranty*
- Matching colour wall fixing sets
- 300mm height option for limited spaces
- Radiator feet option available to get the classic look
- Material thickness 1.5mm
- Doesn't require flow diverter
- * With conditions

Warranty

5
Year

Heating



All Electric



Dual-Fuel



**Technical Tables
& Drawings**
Page 448-449



Traditional Range

RIVASSA 4 COLUMN



Pictured 81.0242 Matt Black

Rivassa Four Column Radiators - Gloss White

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	447	876	600W	A, A+, C, E*, H	81.0068	502.00	602.40
300 x 1373mm	610	1195	1000W	A, A+, H	81.0069	685.00	822.00
300 x 1505mm	671	1315	1000W	A+, H	81.0070	751.00	901.20
600 x 425mm	211	412	450W	A, A+	81.0071	301.00	361.20
600 x 605mm	304	595	750W	A+, C, H	81.0072	432.00	518.40
600 x 785mm	398	778	900W	A+, H	81.0073	563.00	675.60
600 x 1010mm	515	1007	1200W	A, A+	81.0074	726.00	871.20
600 x 1190mm	608	1190	1200W	A, A+	81.0075	859.00	1030.80

*600w Type E Element can be fitted

Rivassa Four Column Radiators - Matt Black

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	447	876	600W	A, A+, C, E*, H	81.0238	513.00	615.60
300 x 1373mm	610	1195	1000W	A, A+, H	81.0239	699.00	838.80
300 x 1505mm	671	1315	1000W	A+, H	81.0240	767.00	920.40
600 x 425mm	211	412	450W	A, A+	81.0241	305.00	366.00
600 x 605mm	304	595	750W	A+, C, H	81.0242	441.00	529.20
600 x 785mm	398	778	900W	A+, H	81.0243	574.00	688.80
600 x 1010mm	515	1007	1200W	A, A+	81.0244	743.00	891.60
600 x 1190mm	608	1190	1200W	A, A+	81.0245	874.00	1048.80

*600w Type E Element can be fitted

Rivassa Four Column Radiators - Matt Anthracite

Size H x W	△T30 Watts	△T50 Watts	Element Output	Element Type	Code	£ Ex VAT	£ Inc VAT
300 x 1010mm	447	876	600W	A, A+, C, E*, H	81.0081	513.00	615.60
300 x 1373mm	610	1195	1000W	A, A+, H	81.0082	699.00	838.80
300 x 1505mm	671	1315	1000W	A+, H	81.0083	767.00	920.40
600 x 425mm	211	412	450W	A, A+	81.0084	305.00	366.00
600 x 605mm	304	595	750W	A+, C, H	81.0085	441.00	529.20
600 x 785mm	398	778	900W	A+, H	81.0086	574.00	688.80
600 x 1010mm	515	1007	1200W	A, A+	81.0087	743.00	891.60
600 x 1190mm	608	1190	1200W	A, A+	81.0088	874.00	1048.80


*600w Type E Element can be fitted

TECHNICAL INFORMATION

All measurements in Height by Width. Radiators that are electric only are restricted to the heat output of the elements. Element size can be increased to full capacity of rail if using element type C, E or H. For element types see pages 336-349. For matching valves see pages 350-365. For indirect heating systems. Tappings are the width of the rail and 85mm off the wall. Projection from wall 165mm. Prices include radiator and wall fixings sets, valves extra.


RIVASSA 4 COLUMN RADIATOR FEET

Description	Code	£ Ex VAT	£ Inc VAT
Rivassa 4 Column Radiator Feet (pair) - Gloss White	81.0076	45.00	54.00
Rivassa 4 Column Radiator Feet (pair) - Matt Anthracite	81.0089	45.00	54.00
Rivassa 4 Column Radiator Feet (pair) - Matt Black	81.0246	45.00	54.00




Round Vent Caps





Page 369



Rivassa Robe Hooks

Page 366






Accessories, Elements & Valves

A huge variety of elements and valves to allow easy control of your radiators heat output, whilst looking stylish.

Complete the look with coloured pipe shrouds and vent caps to match your radiator colour.

To add extra functionality, towel hangers & robe hooks make daily life easy when warming towels.

Elements	336-348
Crafton Control Panels, T Pieces & Elbows	349
Darlington Thermostatic Radiator Valves	351-352
Twin Thermostatic Radiator Valves	352
Traditional Thermostatic Radiator Valves	353
Thermostatic Radiator Valves - NEW COLOUR	354-357
Manual Radiator Valves - NEW COLOUR	358-363
Traditional Manual Radiator Valves	364
Corner Dual Fuel Radiator Valves	365
Multi-Rail Towel Hangers, Towel Hangers & Robe Hooks	366
Pipe Shrouds & Collar Kits - NEW COLOUR	367
Multi-Purpose Towel Hangers	368
Vent Caps, Round & D Shape	369



Elements

Build up your 'All Electric' Towel Rail/Radiator

Please note that all fluid filled rails are special order, elements will be fitted RH Side and are non-returnable.

Step 1

Choose your towel rail/radiator (Please make sure that you can see the "All Electric / Dual Fuel" icon on the chosen towel rail/radiator page).

Step 2

Refer to the "Element Output" column for the required output to suit the chosen towel rail/radiator.

Step 3

Choose which element type best suits your need from the "Element Type" column. Please check that the IP Rating is suitable for the site circumstances.

Step 4


For "All Electric" installation please add Fluid Filling.

Build up your 'Dual Fuel' Towel Rail/Radiator

Repeat **Steps 1-3** as left. Please add your radiator valves and dual elbow where applicable.

Fluid filling is not required.

ELEMENT TYPE A+ ECO



Power	Length (mm)
100W	135
150W	170
300W	250
450W	350
600W	470
750W	590
900W	690
1000W	760
1200W	910

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Elements use PTC self regulating technology providing excellent reliability and extended working life

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.5 metre. For dual fuel installations, purchase T piece separately. (Page 349)

Element Type A+ Eco		Item A Required	
Description	Code	£ Ex VAT	£ Inc VAT
100W Type A+ Eco Element	41.0581	51.00	61.20
150W Type A+ Eco Element	41.0582	51.00	61.20
300W Type A+ Eco Element	41.0583	51.00	61.20
450W Type A+ Eco Element	41.0584	53.00	63.60
600W Type A+ Eco Element	41.0585	53.00	63.60
750W Type A+ Eco Element	41.0586	54.00	64.80
900W Type A+ Eco Element	41.0587	54.00	64.80
1000W Type A+ Eco Element	41.0588	54.00	64.80
1200W Type A+ Eco Element	41.0589	54.00	64.80
Fluid filling for above rail (electric only)*	FF	123.00	147.60

*All Type A+ Eco must be fitted with cover cap. (Below)

Element Type A+ Eco Cover Caps		Item B Required	
Description	Code	£ Ex VAT	£ Inc VAT
Gloss White Cover Cap	41.0590	6.00	7.20
Black Cover Cap	41.0591	6.00	7.20
Chrome Cover Cap	41.0592	9.00	10.80
Grey Cover Cap	41.0593	9.00	10.80
Anthracite Cover Cap	41.0594	9.00	10.80
Cappuccino Cover Cap	41.0595	9.00	10.80
Brass Effect Cover Cap	41.0596	12.00	14.40



41.0590		Gloss White
41.0591		Black
41.0592		Chrome
41.0593		Grey
41.0594		Anthracite
41.0595		Cappuccino
41.0596		Brass Effect

ELEMENT TYPE A+



Power	Length (mm)
100W	135
150W	170
300W	250
450W	350
600W	470
750W	590
900W	690
1000W	760
1200W	910

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Elements use PTC self regulating technology providing excellent reliability and extended working life

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1 metre. For dual fuel installations, purchase T piece separately. (Page 349)

Element Type A+		Item A Required	
Description	Code	£ Ex VAT	£ Inc VAT
100 watt element	8.016	65.00	78.00
150 watt element	8.017	65.00	78.00
300 watt element	8.018	68.00	81.60
450 watt element	8.019	73.00	87.60
600 watt element	8.020	95.00	114.00
750 watt element	8.021	98.00	117.60
900 watt element	8.022	102.00	122.40
1000 watt element	8.023	107.00	128.40
1200 watt element	8.024	110.00	132.00
Fluid filling for above rail (electric only)*	FF	123.00	147.60

*All Type A+ must be fitted with cover cap. (See below)

Element Type A+ Cover Caps		Item B Required	
Description	Code	£ Ex VAT	£ Inc VAT
White Cap	8.025	8.00	9.60
Chrome Cap	8.026	12.00	14.40
Grey Cap	8.027	12.00	14.40
Cappuccino Cap	8.028	12.00	14.40
Anthracite Cap	8.029	12.00	14.40
Black Cap	8.030	12.00	14.40

8.025		White
8.026		Chrome
8.027		Grey
8.028		Cappuccino
8.029		Anthracite
8.030		Black

Elements

ELEMENT TYPE A



Dual Fuel Installation

Power	Length (mm)
100W	220
150W	220
300W	300
600W	620
900W	920

Vertical & horizontal installation

Element Type A

Description	Code	£ Ex VAT	£ Inc VAT
100 watt element	8.009	67.00	80.40
150 watt element	8.004	67.00	80.40
300 watt element	8.001	70.00	84.00
600 watt element	8.002	98.00	117.60
900 watt element	8.003	121.00	145.20
Fluid filling for above rail (electric only)*	FF	123.00	147.60

*(Not including appropriate element). I.P. rating 55. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Elements use PTC self regulating technology providing excellent reliability and extended working life

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.5 metre. For dual fuel installations, purchase T piece separately. (Page 349)

ELEMENT TYPE B Wi-Fi



Other Colours Available

Power	Length (mm)
100W	220
150W	220
300W	300
600W	620
900W	920

Vertical installation

Wi-Fi 2.4 Ghz

FEATURES

- Elements use PTC self regulating technology providing excellent reliability and extended working life
- Wi-Fi 2.4 Ghz & APP control (Smart Life APP for Android & IOS)
- Suitable for dual fuel or electric only installations
- Daily & Weekly programmable
- Child lock function
- Wide temperature range 30-70°C
- Low running costs, simple installation



TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white for Gloss White, Chrome & Brass Effect elements. Cable colour black for Matt Anthracite & Matt Black elements. Cable length 1.5 metre. For dual fuel installations, purchase T piece separately. (Page 349)

Element Type B Wi-Fi

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type B Element Wi-Fi	Gloss White	41.0733	142.00	170.40
300W Type B Element Wi-Fi	Gloss White	41.0734	145.00	174.00
600W Type B Element Wi-Fi	Gloss White	41.0735	151.00	181.20
900W Type B Element Wi-Fi	Gloss White	41.0736	156.00	187.20
150W Type B Element Wi-Fi	Matt Anthracite	41.0737	142.00	170.40
300W Type B Element Wi-Fi	Matt Anthracite	41.0738	145.00	174.00
600W Type B Element Wi-Fi	Matt Anthracite	41.0739	151.00	181.20
900W Type B Element Wi-Fi	Matt Anthracite	41.0740	156.00	187.20
150W Type B Element Wi-Fi	Matt Black	41.0741	142.00	170.40
300W Type B Element Wi-Fi	Matt Black	41.0742	145.00	174.00
600W Type B Element Wi-Fi	Matt Black	41.0743	151.00	181.20
900W Type B Element Wi-Fi	Matt Black	41.0744	156.00	187.20
150W Type B Element Wi-Fi	Chrome	41.0745	153.00	183.60
300W Type B Element Wi-Fi	Chrome	41.0746	156.00	187.20
600W Type B Element Wi-Fi	Chrome	41.0747	161.00	193.20
900W Type B Element Wi-Fi	Chrome	41.0748	166.00	199.20
150W Type B Element Wi-Fi	Brass Effect	41.0810	168.00	201.60
300W Type B Element Wi-Fi	Brass Effect	41.0811	172.00	206.40
600W Type B Element Wi-Fi	Brass Effect	41.0812	178.00	213.60
900W Type B Element Wi-Fi	Brass Effect	41.0813	183.00	219.60
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating X4. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

ELEMENT TYPE C

WATER TEMPERATURE CONTROL



Including radiator temperature thermostat for horizontal installation and supplied with Chrome T-Piece

Power	Length (mm)
300W	340
600W	390
900W	440

Element Type C

Description	Code	£ Ex VAT	£ Inc VAT
Up to 300W element (inc rad stat) horizontal	8.300	187.00	224.40
300W to 600W element (inc rad stat) horizontal	8.301	197.00	236.40
600W to 900W element (inc rad stat) horizontal	8.302	202.00	242.40
Fluid filling for above rail (electric only)*	FF	123.00	147.60
Extension piece for type c element**	8.903	20.00	24.00

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3).

Please note all fluid filled rails are special order and are **non-returnable**.

**Some traditional rails may require an extension piece for a type C element.

FEATURES

- Water temperature controlled
- Low running costs
- Simple installation
- Thermostat
- Wide temperature range 10-60°C
- Towel drying

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre.

Only suitable with Chrome T-Piece - 8.901

Elements

ELEMENT TYPE D
WATER TEMPERATURE CONTROL



Only suitable with Chrome T-Piece - 8.901

Including radiator temperature thermostat for vertical installation and Chrome T-Piece

Power	Length
300W	340
600W	390
900W	440

Element Type D

Description	Code	£ Ex VAT	£ Inc VAT
Up to 300W element (inc rad stat) vertical	8.310	157.00	188.40
Up to 600W element (inc rad stat) vertical	8.311	165.00	198.00
Up to 900W element (inc rad stat) vertical	8.312	168.00	201.60
Fluid filling for above rail (electric only)*	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Off season heating
- Water temperature controlled Thermostat
- Low running costs
- Simple installation
- Wide temperature range 10-60°C

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 0.9 metre. **Only suitable with Chrome T-Piece - 8.901**

ELEMENT TYPE D WITH BOOST
WATER TEMPERATURE CONTROL



Turbo Boost Function

Including radiator temperature thermostat for vertical installation and T-Piece*

*Chrome, Matt Anthracite & Matt Black elements come with Chrome T-Piece.
*Gloss White & Matt White elements both come with white T-Piece.

Power	Length
300W	340
600W	390
900W	440

Chrome

Gloss White

Matt White

Matt Anthracite

Matt Black

Element Type D With Boost

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type D Element with Boost	Chrome	8.320	161.00	193.20
600W Type D Element with Boost	Chrome	8.321	168.00	201.60
900W Type D Element with Boost	Chrome	8.322	174.00	208.80
300W Type D Element with Boost	Gloss White	8.323	161.00	193.20
600W Type D Element with Boost	Gloss White	8.324	168.00	201.60
900W Type D Element with Boost	Gloss White	8.325	174.00	208.80
300W Type D Element with Boost	Matt White	8.326	179.00	214.80
600W Type D Element with Boost	Matt White	8.327	187.00	224.40
900W Type D Element with Boost	Matt White	8.328	192.00	230.40
300W Type D Element with Boost	Matt Anthracite	8.329	179.00	214.80
600W Type D Element with Boost	Matt Anthracite	8.330	187.00	224.40
900W Type D Element with Boost	Matt Anthracite	8.331	192.00	230.40
300W Type D Element with Boost	Matt Black	8.332	179.00	214.80
600W Type D Element with Boost	Matt Black	8.333	187.00	224.40
900W Type D Element with Boost	Matt Black	8.334	192.00	230.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Turbo boost function (full heating - 1, 2 or 3 hours settings)
- Anti-Freeze function
- Water temperature controlled Thermostat
- Smooth temperature adjustment (10°C to 65°C)
- Low running costs
- Simple installation

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 0.9 metre. **Only suitable with supplied T-Piece**

ELEMENT TYPE E
WATER TEMPERATURE CONTROL



NEW

Only suitable with Chrome T-Piece - 8.901

Including radiator temperature thermostat for vertical & horizontal installation

Power	Length (mm)
150W	370
300W	390
600W	750

FEATURES

- Off season heating
- Water temperature controlled Thermostat, with low running costs
- Simple installation
- Wide temperature range 10-60°C
- For vertical and horizontal installation

Element Type E

Description	Code	£ Ex VAT	£ Inc VAT
150w Type E Element White	8.034	151.00	181.20
300w Type E Element White	8.035	156.00	187.20
600w Type E Element White	8.036	165.00	198.00
150w Type E Element Anthracite	8.037	156.00	187.20
300w Type E Element Anthracite	8.038	160.00	192.00
600w Type E Element Anthracite	8.039	177.00	212.40
150w Type E Element Black	8.040	156.00	187.20
300w Type E Element Black	8.041	160.00	192.00
600w Type E Element Black	8.042	177.00	212.40
150w Type E Element Chrome	8.031	161.00	193.20
300w Type E Element Chrome	8.032	168.00	201.60
600w Type E Element Chrome	8.033	188.00	225.60
Fluid filling for above rail (electric only)*	FF	123.00	147.60

*(Not including appropriate element). I.P. rating X4. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

TECHNICAL INFORMATION For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901**

Elements

Element Type F With D Shape Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Chrome	8.335	201.00	241.20
300W Type F Element with D Shape Cap	Chrome	8.315	206.00	247.20
600W Type F Element with D Shape Cap	Chrome	8.316	216.00	259.20
900W Type F Element with D Shape Cap	Chrome	8.336	222.00	266.40
1200W Type F Element with D Shape Cap	Chrome	8.337	226.00	271.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60


*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**



Element Type F With D Shape Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Gloss White	8.338	185.00	222.00
300W Type F Element with D Shape Cap	Gloss White	8.313	191.00	229.20
600W Type F Element with D Shape Cap	Gloss White	8.314	201.00	241.20
900W Type F Element with D Shape Cap	Gloss White	8.339	206.00	247.20
1200W Type F Element with D Shape Cap	Gloss White	8.340	212.00	254.40
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Element Type F With D Shape Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Matt Anthracite	8.346	212.00	254.40
300W Type F Element with D Shape Cap	Matt Anthracite	8.317	216.00	259.20
600W Type F Element with D Shape Cap	Matt Anthracite	8.318	226.00	271.20
900W Type F Element with D Shape Cap	Matt Anthracite	8.347	230.00	276.00
1200W Type F Element with D Shape Cap	Matt Anthracite	8.348	236.00	283.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

ELEMENT TYPE F D SHAPE CAP



WATER OR ROOM TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element including remote control.



Matt White

Element Type F With D Shape Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Matt White	8.341	212.00	254.40
300W Type F Element with D Shape Cap	Matt White	8.342	216.00	259.20
600W Type F Element with D Shape Cap	Matt White	8.343	226.00	271.20
900W Type F Element with D Shape Cap	Matt White	8.344	230.00	276.00
1200W Type F Element with D Shape Cap	Matt White	8.345	236.00	283.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F With D Shape Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with D Shape Cap	Matt Black	8.349	212.00	254.40
300W Type F Element with D Shape Cap	Matt Black	8.350	216.00	259.20
600W Type F Element with D Shape Cap	Matt Black	8.351	226.00	271.20
900W Type F Element with D Shape Cap	Matt Black	8.352	230.00	276.00
1200W Type F Element with D Shape Cap	Matt Black	8.353	236.00	283.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.


Elements

**WATER OR ROOM
TEMPERATURE
CONTROL**



**ELEMENT TYPE F
ROUND CAP**

Only suitable with Chrome T-Piece - 8.901



Includes remote control.





Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element
including remote control.

Element Type F With Round Cap - Chrome				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Round Cap	Chrome	8.354	201.00	241.20
300W Type F Element with Round Cap	Chrome	8.355	206.00	247.20
600W Type F Element with Round Cap	Chrome	8.356	216.00	259.20
900W Type F Element with Round Cap	Chrome	8.357	222.00	266.40
1200W Type F Element with Round Cap	Chrome	8.358	226.00	271.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**



Includes remote control.





Gloss White

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element
including remote control.



Includes remote control.





Matt White

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element
including remote control.



Includes remote control.






Matt Anthracite

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element
including remote control.



Includes remote control.





Matt Black

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element
including remote control.

Elements

Element Type F With Square Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Chrome	8.379	201.00	241.20
300W Type F Element with Square Cap	Chrome	8.380	206.00	247.20
600W Type F Element with Square Cap	Chrome	8.381	216.00	259.20
900W Type F Element with Square Cap	Chrome	8.382	222.00	266.40
1200W Type F Element with Square Cap	Chrome	8.383	226.00	271.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60


*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Comes with remote control, that acts as ambient temperature sensor.
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready
- Anti-Freeze function

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**



Gloss White

Element Type F With Square Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Gloss White	8.384	185.00	222.00
300W Type F Element with Square Cap	Gloss White	8.385	191.00	229.20
600W Type F Element with Square Cap	Gloss White	8.386	201.00	241.20
900W Type F Element with Square Cap	Gloss White	8.387	206.00	247.20
1200W Type F Element with Square Cap	Gloss White	8.388	212.00	254.40
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type F With Square Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Matt Anthracite	8.394	212.00	254.40
300W Type F Element with Square Cap	Matt Anthracite	8.395	216.00	259.20
600W Type F Element with Square Cap	Matt Anthracite	8.396	226.00	271.20
900W Type F Element with Square Cap	Matt Anthracite	8.397	230.00	276.00
1200W Type F Element with Square Cap	Matt Anthracite	8.398	236.00	283.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

ELEMENT TYPE F SQUARE CAP



WATER OR ROOM TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901



Includes remote control.

Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element
including remote control.



Matt White

Element Type F With Square Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Matt White	8.389	212.00	254.40
300W Type F Element with Square Cap	Matt White	8.390	216.00	259.20
600W Type F Element with Square Cap	Matt White	8.391	226.00	271.20
900W Type F Element with Square Cap	Matt White	8.392	230.00	276.00
1200W Type F Element with Square Cap	Matt White	8.393	236.00	283.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F With Square Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element with Square Cap	Matt Black	8.399	212.00	254.40
300W Type F Element with Square Cap	Matt Black	8.400	216.00	259.20
600W Type F Element with Square Cap	Matt Black	8.401	226.00	271.20
900W Type F Element with Square Cap	Matt Black	8.402	230.00	276.00
1200W Type F Element with Square Cap	Matt Black	8.403	236.00	283.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.


Elements

WATER OR ROOM TEMPERATURE CONTROL



ELEMENT TYPE F WI-FI D SHAPE CAP

Only suitable with Chrome T-Piece - 8.901



Includes remote control.



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only. Digital temp control element including remote control.

WI-FI SMARTPHONE APPLICATION

Your Wi-Fi Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the "SUPLA" app from [Google Play Store](#) or [Apple App Store](#).

Video instructions for the smartphone app available on our website.



Matt Anthracite

Element Type F Wi-Fi With D Shape Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.489	305.00	366.00
300W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.490	311.00	373.20
600W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.491	315.00	378.00
900W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.492	325.00	390.00
1200W Type F Element Wi-Fi with D Shape Cap	Matt Anthracite	8.493	331.00	397.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

Element Type F Wi-Fi With D Shape Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Chrome	8.479	296.00	355.20
300W Type F Element Wi-Fi with D Shape Cap	Chrome	8.480	302.00	362.40
600W Type F Element Wi-Fi with D Shape Cap	Chrome	8.481	306.00	367.20
900W Type F Element Wi-Fi with D Shape Cap	Chrome	8.482	310.00	372.00
1200W Type F Element Wi-Fi with D Shape Cap	Chrome	8.483	317.00	380.40
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**



Gloss White

Element Type F Wi-Fi With D Shape Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.484	282.00	338.40
300W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.485	288.00	345.60
600W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.486	292.00	350.40
900W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.487	302.00	362.40
1200W Type F Element Wi-Fi with D Shape Cap	Gloss White	8.488	308.00	369.60
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type F Wi-Fi With D Shape Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.494	305.00	366.00
300W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.495	311.00	373.20
600W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.496	315.00	378.00
900W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.497	325.00	390.00
1200W Type F Element Wi-Fi with D Shape Cap	Matt Black	8.498	331.00	397.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

Element Type F WiFi With Round Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Chrome	8.499	296.00	355.20
300W Type F Element Wi-Fi with Round Cap	Chrome	8.500	302.00	362.40
600W Type F Element Wi-Fi with Round Cap	Chrome	8.501	306.00	367.20
900W Type F Element Wi-Fi with Round Cap	Chrome	8.502	310.00	372.00
1200W Type F Element Wi-Fi with Round Cap	Chrome	8.503	317.00	380.40
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Turbo boost function (1-3 hours)
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Daily & weekly programmable (only on Ambient Mode available)
- Low running costs, towel drying
- Smooth temperature adjustment (10°C - 65°C)
- Thermostat can control either water temperature or ambient room temperature
- Open window detection
- Eco Design ready

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**




Gloss White

Element Type F WiFi With Round Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Gloss White	8.504	282.00	338.40
300W Type F Element Wi-Fi with Round Cap	Gloss White	8.505	288.00	345.60
600W Type F Element Wi-Fi with Round Cap	Gloss White	8.506	292.00	350.40
900W Type F Element Wi-Fi with Round Cap	Gloss White	8.507	302.00	362.40
1200W Type F Element Wi-Fi with Round Cap	Gloss White	8.508	308.00	369.60
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type F WiFi With Round Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.509	305.00	366.00
300W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.510	311.00	373.20
600W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.511	315.00	378.00
900W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.512	325.00	390.00
1200W Type F Element Wi-Fi with Round Cap	Matt Anthracite	8.513	331.00	397.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

**ELEMENT TYPE F
Wi-Fi
ROUND CAP****WATER OR ROOM
TEMPERATURE
CONTROL**

Only suitable with Chrome T-Piece - 8.901

Wi-Fi 2.4 GHz
Includes remote control.

Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element including remote control.

**WI-FI SMARTPHONE
APPLICATION**


Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.



Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the **"SUPLA"** app from **Google Play Store** or **Apple App Store**.

Video instructions for the smartphone app available on our website.



Matt Black

Element Type F WiFi With Round Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Round Cap	Matt Black	8.514	305.00	366.00
300W Type F Element Wi-Fi with Round Cap	Matt Black	8.515	311.00	373.20
600W Type F Element Wi-Fi with Round Cap	Matt Black	8.516	315.00	378.00
900W Type F Element Wi-Fi with Round Cap	Matt Black	8.517	325.00	390.00
1200W Type F Element Wi-Fi with Round Cap	Matt Black	8.518	331.00	397.20
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

Elements

WATER OR ROOM TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901

Wi-Fi 2.4 GHz

Includes remote control.

ELEMENT TYPE F

WI-FI SQUARE CAP

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only. Digital temp control element including remote control.

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Wi-Fi 2.4 GHz

Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the **"SUPLA"** app from [Google Play Store](#) or [Apple App Store](#).

Video instructions for the smartphone app available on our website.

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Wi-Fi 2.4 GHz

Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the **"SUPLA"** app from [Google Play Store](#) or [Apple App Store](#).

Video instructions for the smartphone app available on our website.

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only. Digital temp control element including remote control.

Element Type F WiFi With Square Cap - Chrome				
Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type F Element Wi-Fi with Square Cap	Chrome	8.519	296.00	355.20
300W Type F Element Wi-Fi with Square Cap	Chrome	8.520	302.00	362.40
600W Type F Element Wi-Fi with Square Cap	Chrome	8.521	306.00	367.20
900W Type F Element Wi-Fi with Square Cap	Chrome	8.522	310.00	372.00
1200W Type F Element Wi-Fi with Square Cap	Chrome	8.523	317.00	380.40
Spare Remote Controller for Type F Element		8.319	67.00	80.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

- FEATURES**
- Wi-Fi & App Control
 - Comes with remote control, that acts as ambient temperature sensor
 - Turbo boost function (1-3 hours)
 - Off season heating
 - Cable connection cover included
 - Anti-Freeze function
 - Daily & weekly programmable (only on Ambient Mode available)
 - Low running costs, towel drying
 - Smooth temperature adjustment (10°C - 65°C)
 - Thermostat can control either water temperature or ambient room temperature
 - Open window detection
 - Eco Design ready

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Wi-Fi 2.4 GHz

Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the **"SUPLA"** app from [Google Play Store](#) or [Apple App Store](#).

Video instructions for the smartphone app available on our website.

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only. Digital temp control element including remote control.

WI-FI SMARTPHONE APPLICATION

Your WIFI Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Wi-Fi 2.4 GHz

Model is distinguished by modern design, equipped with an electronic controller with an LED display. Additionally, the model is equipped with a cover covering the electrical connection.

Download the **"SUPLA"** app from [Google Play Store](#) or [Apple App Store](#).

Video instructions for the smartphone app available on our website.

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only. Digital temp control element including remote control.

Elements

Element Type G With D Shape Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Chrome	8.404	171.00	205.20
300W Type G Element with D Shape Cap	Chrome	8.405	177.00	212.40
600W Type G Element with D Shape Cap	Chrome	8.406	185.00	222.00
900W Type G Element with D Shape Cap	Chrome	8.407	195.00	234.00
1200W Type G Element with D Shape Cap	Chrome	8.408	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat


TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

ELEMENT TYPE G WITH D SHAPE CAP

WATER TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901




Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element.




Gloss White

Element Type G With D Shape Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Gloss White	8.409	161.00	193.20
300W Type G Element with D Shape Cap	Gloss White	8.410	166.00	199.20
600W Type G Element with D Shape Cap	Gloss White	8.411	177.00	212.40
900W Type G Element with D Shape Cap	Gloss White	8.412	181.00	217.20
1200W Type G Element with D Shape Cap	Gloss White	8.413	185.00	222.00
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.




Matt White

Element Type G With D Shape Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Matt White	8.414	185.00	222.00
300W Type G Element with D Shape Cap	Matt White	8.415	191.00	229.20
600W Type G Element with D Shape Cap	Matt White	8.416	201.00	241.20
900W Type G Element with D Shape Cap	Matt White	8.417	206.00	247.20
1200W Type G Element with D Shape Cap	Matt White	8.418	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type G With D Shape Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Matt Anthracite	8.419	185.00	222.00
300W Type G Element with D Shape Cap	Matt Anthracite	8.420	191.00	229.20
600W Type G Element with D Shape Cap	Matt Anthracite	8.421	201.00	241.20
900W Type G Element with D Shape Cap	Matt Anthracite	8.422	206.00	247.20
1200W Type G Element with D Shape Cap	Matt Anthracite	8.423	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type G With D Shape Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with D Shape Cap	Matt Black	8.424	185.00	222.00
300W Type G Element with D Shape Cap	Matt Black	8.425	191.00	229.20
600W Type G Element with D Shape Cap	Matt Black	8.426	201.00	241.20
900W Type G Element with D Shape Cap	Matt Black	8.427	206.00	247.20
1200W Type G Element with D Shape Cap	Matt Black	8.428	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Elements

ELEMENT TYPE G WITH ROUND CAP WATER TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element.

Element Type G With Round Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Chrome	8.429	171.00	205.20
300W Type G Element with Round Cap	Chrome	8.430	177.00	212.40
600W Type G Element with Round Cap	Chrome	8.431	185.00	222.00
900W Type G Element with Round Cap	Chrome	8.432	195.00	234.00
1200W Type G Element with Round Cap	Chrome	8.433	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

Gloss White

Element Type G With Round Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Gloss White	8.434	161.00	193.20
300W Type G Element with Round Cap	Gloss White	8.435	166.00	199.20
600W Type G Element with Round Cap	Gloss White	8.436	177.00	212.40
900W Type G Element with Round Cap	Gloss White	8.437	181.00	217.20
1200W Type G Element with Round Cap	Gloss White	8.438	185.00	222.00
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Matt White

Element Type G With Round Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Matt White	8.439	185.00	222.00
300W Type G Element with Round Cap	Matt White	8.440	191.00	229.20
600W Type G Element with Round Cap	Matt White	8.441	201.00	241.20
900W Type G Element with Round Cap	Matt White	8.442	206.00	247.20
1200W Type G Element with Round Cap	Matt White	8.443	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Matt Anthracite

Element Type G With Round Cap - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Matt Anthracite	8.444	185.00	222.00
300W Type G Element with Round Cap	Matt Anthracite	8.445	191.00	229.20
600W Type G Element with Round Cap	Matt Anthracite	8.446	201.00	241.20
900W Type G Element with Round Cap	Matt Anthracite	8.447	206.00	247.20
1200W Type G Element with Round Cap	Matt Anthracite	8.448	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Matt Black

Element Type G With Round Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Round Cap	Matt Black	8.449	185.00	222.00
300W Type G Element with Round Cap	Matt Black	8.450	191.00	229.20
600W Type G Element with Round Cap	Matt Black	8.451	201.00	241.20
900W Type G Element with Round Cap	Matt Black	8.452	206.00	247.20
1200W Type G Element with Round Cap	Matt Black	8.453	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)

Please note all fluid filled rails are special order and are **non-returnable**.

Elements

Element Type G With Square Cap - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Chrome	8.454	171.00	205.20
300W Type G Element with Square Cap	Chrome	8.455	177.00	212.40
600W Type G Element with Square Cap	Chrome	8.456	185.00	222.00
900W Type G Element with Square Cap	Chrome	8.457	195.00	234.00
1200W Type G Element with Square Cap	Chrome	8.458	201.00	241.20
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

FEATURES

- Timer 1-9 hour
- Turbo boost function
- Off season heating
- Cable connection cover included
- Anti-Freeze function
- Maintains previously selected temperature for a period of 1-9 hours
- Low running costs, towel drying
- Smooth temperature adjustment (10°C to 65°C)
- Water temperature controlled Thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. Cable colour white & length 1.2 metre. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**




Gloss White

Element Type G With Square Cap - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Gloss White	8.459	161.00	193.20
300W Type G Element with Square Cap	Gloss White	8.460	166.00	199.20
600W Type G Element with Square Cap	Gloss White	8.461	177.00	212.40
900W Type G Element with Square Cap	Gloss White	8.462	181.00	217.20
1200W Type G Element with Square Cap	Gloss White	8.463	185.00	222.00
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Anthracite

Element Type G With Square Cap - Matt Anthracite


Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Matt Anthracite	8.469	185.00	222.00
300W Type G Element with Square Cap	Matt Anthracite	8.470	191.00	229.20
600W Type G Element with Square Cap	Matt Anthracite	8.471	201.00	241.20
900W Type G Element with Square Cap	Matt Anthracite	8.472	206.00	247.20
1200W Type G Element with Square Cap	Matt Anthracite	8.473	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

ELEMENT TYPE G WITH SQUARE CAP

WATER TEMPERATURE CONTROL

Only suitable with Chrome T-Piece - 8.901



Chrome

Power	Length (mm)
150W	300
300W	340
600W	390
900W	440
1200W	470

Turbo Boost Function

For vertical installation only.
Digital temp control element.




Matt White

Element Type G With Square Cap - Matt White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Matt White	8.464	185.00	222.00
300W Type G Element with Square Cap	Matt White	8.465	191.00	229.20
600W Type G Element with Square Cap	Matt White	8.466	201.00	241.20
900W Type G Element with Square Cap	Matt White	8.467	206.00	247.20
1200W Type G Element with Square Cap	Matt White	8.468	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.



Matt Black

Element Type G With Square Cap - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
150W Type G Element with Square Cap	Matt Black	8.474	185.00	222.00
300W Type G Element with Square Cap	Matt Black	8.475	191.00	229.20
600W Type G Element with Square Cap	Matt Black	8.476	201.00	241.20
900W Type G Element with Square Cap	Matt Black	8.477	206.00	247.20
1200W Type G Element with Square Cap	Matt Black	8.478	212.00	254.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element). I.P. rating 54. (Zone 2 and 3)
Please note all fluid filled rails are special order and are **non-returnable**.

All Eastbrook fluid filled rails are filled with Fernox HP-5.

With over 40 years experience and continual investment in research and development, Fernox water treatment products are manufactured to the highest quality, reliability and performance. Fernox HP-5 is a pre-blended heat transfer fluid which gives a frost protection down to -5°C. It also provides long-term protection from damage caused by corrosion, limescale and bacteria and maintains a stable pH across a range of operational temperatures.

FEATURES - FERNOX

- Anti-cavitation (lower noise)
- Better heat transfer
- Anti-corrosion properties
- Anti-freeze



Elements

WATER OR ROOM TEMPERATURE CONTROL

Power	Length (mm)
300W	340
600W	390
900W	440
1200W	470



Only suitable with Chrome T-Piece - 8.901

Element Type H Horizontal - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Chrome	8.554	303.00	363.60
600W Type H Element Horizontal**	Chrome	8.555	308.00	369.60
900W Type H Element Horizontal**	Chrome	8.556	312.00	374.40
1200W Type H Element Horizontal**	Chrome	8.557	318.00	381.60
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

Element Type H Horizontal - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Matt Anthracite	8.544	299.00	358.80
600W Type H Element Horizontal**	Matt Anthracite	8.545	303.00	363.60
900W Type H Element Horizontal**	Matt Anthracite	8.546	308.00	369.60
1200W Type H Element Horizontal**	Matt Anthracite	8.547	312.00	374.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

ELEMENT TYPE H HORIZONTAL

FEATURES

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- Anti-Freeze function
- Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

Element Type H Horizontal - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Gloss White	8.539	279.00	334.80
600W Type H Element Horizontal**	Gloss White	8.540	283.00	339.60
900W Type H Element Horizontal**	Gloss White	8.541	288.00	345.60
1200W Type H Element Horizontal**	Gloss White	8.542	292.00	350.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

Element Type H Horizontal - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Horizontal**	Matt Black	8.549	299.00	358.80
600W Type H Element Horizontal**	Matt Black	8.550	303.00	363.60
900W Type H Element Horizontal**	Matt Black	8.551	308.00	369.60
1200W Type H Element Horizontal**	Matt Black	8.552	312.00	374.40
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

WATER OR ROOM TEMPERATURE CONTROL

Power	Length (mm)
300W	340
600W	390
900W	440
1200W	470



Only suitable with Chrome T-Piece - 8.901

Element Type H Wi-Fi Horizontal - Chrome

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Chrome	8.574	341.00	409.20
600W Type H Element Wi-Fi Horizontal**	Chrome	8.575	345.00	414.00
900W Type H Element Wi-Fi Horizontal**	Chrome	8.576	350.00	420.00
1200W Type H Element Wi-Fi Horizontal**	Chrome	8.577	354.00	424.80
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

Element Type H Wi-Fi Horizontal - Matt Anthracite

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.564	335.00	402.00
600W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.565	341.00	409.20
900W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.566	345.00	414.00
1200W Type H Element Wi-Fi Horizontal**	Matt Anthracite	8.567	350.00	420.00
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

*(not including appropriate element, for all colours). I.P. rating 54. (Zone 2 and 3) Please note all fluid filled rails are special order and are **non-returnable**.

ELEMENT TYPE H Wi-Fi HORIZONTAL

FEATURES

- Turbo boost function (full heating for a set period 1, 2 or 3 hours)
- Off season heating
- Anti-Freeze function
- Low running costs
- Eco Design ready
- Smooth temperature adjustment (10°C to 65°C)
- Wi-Fi & App Control
- Comes with remote control, that acts as ambient temperature sensor
- Thermostat can control either water temperature or ambient room temperature
- Can be fitted on LH or RH side by 180°C rotating thermostat

TECHNICAL INFORMATION

For an all electric towel rail/radiator, fluid filling must be purchased. Electric only elements will be fitted RH side unless otherwise specified. **Only suitable with Chrome T-Piece - 8.901. Not suitable with Dual Fuel Valves.**

Element Type H Wi-Fi Horizontal - Gloss White

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Gloss White	8.559	315.00	378.00
600W Type H Element Wi-Fi Horizontal**	Gloss White	8.560	321.00	385.20
900W Type H Element Wi-Fi Horizontal**	Gloss White	8.561	325.00	390.00
1200W Type H Element Wi-Fi Horizontal**	Gloss White	8.562	330.00	396.00
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

Element Type H Wi-Fi Horizontal - Matt Black

Description	Colour	Code	£ Ex VAT	£ Inc VAT
300W Type H Element Wi-Fi Horizontal**	Matt Black	8.569	335.00	402.00
600W Type H Element Wi-Fi Horizontal**	Matt Black	8.570	341.00	409.20
900W Type H Element Wi-Fi Horizontal**	Matt Black	8.571	345.00	414.00
1200W Type H Element Wi-Fi Horizontal**	Matt Black	8.572	350.00	420.00
Fluid filling for above rail (electric only)*	-	FF	123.00	147.60

WI-FI SMARTPHONE APPLICATION



Your WiFi Element has the option of programming the air temperature in the daily and weekly cycles and meets the requirements of the EcoDesign Directive (Lot 20) is compatible with the EcoDirective 2018 for electric elements.

Download the "SUPLA" App from [Google Play Store](#) or [Apple App Store](#). Video instructions for the smartphone app available on our website.

Crafton Control Panel, T Pieces & Elbows

Crafton Temperature Control Panel

Description	Code	£ Ex VAT	£ Inc VAT
Crafton Temperature Control Panel White	67.0004	113.00	135.60
Crafton Temperature Control Panel Chrome Cover	67.0005	38.00	45.60

FEATURES

- Can be fitted in the bathroom (Zone 2 rated)
- IPX5 rated
- Active LED display
- 2 hour boost function
- Low running costs
- Wattage range 100-1000 watts
- 20-100% output control
- Can be used on dual fuel and electric only installations
- **Can only be fitted with Type A+ / A+ Eco, Type A Element and Biava Dry Element towel rail**
- Will fit all standard electrical back boxes

CRAFTON TEMPERATURE CONTROL PANEL



White Panel



Chrome Cover

Crafton II Temperature Control Panel

Description	Code	£ Ex VAT	£ Inc VAT
Crafton II Temperature Control Panel White	67.0010	82.00	98.40
Crafton II Temperature Control Panel Anthracite	67.0011	93.00	111.60
Crafton II Temperature Control Panel Black	67.0012	93.00	111.60
Crafton II Temperature Control Panel Chrome Effect	67.0013	88.00	105.60
Crafton II Temperature Control Panel Brass Effect	67.0014	97.00	116.40

FEATURES

- 85 x 85mm square in size
- Available in 5 colours
- Can be fitted in the bathroom (Zone 2, 3 rated)
- IPX4 rated
- Can be used in electric only and dual fuel applications
- Active LED display
- ECO function : When pressed will run for 30 minutes on highest output. Next 90 minutes will run in a lower pre-set output and then switch off. Total running time 120 minutes.
- Low running costs
- Wattage range 100-1000 watts
- Will remember the last setting when turned off and on again
- Output control ;
1 LED = 40% power
2 LEDs = 55% power
3 LEDs = 70% power
4 LEDs = 85% power
5 LEDs = 100% power
- **Can only be fitted with Type A+ / A+ Eco, Type A Element and Biava Dry Element towel rail**
- Will fit all standard electrical back boxes


CRAFTON II TEMPERATURE CONTROL PANEL



White Panel




Anthracite Panel



Black Panel



Chrome Effect Panel



Brass Effect Panel


Wi-Fi On/Off Spur Switch

Description	Code	£ Ex VAT	£ Inc VAT
Wi-Fi On/Off Spur Switch White	41.0799	39.00	46.80

FEATURES

- Replaceable 13AMP BS1362 fuse
- Works with Wi-Fi 2.4 Ghz
- Program modes : Permanent On, Permanent Off, Boost & Countdown
- Daily & Weekly programmable
- Low running costs
- Max. load 3000 Watts
- Works with Smart Life APP.
- Wall box min. depth 25mm
- Ideal replacement for BS1363 fused spur
- **Would ideally work with Type A+ / A+ Eco, Type A Element and Biava Dry Element towel rail**

WI-FI ON/OFF SPUR SWITCH



WI-FI SMARTPHONE APPLICATION

Compatible with Alexa and Google Assistant. Works on Android & IOS.

Scan QR Code to download "Smart Life" App. Or download from either the Google Play Store or Apple App Store.



Dual Fuel - Element T Pieces & Elbows

Dual Fuel Elbows



Dual Fuel Elbows

Description	Code	£ Ex VAT	£ Inc VAT
Elbow Chrome	41.3003	17.00	20.40
Elbow Matt White	41.4040	19.00	22.80
Elbow Matt Grey	41.4041	19.00	22.80
Elbow Matt Cappuccino	41.4042	19.00	22.80
Elbow Matt Anthracite	41.4043	19.00	22.80
Elbow Matt Black	41.4044	19.00	22.80
Elbow Brushed Brass	41.0607	19.00	22.80

Dual Fuel T Pieces



Dual Fuel T Pieces

Description	Code	£ Ex VAT	£ Inc VAT
T Piece Chrome	8.901	18.00	21.60
T Piece Matt White	41.3030	23.00	27.60
T Piece Matt Grey	41.3031	23.00	27.60
T Piece Matt Cappuccino	41.3032	23.00	27.60
T Piece Matt Anthracite	41.3033	23.00	27.60
T Piece Matt Black	41.3034	23.00	27.60
T Piece Brushed Brass	41.0606	21.00	25.20

Valve Buying Guide

Radiator Valve Buying Guide

Step 1

Choose your towel rail or radiator. Remember to check where your central heating pipework is located.


Step 2

Check which type of connection your chosen radiator has. (Side or bottom connection).

Step 3

Choose from one of the below valve types which compatible with your pipework.

Angled Valves



[Manual Options P358, 359, 360, 361, 362, 363 & 364](#)
[Thermostatic \(TRV\) Options P351, 352, 353, 355 & 357](#)

FEATURES


- Most used valve type.
- Connects radiator at 90° angle.
- Pipework can be from the wall or floor.

COMPATIBLE WITH:

- Connections at the sides & pipework from the floor.
- Connections at the sides & pipework from the wall.
- Connections at the bottom & pipework from the wall.



Corner Valves



[Manual Options P358, 360, 361 & 363](#)
[Thermostatic \(TRV\) Options P352, 353, 356 & 357](#)

FEATURES


- Connects radiator at 90° angle.
- On side connections, valve head sits vertically.
- On bottom connections, valve head sits under the radiator.

COMPATIBLE WITH:

- Connections at the sides & pipework from the wall.
- Connections at the bottom & pipework from the wall.



Straight Valves



[Manual Options P358, 359, 360, 361, 362 & 363](#)
[Thermostatic \(TRV\) Options P351, 354 & 357](#)

FEATURES


- Fits best to bottom connection towel rails & radiators.
- Suitable only with bottom connection radiators & towel rails with pipework from the floor or along the wall.
- Can be connected vertically or horizontally depending on the pipework.

COMPATIBLE WITH:

- Connections at the bottom & pipework from the floor.



Twin Thermostatic Valves



[Thermostatic \(TRV\) Options P352](#)

FEATURES


- Angled & Straight versions available.
- 50mm connection centres.
- Saves space by using one valve instead of two.
- Only suitable for selected models in our ranges.

COMPATIBLE WITH:

- Connections at the bottom & pipework from the floor.
- Connections at the bottom & pipework from the wall.



Dual Fuel Valves



[Manual Options P365](#)
[Thermostatic \(TRV\) Options P365](#)

FEATURES

- Only corner version available.
- Elements can be fitted from both sides. (a selection of valves)
- Only Type A, Type A+ & Type A+ Eco elements can be used.

COMPATIBLE WITH:

- Connections at the bottom & pipework from the wall.



Drain Off Valves

[P364](#)

- Can be used to drain off radiators.

Pipe Shrouds & Collar Kits

[P367](#)

- 15mm pipe covering shrouds & collars for aesthetic perfection.

Darlington Thermostatic Valves

DARLINGTON STRAIGHT TRV



BI-DIRECTIONAL White/Chrome

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0005	40.00	48.00



BI-DIRECTIONAL Chrome

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0003	39.00	46.80



BI-DIRECTIONAL Brushed Nickel

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0065	50.00	60.00



BI-DIRECTIONAL Brushed Brass

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0029	57.00	68.40



BI-DIRECTIONAL Matt White

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0019	45.00	54.00



BI-DIRECTIONAL Matt Anthracite

Straight TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0020	45.00	54.00

DARLINGTON ANGLED TRV



BI-DIRECTIONAL Matt Black

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0021	45.00	54.00



BI-DIRECTIONAL White/Chrome

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0006	39.00	46.80



BI-DIRECTIONAL Chrome

Angled TRV with Lockshield 15mm (pair)


Code	£ Ex VAT	£ Inc VAT
54.0002	38.00	45.60



BI-DIRECTIONAL Brushed Nickel

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0066	50.00	60.00



BI-DIRECTIONAL Brushed Brass

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0030	57.00	68.40



BI-DIRECTIONAL Matt White

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0016	44.00	52.80

FEATURES

- Approved to EN 1074-2:2000
- Produced to GB/T 19001-2016
- Produced to ISO 9001:2015
- 2 Year warranty with conditions

TECHNICAL INFORMATION

On all Darlington valves, the materials used can have a slight difference between their parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

Darlington Thermostatic Valves

DARLINGTON ANGLED TRV




BI-DIRECTIONAL

Matt Anthracite

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0017	44.00	52.80



BI-DIRECTIONAL

Matt Black

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0018	44.00	52.80

DARLINGTON CORNER TRV



BI-DIRECTIONAL

White/Chrome

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0007	44.00	52.80



BI-DIRECTIONAL

Chrome

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0004	40.00	48.00



BI-DIRECTIONAL

Brushed Nickel

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0067	60.00	72.00



BI-DIRECTIONAL

Brushed Brass

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0031	68.00	81.60



BI-DIRECTIONAL

Matt White

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0022	52.00	62.40



BI-DIRECTIONAL

Matt Anthracite

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0023	52.00	62.40



BI-DIRECTIONAL

Matt Black

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
54.0024	52.00	62.40

TWIN THERMOSTATIC VALVES

54.0012



Gloss White

54.0013




Chrome

54.0014



Gloss White

54.0015



Chrome

Twin Thermostatic Valves




Description	Colour	Code	£ Ex VAT	£ Inc VAT
Straight Twin inlet Thermostatic Radiator Valve 15mm	Gloss White	54.0012	74.00	88.80
Straight Twin inlet Thermostatic Radiator Valve 15mm	Chrome	54.0013	68.00	81.60
Angled Twin inlet Thermostatic Radiator Valve 15mm	Gloss White	54.0014	74.00	88.80
Angled Twin inlet Thermostatic Radiator Valve 15mm	Chrome	54.0015	68.00	81.60

FEATURES


- All twin thermostatic valves are 15 mm
 - Tapping Centres: 50mm
 - Approved to EN 1074-2:2000
 - Produced to GB/T 19001-2016 and ISO 9001:2015
 - 2 Year warranty*
- *With conditions

Traditional Thermostatic Valves

TRADITIONAL ANGLED TRV



TRADITIONAL CORNER TRV



FEATURES

- Approved to EN 1074-2:2000
- All valves are 15mm models
- Produced to GB/T 19001-2016 and ISO 9001:2015

- Not bi-directional, TRV head must be fitted to flow side.
- 2 Year warranty*
- *With conditions

Thermostatic Valves

STRAIGHT TRV



Straight TRV with Lockshield 15mm (pair)		
Code	£ Ex VAT	£ Inc VAT
12.050	10.00	12.00

While Stocks Last.



Straight TRV with Lockshield 15mm (pair)		
Code	£ Ex VAT	£ Inc VAT
41.3038	19.00	22.80

While Stocks Last.



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
12.048	44.00	52.80



15mm TRV & Lockshield - Chrome		
Code	£ Ex VAT	£ Inc VAT
12.043	54.00	64.80



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
12.033	60.00	72.00



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
41.3035	69.00	82.80



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
41.3020	50.00	60.00



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
41.3026	60.00	72.00



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
41.3028	60.00	72.00



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
41.3021	50.00	60.00



15mm TRV & Lockshield		
Code	£ Ex VAT	£ Inc VAT
41.3022	50.00	60.00

FEATURES (STRAIGHT)

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: - 2008
- Energy saving - lower fuel bills
- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- 2 Year warranty with conditions

TECHNICAL INFORMATION

(Same as Thermostatic Angled version)

All straight TRV's are
BI-DIRECTIONAL

Thermostatic Valves

ANGLED TRV



While Stocks Last

Chrome/White

Angled TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
41.3039	19.00	22.80

While Stocks Last.



Chrome/White

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.047	44.00	52.80



Chrome

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.041	54.00	64.80



Brushed Nickel

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.031	60.00	72.00



Brushed Brass

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
41.3036	69.00	82.80



Matt White

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
41.3023	47.00	56.40



Matt Grey

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
41.3027	56.00	67.20



Matt Cappuccino

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
41.3029	56.00	67.20



Matt Anthracite

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
41.3024	47.00	56.40



Matt Black

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
41.3025	47.00	56.40

FEATURES (ANGLED)

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: - 2008
- Energy saving - lower fuel bills

- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white/chrome, matt white, matt grey, matt cappuccino, matt black, brushed nickel, brushed brass and chrome finishes
- 2 Year warranty with conditions

TECHNICAL INFORMATION

On all TRV's, due to different materials used, there can be a slight difference between the parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

All angled TRV's are
BI-DIRECTIONAL

Thermostatic Valves

CORNER TRV



Chrome/White

Corner TRV with Lockshield 15mm (pair)

Code	£ Ex VAT	£ Inc VAT
41.3040	27.00	32.40


While Stocks Last.



Chrome/White

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.049	44.00	52.80



Chrome

15mm TRV & Lockshield - Chrome

Code	£ Ex VAT	£ Inc VAT
12.045	54.00	64.80



Brushed Nickel

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.061	62.00	74.40



Brushed Brass

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
41.3037	80.00	96.00



Matt White

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.053	76.00	91.20



Matt Grey

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.054	76.00	91.20



Matt Cappuccino

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.055	80.00	96.00



Matt Anthracite

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.056	76.00	91.20



Matt Black

15mm TRV & Lockshield

Code	£ Ex VAT	£ Inc VAT
12.057	76.00	91.20

FEATURES (STRAIGHT)

- 15mm straight models
- Approved to EN215
- Produced to ISO 9001: - 2008
- Energy saving - lower fuel bills

- Controls individual radiators to allow varying comfort levels throughout the home
- Reversible tail piece facilitates vertical or horizontal installation
- Luxury gloss white/chrome, matt white, matt grey, matt cappuccino, matt black, brushed nickel, brushed brass and chrome finishes
- 2 Year warranty with conditions

TECHNICAL INFORMATION

On all TRV's, due to different materials used, there can be a slight difference between the parts colours. The numbers on the TRV heads do not represent specific room temperatures as the temperature at which the valve operates depends on the water temperature flowing through the radiator, airflow around the head of the TRV, the room size and any heat loss in that space through walls, windows and floors.

The Corner TRV can only be fitted RH if fitting on bottom connection or LH if fitting on side connection.

Thermostatic Valves

BLACK GOLD TRV



15mm TRV & Lockshield - Straight

Code	£ Ex VAT	£ Inc VAT
12.075	69.00	82.80



15mm TRV & Lockshield - Angled


Code	£ Ex VAT	£ Inc VAT
12.076	69.00	82.80



15mm TRV & Lockshield - Corner

Code	£ Ex VAT	£ Inc VAT
12.077	80.00	96.00

BRUSHED GUNMETAL TRV



15mm TRV & Lockshield - Straight

Code	£ Ex VAT	£ Inc VAT
12.078	69.00	82.80



15mm TRV & Lockshield - Angled

Code	£ Ex VAT	£ Inc VAT
12.079	69.00	82.80




15mm TRV & Lockshield - Corner

Code	£ Ex VAT	£ Inc VAT
12.080	80.00	96.00

Manual Valves

BLACK GOLD MANUAL VALVES



Radiator Valve (Pair) - Straight		
Code	£ Ex VAT	£ Inc VAT
12.069	49.00	58.80




Radiator Valve (Pair) - Angled		
Code	£ Ex VAT	£ Inc VAT
12.070	51.00	61.20



Radiator Valve (Pair) - Corner		
Code	£ Ex VAT	£ Inc VAT
12.071	54.00	64.80

BRUSHED GUNMETAL MANUAL VALVES



Radiator Valve (Pair) - Straight		
Code	£ Ex VAT	£ Inc VAT
12.072	49.00	58.80




Radiator Valve (Pair) - Angled		
Code	£ Ex VAT	£ Inc VAT
12.073	51.00	61.20



Radiator Valve (Pair) - Corner		
Code	£ Ex VAT	£ Inc VAT
12.074	54.00	64.80

Manual Valves

ROUND STRAIGHT MANUAL VALVES



Chrome

Straight Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0038	35.00	42.00



Brushed Nickel

Straight Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0068	44.00	52.80



Brushed Brass

Straight Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0042	41.00	49.20



Matt White

Straight Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0039	39.00	46.80



Matt Anthracite

Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0040	39.00	46.80



Matt Black

Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0041	39.00	46.80

ROUND ANGLED MANUAL VALVES



Chrome

Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0043	34.00	40.80



Chrome

Angled Crosshead Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0025	46.00	55.20



Brushed Nickel

Angled Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0069	45.00	54.00



Brushed Brass

Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0047	39.00	46.80



Matt White

Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0044	38.00	45.60



Matt Anthracite

Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0045	38.00	45.60

Manual Valves

ROUND ANGLED VALVES



Matt Black

Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0046	38.00	45.60

ROUND CORNER MANUAL VALVES



Chrome

Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0048	42.00	50.40



Brushed Nickel

Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0070	51.00	61.20



Brushed Brass

Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0052	49.00	58.80



Matt White

Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0049	47.00	56.40



Matt Anthracite

Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0050	47.00	56.40


SQUARE STRAIGHT MANUAL VALVES



Matt Black

Corner Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0051	47.00	56.40



Chrome

Square Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3002	73.00	87.60



Chrome

Square Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0053	66.00	79.20




While Stocks Last

Brushed Nickel

Square Straight Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
12.039	27.00	32.40



Matt White

Square Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0054	70.00	84.00




Matt Anthracite

Square Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0055	70.00	84.00

Manual Valves

SQUARE STRAIGHT VALVES



Matt Black

Square Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0056	70.00	84.00


SQUARE ANGLED VALVES



Chrome

Square Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3001	70.00	84.00



Chrome

Square Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0057	66.00	79.20




While Stocks Last

Brushed Nickel

Square Angled Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
12.037	27.00	32.40



Matt White

Square Angled Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0058	70.00	84.00



Matt Anthracite

Square Angled Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0059	70.00	84.00



Matt Black

Square Angled Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0060	70.00	84.00



Chrome

Square Corner Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0061	67.00	80.40



Matt White

Square Corner Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
54.0062	71.00	85.20



Matt Anthracite

Square Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0063	71.00	85.20



Matt Black

Square Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
54.0064	71.00	85.20


FEATURES

- 15mm compression fittings
- Approved to EN215
- Produced to ISO 9001:2008
- Solid brass construction
- Compatible with radiators & towel rails
- Standard 1/2" BSP threads
- Comes in pair
- 2 Year Warranty*

*With conditions

Pipe Shrouds & Collar Kits

Page 367



Manual Valves

ROUND STRAIGHT VALVES



Chrome

Round Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3005	45.00	54.00



Chrome

Round Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3008	46.00	55.20



Brushed Nickel

Round Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
12.016	52.00	62.40



Brushed Brass

Round Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.0609	49.00	58.80



Matt White

Round Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3013	46.00	55.20



Matt Anthracite

Round Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3016	45.00	54.00

ROUND ANGLED VALVES



Matt Black

Round Straight Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3014	46.00	55.20



Chrome

Round Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3004	44.00	52.80



Chrome

Round Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3007	47.00	56.40



Brushed Nickel

Round Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
12.017	54.00	64.80



Brushed Brass

Round Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.0610	51.00	61.20

FEATURES

- 15mm compression fittings
- Approved to EN215
- Produced to ISO 9001:2008
- Solid brass construction
- Compatible with radiators & towel rails
- Standard 1/2" BSP threads
- Comes in pair
- 2 Year Warranty*

*With conditions

Pipe Shrouds & Collar Kits

Page 367



Manual Valves

ROUND ANGLED VALVES



Matt White

Round Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3011	45.00	54.00



Matt Anthracite

Round Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3015	46.00	55.20



Matt Black

Round Angled Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3012	45.00	54.00

ROUND CORNER VALVES



Chrome

Round Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3006	50.00	60.00



Brushed Nickel

Round Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
12.018	57.00	68.40



Brushed Brass

Round Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.0611	54.00	64.80



Matt White

Round Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3017	52.00	62.40



Matt Anthracite

Round Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3018	52.00	62.40



Matt Black

Round Corner Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3019	52.00	62.40

SQUARE MANUAL VALVES



Chrome

Straight Square Radiator Valves (pair)


Code	£ Ex VAT	£ Inc VAT
12.038	97.00	116.40



Chrome

Angled Square Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
12.036	107.00	128.40




Chrome

Corner Square Radiator Valves (pair)

Code	£ Ex VAT	£ Inc VAT
41.3010	90.00	108.00

Traditional Manual Valves

TRADITIONAL VALVES



Angled Traditional Valves with Tails (pair)

Code	£ Ex VAT	£ Inc VAT
54.0001	54.00	64.80



Chrome

TRADITIONAL MANUAL VALVES



Pair of Radiator Valves + Tails Chrome

Code	£ Ex VAT	£ Inc VAT
41.3009	79.00	94.80



Pair of Radiator Valves + Tails Gloss White

Code	£ Ex VAT	£ Inc VAT
41.0729	77.00	92.40



Pair of Radiator Valves + Tails Matt Anthracite

Code	£ Ex VAT	£ Inc VAT
41.0730	77.00	92.40



Pair of Radiator Valves + Tails Matt Black

Code	£ Ex VAT	£ Inc VAT
41.0731	77.00	92.40



Pair of Radiator Valves + Tails Brushed Brass

Code	£ Ex VAT	£ Inc VAT
41.0710	89.00	106.80

TRADITIONAL VALVE SHROUDS FEATURES

- Material : High Quality Brass
- Shroud length : 150mm, can be cut to desired length

Drain Off Valve

Drain Off Valve

Description	Colour	Code	£ Ex VAT	£ Inc VAT
15mm Lockshield with Drain Valve	Chrome	12.052	15.00	18.00

FEATURES

- Can be used to drain off radiators.
- Chrome plated brass body, comes with white cover cap.

12.052



Dual Fuel Valves

CORNER DUAL FUEL TRV



Chrome

Dual Fuel TRV & Lockshield Valve 15mm

Code	£ Ex VAT	£ Inc VAT
12.058	78.00	93.60



Brushed Brass

Dual Fuel TRV & Lockshield Valve 15mm

Code	£ Ex VAT	£ Inc VAT
41.0608	81.00	97.20



Matt White

Dual Fuel TRV & Lockshield Valve 15mm

Code	£ Ex VAT	£ Inc VAT
54.0026	74.00	88.80



Matt Anthracite

Dual Fuel TRV & Lockshield Valve 15mm

Code	£ Ex VAT	£ Inc VAT
54.0027	74.00	88.80



Matt Black

Dual Fuel TRV & Lockshield Valve 15mm

Code	£ Ex VAT	£ Inc VAT
54.0028	74.00	88.80



FEATURES

- Approved to EN215
- Produced to ISO 9001:2008
- Integrated T Piece
- Only fitted with Type A, A+ & B Elements
- Element entry inlet only on flow side
- Brass construction
- 2 Year Warranty*

*With conditions

CORNER DUAL FUEL MANUAL VALVES



Chrome

Corner Manual Dual Fuel Radiator Valves (Pair)

Code	£ Ex VAT	£ Inc VAT
12.062	71.00	85.20



Brushed Brass

Corner Manual Dual Fuel Radiator Valves (Pair)

Code	£ Ex VAT	£ Inc VAT
12.063	73.00	87.60



Matt White

Corner Manual Dual Fuel Radiator Valves (Pair)

Code	£ Ex VAT	£ Inc VAT
12.064	65.00	78.00



Matt Anthracite

Corner Manual Dual Fuel Radiator Valves (Pair)

Code	£ Ex VAT	£ Inc VAT
12.065	65.00	78.00



Matt Black

Corner Manual Dual Fuel Radiator Valves (Pair)

Code	£ Ex VAT	£ Inc VAT
12.066	65.00	78.00



FEATURES

- Approved to EN215
- Produced to ISO 9001:2008
- Integrated T Piece
- Only fitted with Type A, A+ & B Elements
- Element entry inlets from both sides
- Brass construction
- 2 Year Warranty*

*With conditions

Accessories

Multi-Rail Towel Hangers

Must be fitted before installation.



Multi-Rail Hanger - Gloss White				
Size	Code	£ Ex VAT	£ Inc VAT	
300mm	101.0010	46.00	55.20	
400mm	101.0012	47.00	56.40	
450mm	101.0016	52.00	62.40	
500mm	101.0018	54.00	64.80	
600mm	101.0022	60.00	72.00	
750mm	101.0026	63.00	75.60	




Multi-Rail Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
300mm	101.0011	62.00	74.40	
400mm	101.0015	63.00	75.60	
450mm	101.0017	70.00	84.00	
500mm	101.0021	78.00	93.60	
600mm	101.0025	83.00	99.60	
750mm	101.0027	88.00	105.60	



Multi-Rail Hanger - Matt Anthracite				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0014	47.00	56.40	
500mm	101.0020	54.00	64.80	
600mm	101.0024	60.00	72.00	



Multi-Rail Hanger - Matt White				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0013	47.00	56.40	
500mm	101.0019	54.00	64.80	
600mm	101.0023	60.00	72.00	



Multi-Rail Hanger - Matt Grey				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0111	47.00	56.40	
500mm	101.0112	54.00	64.80	
600mm	101.0113	60.00	72.00	




Multi-Rail Hanger - Matt Black				
Size	Code	£ Ex VAT	£ Inc VAT	
400mm	101.0061	47.00	56.40	
500mm	101.0062	54.00	64.80	
600mm	101.0063	60.00	72.00	

Compatible Radiators

Wendover Straights	All Models	Wingrave Straights	All Models	Biava Dry Elements	All Models	Westwards	All Models
Biava Tube on Tube	All Models	Biava Multi-Rail	All Models	Biava Multirail Hidden Vent	All Models		

Rivassa & Imperia - Towel Hangers



Towel hanger comes in three unassembled pieces. Please cut 600mm bar to required column-to-column length.


Rivassa Towel Hanger				
Size	Colour	Code	£ Ex VAT	£ Inc VAT
600mm	Chrome	16.158	121.00	145.20
600mm	White	16.157	84.00	100.80

Can be fitted after installation!

Rivassa & Imperia - Robe Hooks




Robe Hook- Chrome				
Details	Code	£ Ex VAT	£ Inc VAT	
Single Hook	16.006	20.00	24.00	




Robe Hook- White				
Details	Code	£ Ex VAT	£ Inc VAT	
Single Hook	16.005	17.00	20.40	

Can be fitted after installation!

Towel Rail - Towel Hangers



Towel Hanger - Chrome				
Size	Code	£ Ex VAT	£ Inc VAT	
210mm	16.002	67.00	80.40	
310mm	16.004	68.00	81.60	
360mm	16.352	70.00	84.00	
470mm	16.350	72.00	86.40	
600mm	16.351	74.00	88.80	




Towel Hanger - White				
Size	Code	£ Ex VAT	£ Inc VAT	
210mm	16.001	50.00	60.00	
310mm	16.003	53.00	63.60	
360mm	16.152	56.00	67.20	
470mm	16.150	60.00	72.00	
600mm	16.151	62.00	74.40	

Can be fitted after installation! Cannot be cut down.

Towel Rail - Robe Hooks



Robe Hook- Chrome				
Details	Code	£ Ex VAT	£ Inc VAT	
Hook Pair	16.500	45.00	54.00	



Robe Hook- White				
Details	Code	£ Ex VAT	£ Inc VAT	
Hook Pair	16.600	37.00	44.40	

Can be fitted after installation!

Pipe Shrouds and Collar Kits (Slide On)

Pipe Shrouds and Collar Kits - Slide On			
Description	Code	£ Ex VAT	£ Inc VAT
15mm Pipe Shroud & Collar Kit Gloss White	41.0597	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt White	41.0598	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Grey	41.0599	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Cappuccino	41.0600	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Anthracite	41.0601	23.00	27.60
15mm Pipe Shroud & Collar Kit Matt Black	41.0602	23.00	27.60
15mm Pipe Shroud & Collar Kit Chrome	41.0603	21.00	25.20
15mm Pipe Shroud & Collar Kit Brushed Brass	41.0604	29.00	34.80
15mm Pipe Shroud & Collar Kit Satin Nickel	41.0605	29.00	34.80
15mm Pipe Shroud & Collar Kit Black Gold	41.0988	29.00	34.80
15mm Pipe Shroud & Collar Kit Brushed Gunmetal	41.0989	29.00	34.80

FEATURES

- Manufactured from high quality brass
- Suitable for 15mm pipes, must be fitted together with radiator installation
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length



Pipe Shrouds and Collar Kits (Clip On)




Pipe Shrouds and Collar Kits - Clip On			
Description	Code	£ Ex VAT	£ Inc VAT
15mm Pipe Shroud & Collar Kit White	92.0001	14.00	16.80
15mm Pipe Shroud & Collar Kit Chrome	92.0002	21.00	25.20
15mm Pipe Shroud & Collar Kit Anthracite	92.0003	15.00	18.00
15mm Pipe Shroud & Collar Kit Black	92.0004	15.00	18.00

FEATURES

- Manufactured from high grade polypropylene
- Suitable for 15mm pipes, easy-fit after radiator installation
- Available in white, anthracite, black and chrome
- Each kit includes two pipe shrouds and two collars
- Shroud length 200mm., can be cut to desired length
- Easy push-fit installation



Towel Rail Toilet Paper Holder



Toilet Paper Holder - White

Toilet Paper Holder - Chrome



Code	£ Ex VAT	£ Inc VAT
16.155	95.00	114.00

Code	£ Ex VAT	£ Inc VAT
16.156	103.00	123.60

Compatible Radiators

Wendover	All Models	Wingrave	All Models
Biava Tube on Tube	All Models	Biava Multi-Rail	All Models
Biava Dry Elements	All Models	Westward	All Models

Towel Rail Room Divider Bracket Sets



Room Divider Bracket Set - White

Room Divider Bracket Set - Chrome

Code	£ Ex VAT	£ Inc VAT
16.153	160.00	192.00

Code	£ Ex VAT	£ Inc VAT
16.154	225.00	270.00

Compatible Radiators

Wendover Straight	All Colours	Wingrave Straight	All Colours
Westward	All Colours	Biava Multi-Rail Straight	All Colours
Biava Dry Element	All Colours	Corinium Round	All Colours

Accessories

Multi-Purpose Towel Hangers



Towel Hanger - Matt White - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0882L/89.0882R	128.00	153.60
400mm	89.0883L/89.0883R	131.00	157.20
500mm	89.0884L/89.0884R	134.00	160.80



Towel Hanger - Matt Grey - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0885L/89.0885R	128.00	153.60
400mm	89.0886L/89.0886R	131.00	157.20
500mm	89.0887L/89.0887R	134.00	160.80



Towel Hanger - Matt Cappuccino - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0888L/89.0888R	128.00	153.60
400mm	89.0889L/89.0889R	131.00	157.20
500mm	89.0890L/89.0890R	134.00	160.80



Towel Hanger - Matt Anthracite - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0891L/89.0891R	128.00	153.60
400mm	89.0892L/89.0892R	131.00	157.20
500mm	89.0893L/89.0893R	134.00	160.80



Towel Hanger - Matt Black - Left / Right

Size	Code	£ Ex VAT	£ Inc VAT
300mm	89.0894L/89.0894R	128.00	153.60
400mm	89.0895L/89.0895R	131.00	157.20
500mm	89.0896L/89.0896R	134.00	160.80


TECHNICAL INFORMATION

Please check the technical drawing to see all the required measurements. Multi-Purpose Towel Hangers can only be fitted on the wall. Only vertical radiators have been used in the compatibility chart.


Left Hand Towel Hangers : When fitted on the wall and looking from front, shelf is on the left and towel can be hung from the right.

Right Hand Towel Hangers : When fitted on the wall and looking from front, shelf is on the right and towel can be hung from the left.

Can be fitted after installation!



L : Left Hand Towel Hanger



R : Right Hand Towel Hanger

MULTI-PURPOSE TOWEL HANGER COMPATIBILITY CHART


Radiator Model	Radiator Width (mm)				Towel Hanger length A (mm)				Shelf Width (mm)	Shelf Depth (mm)	Towel hanger to wall distance (mm)	Radiator's Front to Wall Distance D (mm)	Towel Hanging Distance B (mm)	Distance from Radiator to Towel Shelf C (mm)			
	1.)	2.)	3.)	4.)	1.)	2.)	3.)	4.)						1.)	2.)	3.)	4.)
RUBANO	383				500				250	160	160	114	46	117			
ROWSHAM	300	380			400	500			250	160	160	110	50	100	120		
TUNSTALL	280	420			400	500			250	160	160	93	67	120	80		
TUNSTALL DOUBLE	280	420			400	500			250	160	160	104	56	120	80		
ADDINGTON TYPE10	292	366	440		400	400	500		250	160	160	70	90	108	34	60	
DEDDINGTON	310	470			400	500			250	160	160	100	60	90	30		
ADDINGTON TYPE20	366	440			400	500			250	160	160	93	67	34	60		
ADDINGTON ALUMINIUM TYPE10	292	366	440		400	400	500		250	160	160	76.5	83.5	108	34	60	
ADDINGTON ALUMINIUM TYPE20	366	440			400	500			250	160	160	96.5	63.5	34	60		
ROSANO	280	375	470		300	400	500		250	160	160	70/90	90/70	20	25	30	
PERETTI	280	375	470		300	400	500		250	160	160	70/90	90/70	20	25	30	
SANDHURST	275	415	485		300	500	500		250	160	160	105	55	25	85	15	
TORDINO	280	375	470		300	400	500		250	160	160	80/100	80/60	20	25	30	
GUARDIA / Flat Side	280	375	470		300	400	500		250	160	160	100	60	20	25	30	
GUARDIA / Curved Side	280	375	470		300	400	500		250	160	160	110	50	20	25	30	
HADLEIGH	275	415	485		300	500	500		250	160	160	98	62	25	85	15	
VESIMA	303	403			400	500			250	160	160	85/105	75/55	97	97		
PRESTON	185				300				250	160	160	71/91	89/69	115			
BERLINI	185				300				250	160	160	70/90	90/70	115			
CHARLTON	280	375	470		300	400	500		250	160	160	71/91	89/69	20	25	30	
WITHINGTON	280	375	470		300	400	500		250	160	160	71/91	89/69	20	25	30	
MALMESBURY	185	280	375	470	300	300	400	500	250	160	160	79/99	81/61	115	20	25	30
FAIRFORD	375				400				250	160	160	81/101	79/59	25			
BURFORD	275	345	415	485	300	400	500	500	250	160	160	108/128	52/32	25	55	85	15
KELMSCOTT	275	345	415	485	300	400	500	500	250	160	160	83/103	77/57	25	55	85	15

Round Vent Caps



Round Vent Caps - White

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0001	17.00	20.40



Round Vent Caps - Grey

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0002	17.00	20.40



Round Vent Caps - Cappuccino

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0003	17.00	20.40



Round Vent Caps - Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0004	17.00	20.40



Round Vent Caps - Black

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0005	17.00	20.40



Round Vent Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
Round Vent Cap (pair)	101.0006	17.00	20.40

Compatible Radiators

Wingrave	Biava Square	Marlow E-Style	Deddington Towel Rail	Fairford
Wendover	Leonardo	Rubano	Addington Type21	Burford
Tuscan	Hurley	Rowsham	Addington Type22	Kelmscott
Biava Multirail	Helmsley	Tunstall	Addington Type20 Towel Rail	Witney
Biava Multirail HV	Staverton Tube on Tube Straight	Tunstall Double	Addington Type21 Towel Rail	Rivassa 2 Column
Westward	Staverton	Tunstall Mirror	Berkeley	Rivassa 3 Column
Biava Round	Staverton Tube on Tube Curved	Addington Type10	Preston	Rivassa 4 Column
Biava Tube on Tube	Mezzo Tondo	Addington Type20	Charlton	Imperia 2 Column
Launton	Pesaro	Deddington	Withington	Imperia 3 Column
Haddenham	Marlow	Addington Type10 Towel Rail	Malmesbury	Corinium Round
Tuscan Round	Tuscan Square	Tordino	Platani	Reinbach
Murano	Lambourne	Tuscan Square Multirail	Corinium Round	Tuscan Round

D-Shape Vent Caps



D-Shape Vent Caps - White

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0007	19.00	22.80



D-Shape Vent Caps - Anthracite

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0008	19.00	22.80



D-Shape Vent Caps - Grey

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0114	19.00	22.80



D-Shape Vent Caps - Chrome

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0009	19.00	22.80




D-Shape Vent Caps - Black

Description	Code	£ Ex VAT	£ Inc VAT
D-Shape Vent Cap (pair)	101.0060	19.00	22.80



Compatible Radiators

Wingrave	Westwood	Defford	Santero	Rion Multirail
----------	----------	---------	---------	----------------



Technical Section

In this section you'll find the technical specifications for every single model / size within the Radiator Collection brochure.

Jump quickly from the model page, to the relevant technical page by using the 'Technical Table & Drawings' boxes.


Example:

Technical Tables
& Drawings
Page 00-00



Technical Section Contents

The Multirail Range	372-383
The Dry Element Range	382-385
The Stainless Steel Range	384-389
The Designer Range	388-417
The Aluminium Range	416-437
The Traditional Range	436-449



Technical Tables & Drawings

WENDOVER - THE MULTIRAIL RANGE

Wendover - Straight																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
360	400	350	75-95	90-110	7	1.36	2.38	Coloured	80	147	150W	A,A+,B	Chrome	54	104	150W	B
600	300	250	75-95	90-110	10	1.81	3.08	Coloured	98	182	100W	A,A+,B,D,E,F,G	Chrome	67	128	100W	A,A+,B,D,E,F,G
600	400	350	75-95	90-110	10	2.13	3.55	Coloured	120	220	150W	A,A+,B,D,E,F,G	Chrome	83	156	100W	A,A+,B,D,E,F,G
600	500	450	75-95	90-110	10	2.45	4.01	Coloured	141	260	150W	A,A+,B,D,E,F,G	Chrome	98	185	100W	A,A+,B,D,E,F,G
600	600	550	75-95	90-110	10	2.77	4.48	Coloured	163	299	150W	A,A+,B,D,E,F,G	Chrome	113	213	150W	A,A+,B,D,E,F,G
600	750	700	75-95	90-110	10	3.25	5.18	Coloured	193	361	150W	A,A+,B,D,E,F,G	Chrome	134	258	150W	A,A+,B,D,E,F,G
600	1000	950	75-95	90-110	10	4.05	6.35	Coloured	248	460	300W	A,A+,B,D,E,F,G	Chrome	173	327	150W	A,A+,B,D,E,F,G
600	1200	1150	75-95	90-110	10	4.69	7.28	Coloured	291	541	300W	A,A+,B,D,E,F,G	Chrome	212	392	150W	A,A+,B,D,E,F,G
800	300	250	75-95	90-110	14	2.46	4.04	Coloured	99	181	150W	A,A+,B,D,E,F,G	Chrome	73	139	100W	A,A+,B,D,E,F,G
800	400	350	75-95	90-110	14	2.91	4.69	Coloured	152	281	150W	A,A+,B,D,E,F,G	Chrome	91	173	150W	A,A+,B,D,E,F,G
800	500	450	75-95	90-110	14	3.36	5.34	Coloured	180	332	150W	A,A+,B,D,E,F,G	Chrome	109	208	150W	A,A+,B,D,E,F,G
800	600	550	75-95	90-110	14	3.80	6.00	Coloured	204	386	150W	A,A+,B,D,E,F,G	Chrome	124	238	150W	A,A+,B,D,E,F,G
800	750	700	75-95	90-110	14	4.48	6.98	Coloured	250	461	300W	A,A+,B,D,E,F,G	Chrome	173	327	150W	A,A+,B,D,E,F,G
1000	300	250	75-95	90-110	16	2.97	4.78	Coloured	149	277	150W	A,A+,B,D,E,F,G	Chrome	103	198	150W	A,A+,B,D,E,F,G
1000	400	350	75-95	90-110	16	3.48	5.53	Coloured	184	343	150W	A,A+,B,D,E,F,G	Chrome	113	216	150W	A,A+,B,D,E,F,G
1000	500	450	75-95	90-110	16	3.99	6.27	Coloured	219	408	150W	A,A+,B,D,E,F,G	Chrome	132	256	150W	A,A+,B,D,E,F,G
1000	600	550	75-95	90-110	16	4.51	7.02	Coloured	254	472	300W	A,A+,B,D,E,F,G	Chrome	154	298	150W	A,A+,B,D,E,F,G
1000	750	700	75-95	90-110	16	5.28	8.14	Coloured	303	565	300W	A,A+,B,D,E,F,G	Chrome	208	396	300W	A,A+,B,D,E,F,G
1200	300	250	75-95	90-110	20	3.62	5.73	Coloured	176	331	150W	A,A+,B,D,E,F,G	Chrome	109	210	150W	A,A+,B,D,E,F,G
1200	400	350	75-95	90-110	20	4.26	6.67	Coloured	218	409	300W	A,A+,B,D,E,F,G	Chrome	136	262	150W	A,A+,B,D,E,F,G
1200	500	450	75-95	90-110	20	4.90	7.60	Coloured	264	497	300W	A,A+,B,D,E,F,G	Chrome	161	311	150W	A,A+,B,D,E,F,G
1200	600	550	75-95	90-110	20	5.54	8.54	Coloured	294*	560*	300W	A,A+,B,D,E,F,G	Chrome	205*	393*	300W	A,A+,B,D,E,F,G
1200	750	700	75-95	90-110	20	6.50	9.94	Coloured	363	680	450W	A,A+,B,D,E,F,G	Chrome	247	473	300W	A,A+,B,D,E,F,G
1400	300	250	75-95	90-110	22	4.09	5.87	Coloured	194	371	150W	A,A+,B,D,E,F,G	Chrome	128	249	150W	A,A+,B,D,E,F,G
1400	400	350	75-95	90-110	22	4.50	7.41	Coloured	245	467	300W	A,A+,B,D,E,F,G	Chrome	160	311	150W	A,A+,B,D,E,F,G
1400	500	450	75-95	90-110	22	5.50	9.10	Coloured	293	560	300W	A,A+,B,D,E,F,G	Chrome	190	369	150W	A,A+,B,D,E,F,G
1400	600	550	75-95	90-110	22	6.20	10.10	Coloured	340	649	300W	A,A+,B,D,E,F,G	Chrome	219	424	300W	A,A+,B,D,E,F,G
1400	750	700	75-95	90-110	22	7.20	12.30	Coloured	407	778	450W	A,A+,B,D,E,F,G	Chrome	260	504	300W	A,A+,B,D,E,F,G
1600	300	250	75-95	90-110	26	4.74	8.35	Coloured	237	444	300W	A,A+,B,D,E,F,G	Chrome	155	303	150W	A,A+,B,D,E,F,G
1600	400	350	75-95	90-110	26	5.61	8.65	Coloured	289	551	300W	A,A+,B,D,E,F,G	Chrome	186	363	300W	A,A+,B,D,E,F,G
1600	500	450	75-95	90-110	26	6.44	9.86	Coloured	346	657	450W	A,A+,B,D,E,F,G	Chrome	220	431	300W	A,A+,B,D,E,F,G
1600	600	550	75-95	90-110	26	7.28	11.08	Coloured	398	763	450W	A,A+,B,D,E,F,G	Chrome	240	453	300W	A,A+,B,D,E,F,G
1600	750	700	75-95	90-110	26	8.41	14.15	Coloured	491	915	600W	A,A+,B,D,E,F,G	Chrome	324	632	450W	A,A+,B,D,E,F,G
1800	300	250	75-95	90-110	30	5.38	9.28	Coloured	261	489	300W	A,A+,B,D,E,F,G	Chrome	181	353	150W	A,A+,B,D,E,F,G
1800	400	360	75-95	90-110	30	6.39	9.79	Coloured	326	615	300W	A,A+,B,D,E,F,G	Chrome	222	431	300W	A,A+,B,D,E,F,G
1800	500	450	75-95	90-110	30	7.35	11.19	Coloured	391	741	450W	A,A+,B,D,E,F,G	Chrome	262	510	300W	A,A+,B,D,E,F,G
1800	600	550	75-95	90-110	30	8.31	12.59	Coloured	459	868	600W	A,A+,B,D,E,F,G	Chrome	304	576	450W	A,A+,B,D,E,F,G
1800	750	700	75-95	90-110	30	9.62	15.96	Coloured	561	1060	600W	A,A+,B,D,E,F,G	Chrome	370	702	450W	A,A+,B,D,E,F,G


* Further heat output information available on eastbrooktrade.com **E&O**

Wendover Straight - PVD Finish																
Height H (mm)	Width W (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Height H (mm)	Width W (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
360	400	59-69	74-84	68	126	100W	A,A+,B	1200	400	59-69	74-84	157	301	150W	A,A+,B,D,E,F,G	
600	300	59-69	74-84	80	149	100W	A,A+,B	1200	500	59-69	74-84	186	357	150W	A,A+,B,D,E,F,G	
600	400	59-69	74-84	78	150	100W	A,A+,B,D,E,F,G	1200	600	59-69	74-84	216	414	300W	A,A+,B,D,E,F,G	
600	500	59-69	74-84	93	178	100W	A,A+,B,D,E,F,G	1200	750	59-69	74-84	319	609	300W	A,A+,B,D,E,F,G	
600	600	59-69	74-84	108	207	150W	A,A+,B,D,E,F,G	1400	300	59-69	74-84	173	334	150W	A,A+,B,D,E,F,G	
600	750	59-69	74-84	172	321	150W	A,A+,B,D,E,F,G	1400	400	59-69	74-84	177	339	150W	A,A+,B,D,E,F,G	
600	1000	59-69	74-84	218	407	150W	A,A+,B,D,E,F,G	1400	500	59-69	74-84	209	401	300W	A,A+,B,D,E,F,G	
600	1200	59-69	74-84	254	474	150W	A,A+,B,D,E,F,G	1400	600	59-69	74-84	241	463	300W	A,A+,B,D,E,F,G	
800	300	59-69	74-84	102	192	100W	A,A+,B,D,E,F,G	1400	750	59-69	74-84	372	717	300W	A,A+,B,D,E,F,G	
800	400	59-69	74-84	108	207	150W	A,A+,B,D,E,F,G	1600	300	59-69	74-84	200	388	150W	A,A+,B,D,E,F,G	
800	500	59-69	74-84	128	246	150W	A,A+,B,D,E,F,G	1600	400	59-69	74-84	206	396	300W	A,A+,B,D,E,F,G	
800	600	59-69	74-84	149	285	150W	A,A+,B,D,E,F,G	1600	500	59-69	74-84	244	469	300W	A,A+,B,D,E,F,G	
800	750	59-69	74-84	219	412	150W	A,A+,B,D,E,F,G	1600	600	59-69	74-84	282	542	300W	A,A+,B,D,E,F,G	
1000	300	59-69	74-84	125	236	150W	A,A+,B,D,E,F,G	1600	750	59-69	74-84	429	833	450W	A,A+,B,D,E,F,G	
1000	400	59-69	74-84	127	245	150W	A,A+,B,D,E,F,G	1800	300	59-69	74-84	228	446	150W	A,A+,B,D,E,F,G	
1000	500	59-69	74-84	151	290	150W	A,A+,B,D,E,F,G	1800	400	59-69	74-84	236	452	300W	A,A+,B,D,E,F,G	
1000	600	59-69	74-84	186	344	150W	A,A+,B,D,E,F,G	1800	500	59-69	74-84	280	536	300W	A,A+,B,D,E,F,G	
1000	750	59-69	74-84	268	508	300W	A,A+,B,D,E,F,G	1800	600	59-69	74-84	324	621	450W	A,A+,B,D,E,F,G	
1200	300	59-69	74-84	148	284	150W	A,A+,B,D,E,F,G	1800	750	59-69	74-84	489	958	600W	A,A+,B,D,E,F,G	


PVD Finishes are Brushed Brass, Black Gold & Brushed Gunmetal.

Technical Tables & Drawings

WENDOVER - STRAIGHT



WENDOVER - CURVED



Wendoover - Curved

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	400	350	60-75	87-102	10	2.13	3.55	Coloured	101*	193*	150W	A,A+,B,D,E,F,G	Chrome	79*	153*	100W	A,A+,B,D,E,F,G
600	500	450	55-70	94-109	10	2.45	4.01	Coloured	119*	229*	150W	A,A+,B,D,E,F,G	Chrome	94*	181*	100W	A,A+,B,D,E,F,G
600	600	550	50-65	98-113	10	2.77	4.48	Coloured	138*	264*	150W	A,A+,B,D,E,F,G	Chrome	109*	209*	150W	A,A+,B,D,E,F,G
600	750	700	70-90	194-214	10	3.35	5.31	Coloured	205	380	150W	A,A+,B,D,E,F,G	Chrome	133	251	150W	A,A+,B,D,E,F,G
800	400	350	60-75	87-102	14	2.93	4.72	Coloured	138*	266*	150W	A,A+,B,D,E,F,G	Chrome	91	173	150W	A,A+,B,D,E,F,G
800	500	450	55-70	94-109	14	3.37	5.37	Coloured	164*	315*	150W	A,A+,B,D,E,F,G	Chrome	109	206	150W	A,A+,B,D,E,F,G
800	600	550	50-65	98-113	14	3.82	6.02	Coloured	217	405	150W	A,A+,B,D,E,F,G	Chrome	146	282	150W	A,A+,B,D,E,F,G
800	750	700	70-90	194-214	14	4.62	7.16	Coloured	229*	440*	300W	A,A+,B,D,E,F,G	Chrome	182*	348*	150W	A,A+,B,D,E,F,G
1000	400	350	60-75	87-102	16	3.5	5.56	Coloured	164*	315*	150W	A,A+,B,D,E,F,G	Chrome	113	216	150W	A,A+,B,D,E,F,G
1000	500	450	55-70	94-109	16	4.01	6.3	Coloured	194*	372*	150W	A,A+,B,D,E,F,G	Chrome	134	257	150W	A,A+,B,D,E,F,G
1000	600	550	50-65	98-113	16	4.53	7.05	Coloured	223*	429*	300W	A,A+,B,D,E,F,G	Chrome	155	295	150W	A,A+,B,D,E,F,G
1000	750	700	70-90	194-214	16	5.44	8.35	Coloured	268*	514*	300W	A,A+,B,D,E,F,G	Chrome	212*	406*	300W	A,A+,B,D,E,F,G
1200	400	350	60-75	87-102	20	4.28	6.71	Coloured	202*	387*	300W	A,A+,B,D,E,F,G	Chrome	136	262	150W	A,A+,B,D,E,F,G
1200	500	450	55-70	94-109	20	4.93	7.64	Coloured	254	483	300W	A,A+,B,D,E,F,G	Chrome	161	311	150W	A,A+,B,D,E,F,G
1200	600	550	50-65	98-113	20	5.57	8.57	Coloured	310	576	300W	A,A+,B,D,E,F,G	Chrome	204	386	300W	A,A+,B,D,E,F,G
1200	750	700	70-90	194-214	20	6.71	10.2	Coloured	332*	636*	450W	A,A+,B,D,E,F,G	Chrome	262*	502*	300W	A,A+,B,D,E,F,G
1600	400	350	60-75	87-102	26	5.64	8.7	Coloured	265*	508*	300W	A,A+,B,D,E,F,G	Chrome	186	363	300W	A,A+,B,D,E,F,G
1600	500	450	55-70	94-109	26	6.48	9.91	Coloured	313*	601*	450W	A,A+,B,D,E,F,G	Chrome	220	431	300W	A,A+,B,D,E,F,G
1600	600	550	50-65	98-113	26	7.31	11.12	Coloured	386	740	450W	A,A+,B,D,E,F,G	Chrome	254	496	300W	A,A+,B,D,E,F,G
1600	750	700	70-90	194-214	26	8.79	13.24	Coloured	434*	832*	600W	A,A+,B,D,E,F,G	Chrome	343*	657*	450W	A,A+,B,D,E,F,G
1800	400	350	60-75	87-102	30	6.43	9.85	Coloured	303*	581*	300W	A,A+,B,D,E,F,G	Chrome	239*	459*	300W	A,A+,B,D,E,F,G
1800	500	450	55-70	94-109	30	7.39	11.25	Coloured	358*	687*	450W	A,A+,B,D,E,F,G	Chrome	283	543	300W	A,A+,B,D,E,F,G
1800	600	550	50-65	98-113	30	8.35	12.65	Coloured	538	1012	600W	A,A+,B,D,E,F,G	Chrome	371	703	450W	A,A+,B,D,E,F,G
1800	750	700	70-90	194-214	30	10.06	15.09	Coloured	594	1116	600W	A,A+,B,D,E,F,G	Chrome	403	766	450W	A,A+,B,D,E,F,G

* Further heat output information available on eastbrooktrade.com **E&O**

Technical Tables & Drawings

BIAVA MULTIRAIL - THE MULTIRAIL RANGE

Biava Multirail Hidden Vent (HV) - Straight																
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
360	400	350	70-85	6	1.4	2.2	Coloured	61	116	100W	A,A+,B,D,E,F,G	Chrome	48	90	150W	B
688	450	400	70-85	14	3.1	4.9	Coloured	144	274	150W	A,A+,B,D,E,F,G	Chrome	113	215	150W	A,A+,B,D,E,F,G
688	600	550	70-85	14	3.7	5.9	Coloured	183	348	150W	A,A+,B,D,E,F,G	Chrome	144	274	150W	A,A+,B,D,E,F,G
688	750	700	70-85	14	4.4	7	Coloured	222	423	300W	A,A+,B,D,E,F,G	Chrome	174	332	150W	A,A+,B,D,E,F,G
1118	450	400	70-85	22	4.88	7.7	Coloured	228	434	300W	A,A+,B,D,E,F,G	Chrome	180	342	150W	A,A+,B,D,E,F,G
1118	600	550	70-85	22	5.94	9.4	Coloured	290	552	300W	A,A+,B,D,E,F,G	Chrome	228	434	300W	A,A+,B,D,E,F,G
1118	750	700	70-85	22	7	11	Coloured	351	670	450W	A,A+,B,D,E,F,G	Chrome	276	527	300W	A,A+,B,D,E,F,G
1720	450	400	70-85	34	7.53	11.9	Coloured	351	670	450W	A,A+,B,D,E,F,G	Chrome	276	527	300W	A,A+,B,D,E,F,G
1720	600	550	70-85	34	9.17	14.4	Coloured	446	851	600W	A,A+,B,D,E,F,G	Chrome	351	670	450W	A,A+,B,D,E,F,G
1720	750	700	70-85	34	10.8	17	Coloured	542	1034	750W	A,A+,B,D,E,F,G	Chrome	426	813	600W	A,A+,B,D,E,F,G

* Further heat output information available on eastbrooktrade.com E&O


WINGRAVE - THE MULTIRAIL RANGE

Wingrave - Straight																		
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
600	300	256	79	64	10	2.1	2.9	Coloured	87	163	100W	A,A+,B,D,E,F,G	Chrome	56	105	100W	A,A+	
600	400	356	79	64	10	2.4	3.32	Coloured	110	206	150W	A,A+,B,D,E,F,G	Chrome	71	133	100W	A,A+	
600	500	456	79	64	10	2.7	3.87	Coloured	132	247	150W	A,A+,B,D,E,F,G	Chrome	85	160	100W	A,A+,B,D,E,F,G	
600	600	556	79	64	10	3.1	3.91	Coloured	153	286	150W	A,A+,B,D,E,F,G	Chrome	99	186	150W	A,A+,B,D,E,F,G	
600	1000	955	79	64	10	4.4	5.2	Coloured	231	434	300W	A,A+,B,D,F,G	Chrome	150	283	150W	A,A+,B,D,F,G	
600	1200	955	79	64	10	5	7.3	Coloured	268	503	300W	A,A+,B,D,F,G	Chrome	175	330	150W	A,A+,B,D,F,G	
800	300	256	79	64	14	2.8	3.55	Coloured	113	213	150W	A,A+,B,D,E,F,G	Chrome	72	136	150W	B,D,E,F,G	
800	400	356	79	64	14	2.94	4.9	Coloured	143	269	150W	A,A+,B,D,E,F,G	Chrome	91	172	150W	A,A+,B,D,E,F,G	
800	500	456	79	64	14	3.39	5.7	Coloured	171	322	150W	A,A+,B,D,E,F,G	Chrome	109	207	150W	A,A+,B,D,E,F,G	
800	600	556	79	64	14	3.85	6.5	Coloured	198	374	300W	A,A+,B,D,E,F,G	Chrome	127	241	150W	A,A+,B,D,E,F,G	
1000	300	256	79	64	16	3.4	4.2	Coloured	139	264	150W	A,A+,B,D,E,F,G	Chrome	88	168	150W	A,A+,B,D,E,F,G	
1000	400	356	79	64	16	3.51	5.9	Coloured	176	333	150W	A,A+,B,D,E,F,G	Chrome	112	214	150W	A,A+,B,D,E,F,G	
1000	500	456	79	64	16	4.04	6.8	Coloured	211	400	300W	A,A+,B,D,E,F,G	Chrome	135	257	150W	A,A+,B,D,E,F,G	
1000	600	556	79	64	16	4.56	7.7	Coloured	245	464	300W	A,A+,B,D,E,F,G	Chrome	156	299	150W	A,A+,B,D,E,F,G	
1200	300	256	79	64	20	4.2	5.1	Coloured	167	317	150W	A,A+,B,D,E,F,G	Chrome	105	203	150W	A,A+,B,D,E,F,G	
1200	400	356	79	64	20	4.3	7.2	Coloured	210	400	300W	A,A+,B,D,E,F,G	Chrome	134	257	150W	A,A+,B,D,E,F,G	
1200	500	456	79	64	20	4.95	8.3	Coloured	252	480	300W	A,A+,B,D,E,F,G	Chrome	161	309	150W	A,A+,B,D,E,F,G	
1200	600	556	79	64	20	5.61	9.4	Coloured	293	557	300W	A,A+,B,D,E,F,G	Chrome	187	359	300W	A,A+,B,D,E,F,G	
1400	300	256	79	64	22	4.7	5.6	Coloured	195	372	150W	A,A+,B,D,E,F,G	Chrome	123	239	150W	A,A+,B,D,E,F,G	
1400	400	356	79	64	22	4.88	8.4	Coloured	246	470	300W	A,A+,B,D,E,F,G	Chrome	156	303	150W	A,A+,B,D,E,F,G	
1400	500	456	79	64	22	5.6	9.4	Coloured	295	564	300W	A,A+,B,D,E,F,G	Chrome	188	364	150W	A,A+,B,D,E,F,G	
1400	600	556	79	64	22	6.3	10.4	Coloured	342	654	450W	A,A+,B,D,E,F,G	Chrome	219	424	300W	A,A+,B,D,E,F,G	
1600	300	256	79	64	26	5.5	6.3	Coloured	224	429	300W	A,A+,B,D,E,F,G	Chrome	142	277	150W	A,A+,B,D,E,F,G	
1600	400	356	79	64	26	5.66	9.5	Coloured	283	543	300W	A,A+,B,D,E,F,G	Chrome	180	352	150W	A,A+,B,D,E,F,G	
1600	500	456	79	64	26	6.51	10.8	Coloured	339	651	450W	A,A+,B,D,E,F,G	Chrome	217	423	300W	A,A+,B,D,E,F,G	
1600	600	556	79	64	26	7.36	12.2	Coloured	393	755	450W	A,A+,B,D,E,F,G	Chrome	252	492	300W	A,A+,B,D,E,F,G	
1800	300	256	79	64	30	6.3	7.3	Coloured	254	490	300W	A,A+,B,D,E,F,G	Chrome	163	318	150W	A,A+,B,D,E,F,G	
1800	400	356	79	64	30	6.45	10.8	Coloured	321	619	450W	A,A+,B,D,E,F,G	Chrome	206	404	300W	A,A+,B,D,E,F,G	
1800	500	456	79	64	30	7.43	12.2	Coloured	385	742	450W	A,A+,B,D,E,F,G	Chrome	247	486	300W	A,A+,B,D,E,F,G	
1800	600	556	79	64	30	8.41	13.8	Coloured	446	861	600W	A,A+,B,D,E,F,G	Chrome	288	565	450W	A,A+,B,D,E,F,G	


Wingrave - Curved																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Con- tent L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	400	356	92	65	14	3	4.9	Coloured	143	269	150W	A,A+,B,D,E,F,G	Chrome	91	172	150W	A,A+,B,D,E,F,G
800	500	456	92	65	14	3.58	5.9	Coloured	171	322	150W	A,A+,B,D,E,F,G	Chrome	108	207	150W	A,A+,B,D,E,F,G
800	600	556	92	65	14	4.39	7.2	Coloured	198	374	300W	A,A+,B,D,E,F,G	Chrome	127	241	150W	A,A+,B,D,E,F,G
1000	400	356	92	65	16	5.77	9.5	Coloured	176	333	150W	A,A+,B,D,E,F,G	Chrome	112	214	150W	A,A+,B,D,E,F,G
1000	500	456	92	65	16	6.58	10.8	Coloured	211	400	300W	A,A+,B,D,E,F,G	Chrome	135	257	150W	A,A+,B,D,E,F,G
1000	600	556	92	65	16	3.46	5.7	Coloured	245	464	300W	A,A+,B,D,E,F,G	Chrome	156	299	150W	A,A+,B,D,E,F,G
1200	400	356	92	65	20	4.12	6.8	Coloured	210	400	300W	A,A+,B,D,E,F,G	Chrome	134	257	150W	A,A+,B,D,E,F,G
1200	500	456	92	65	20	5.05	8.3	Coloured	252	480	300W	A,A+,B,D,E,F,G	Chrome	161	309	150W	A,A+,B,D,E,F,G
1200	600	556	92	65	20	6.64	10.8	Coloured	293	557	300W	A,A+,B,D,E,F,G	Chrome	187	359	300W	A,A+,B,D,E,F,G
1600	400	356	92	65	26	7.58	12.2	Coloured	283	543	300W	A,A+,B,D,E,F,G	Chrome	180	352	150W	A,A+,B,D,E,F,G
1600	500	456	92	65	26	3.93	6.5	Coloured	339	651	450W	A,A+,B,D,E,F,G	Chrome	217	423	300W	A,A+,B,D,E,F,G
1600	600	556	92	65	26	4.65	7.7	Coloured	393	755	450W	A,A+,B,D,E,F,G	Chrome	252	492	300W	A,A+,B,D,E,F,G
1800	400	356	92	65	30	5.72	9.4	Coloured	321	619	450W	A,A+,B,D,E,F,G	Chrome	206	404	300W	A,A+,B,D,E,F,G
1800	500	456	92	65	30	7.51	12.2	Coloured	385	742	450W	A,A+,B,D,E,F,G	Chrome	257	486	300W	A,A+,B,D,E,F,G
1800	600	556	92	65	30	8.58	13.8	Coloured	446	861	600W	A,A+,B,D,E,F,G	Chrome	288	565	450W	A,A+,B,D,E,F,G

Technical Tables & Drawings


BIAVA HIDDEN VENT (HV) - STRAIGHT



WINGRAVE - STRAIGHT



WINGRAVE - CURVED



Technical Tables & Drawings

BIAVA MULTIRAIL - THE MULTIRAIL RANGE

Biava Multirail - Straight

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
360	400	350	75-90	90-105	6	1.28	2.32	Coloured	80	147	100W	A, A+, B, D, E, F, G	Chrome	54	104	150W	B
688	450	400	75-90	90-105	14	2.93	4.74	Coloured	146	269	150W	A, A+, B, D, E, F, G	Chrome	101	192	150W	A, A+, B, D, E, F, G
688	600	550	75-90	90-105	14	3.6	5.72	Coloured	183	336	150W	A, A+, B, D, E, F, G	Chrome	123	238	150W	A, A+, B, D, E, F, G
688	750	700	75-90	90-105	14	4.27	6.7	Coloured	219	403	300W	A, A+, B, D, E, F, G	Chrome	152	287	150W	A, A+, B, D, E, F, G
1118	450	400	75-90	80-100	22	4.67	7.29	Coloured	223	418	300W	A, A+, B, D, E, F, G	Chrome	172	293	150W	A, A+, B, D, E, F, G
1118	600	550	75-90	80-100	22	5.72	8.83	Coloured	281	525	300W	A, A+, B, D, E, F, G	Chrome	192	368	300W	A, A+, B, D, E, F, G
1118	750	700	75-90	80-100	22	6.78	10.37	Coloured	339	633	450W	A, A+, B, D, E, F, G	Chrome	231	442	300W	A, A+, B, D, E, F, G
1720	450	400	75-90	80-100	34	7.2	10.99	Coloured	348*	668*	450W	A, A+, B, D, E, F, G	Chrome	275*	528*	300W	A, A+, B, D, E, F, G
1720	600	550	75-90	80-100	34	8.83	13.37	Coloured	443*	850*	600W	A, A+, B, D, E, F, G	Chrome	350*	671*	450W	A, A+, B, D, E, F, G
1720	750	700	75-90	80-100	34	10.46	15.76	Coloured	526	1001	750W	A, A+, B, D, E, F, G	Chrome	425	674	600W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com E&OA

Biava Multirail - Curved

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
360	400	350	60-75	87-102	6	1.29	2.33	Coloured	60	116	100W	A, A+, B, D, E, F, G	Chrome	47	91	150W	B
688	450	400	57-72	90-105	14	2.94	4.76	Coloured	144	276	150W	A, A+, B, D, E, F, G	Chrome	114	218	150W	A, A+, B, D, E, F, G
688	600	550	50-65	98-113	14	3.62	5.74	Coloured	183	351	150W	A, A+, B, D, E, F, G	Chrome	144	277	150W	A, A+, B, D, E, F, G
688	750	700	75-90	194-214	14	4.42	6.86	Coloured	222	366	300W	A, A+, B, D, E, F, G	Chrome	175	336	150W	A, A+, B, D, E, F, G
1118	450	400	57-72	96-111	22	4.69	7.33	Coloured	229	387	300W	A, A+, B, D, E, F, G	Chrome	181	347	150W	A, A+, B, D, E, F, G
1118	600	550	50-65	104-119	22	5.75	8.87	Coloured	249	439	300W	A, A+, B, D, E, F, G	Chrome	229	439	300W	A, A+, B, D, E, F, G
1118	750	700	75-90	194-214	22	7.01	10.63	Coloured	277	532	450W	A, A+, B, D, E, F, G	Chrome	277	532	300W	A, A+, B, D, E, F, G
1720	450	400	57-72	96-111	34	7.24	11.06	Coloured	279	637	450W	A, A+, B, D, E, F, G	Chrome	352	607	300W	A, A+, B, D, E, F, G
1720	600	550	50-65	104-119	34	8.87	13.44	Coloured	448	859	600W	A, A+, B, D, E, F, G	Chrome	354	679	450W	A, A+, B, D, E, F, G
1720	750	700	75-90	194-214	34	10.81	16.18	Coloured	543	1041	750W	A, A+, B, D, E, F, G	Chrome	429	822	600W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com E&OA

WESTWARD - THE MULTIRAIL RANGE

Westward - Straight

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	500	456	79	65	11	3	5.7	Coloured	155	295	150W	A, A+, B, D, E, F, G	Chrome	103	195	150W	A, A+, B, D, E, F, G
600	600	556	79	65	11	3.5	6.4	Coloured	181	345	150W	A, A+, B, D, E, F, G	Chrome	120	228	150W	A, A+, B, D, E, F, G
600	800	756	79	65	11	4.4	8	Coloured	233	445	300W	A, A+, B, D, E, F, G	Chrome	155	295	150W	A, A+, B, D, E, F, G
800	400	356	79	65	14	3.3	6.2	Coloured	166	317	150W	A, A+, B, D, E, F, G	Chrome	110	209	150W	A, A+, B, D, E, F, G
800	500	456	79	65	14	3.9	7.2	Coloured	200	381	300W	A, A+, B, D, E, F, G	Chrome	132	251	150W	A, A+, B, D, E, F, G
800	600	556	79	65	14	4.5	8.2	Coloured	250	476	300W	A, A+, B, D, E, F, G	Chrome	154	294	150W	A, A+, B, D, E, F, G
1200	400	356	79	65	20	4.9	8.8	Coloured	229	437	300W	A, A+, B, D, E, F, G	Chrome	157	298	150W	A, A+, B, D, E, F, G
1200	500	456	79	65	20	5.7	10.3	Coloured	275	524	300W	A, A+, B, D, E, F, G	Chrome	188	358	150W	A, A+, B, D, E, F, G
1200	600	556	79	65	20	6.5	11.8	Coloured	320	610	450W	A, A+, B, D, E, F, G	Chrome	218	416	300W	A, A+, B, D, E, F, G
1800	400	356	79	65	30	7.3	13	Coloured	340	648	450W	A, A+, B, D, E, F, G	Chrome	235	448	300W	A, A+, B, D, E, F, G
1800	500	456	79	65	30	8.5	15.2	Coloured	407	777	600W	A, A+, B, D, E, F, G	Chrome	282	538	300W	A, A+, B, D, E, F, G
1800	600	556	79	65	30	9.8	17.4	Coloured	474	905	600W	A, A+, B, D, E, F, G	Chrome	328	626	450W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com E&OA


RION MULTIRAIL - THE MULTIRAIL RANGE

Rion Multirail


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	455	95	80	13	3.24	7	Coloured	173	332	150W	A, A+, B, D, E, F, G	Chrome	109	212	100W	A, A+, B, D, E, F, G
800	600	555	95	80	13	3.65	8.2	Coloured	197	378	150W	A, A+, B, D, E, F, G	Chrome	123	240	100W	A, A+, B, D, E, F, G
1200	500	455	95	80	22	5.21	11	Coloured	269	515	150W	A, A+, B, D, E, F, G	Chrome	170	331	150W	A, A+, B, D, E, F, G
1200	600	555	95	80	22	5.89	13.03	Coloured	307	587	300W	A, A+, B, D, E, F, G	Chrome	192	374	150W	A, A+, B, D, E, F, G
1800	500	455	95	80	31	7.54	15.4	Coloured	413	784	300W	A, A+, B, D, E, F, G	Chrome	265	515	150W	A, A+, B, D, E, F, G
1800	600	555	95	80	31	8.5	18.4	Coloured	471	893	300W	A, A+, B, D, E, F, G	Chrome	299	582	300W	A, A+, B, D, E, F, G

Technical Tables & Drawings


BIAVA MULTIRAIL - STRAIGHT




BIAVA MULTIRAIL - CURVED



WESTWARD - STRAIGHT



RION MULTIRAIL



Technical Tables & Drawings

TUSCAN - THE MULTIRAIL RANGE

Tuscan																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
650	450	400	65-80	80-95	5	1.78	3.26	Coloured	105	198	100W	A, A+, B, D, E, F, G	Chrome	60	115	100W	A, A+, B, D, E, F, G
650	600	550	65-80	80-95	5	2.01	3.57	Coloured	120	226	100W	A, A+, B, D, E, F, G	Chrome	77	151	100W	A, A+, B, D, E, F, G
1200	450	400	65-80	80-95	8	3.14	5.19	Coloured	177	334	150W	A, A+, B, D, E, F, G	Chrome	105	204	150W	A, A+, B, D, E, F, G
1200	600	550	65-80	80-95	8	3.51	5.69	Coloured	185*	348*	150W	A, A+, B, D, E, F, G	Chrome	130	246	150W	A, A+, B, D, E, F, G
1750	450	400	65-80	80-95	12	4.61	7.28	Coloured	252	476	150W	A, A+, B, D, E, F, G	Chrome	168	321	150W	A, A+, B, D, E, F, G
1750	600	550	65-80	80-95	12	5.18	8.04	Coloured	282	534	300W	A, A+, B, D, E, F, G	Chrome	206	392	150W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**

BIAVA ROUND - MULTIRAIL RANGE

Biava Round																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	400	362	63-73	82-92	10	1.91	3.67	Coloured	107	197	100W	A, A+, B, D, E, F, G	Chrome	70	130	100W	A, A+, B, D, E, F, G
600	500	462	63-73	82-92	10	2.14	4.07	Coloured	128	236	150W	A, A+, B, D, E, F, G	Chrome	84	155	100W	A, A+, B, D, E, F, G
600	600	562	63-73	82-92	10	2.37	4.47	Coloured	149	274	150W	A, A+, B, D, E, F, G	Chrome	97	179	150W	A, A+, B, D, E, F, G
1200	400	362	63-73	82-92	18	3.66	6.25	Coloured	197	370	150W	A, A+, B, D, E, F, G	Chrome	132	249	150W	A, A+, B, D, E, F, G
1200	500	462	63-73	82-92	18	4.08	6.97	Coloured	236	444	300W	A, A+, B, D, E, F, G	Chrome	157	296	150W	A, A+, B, D, E, F, G
1200	600	562	63-73	82-92	18	4.5	7.69	Coloured	274	516	300W	A, A+, B, D, E, F, G	Chrome	181	342	150W	A, A+, B, D, E, F, G
1800	400	362	63-73	82-92	27	5.5	8.96	Coloured	201	388	300W	A, A+, B, D, E, F, G	Chrome	297	569	300W	A, A+, B, D, E, F, G
1800	500	462	63-73	82-92	27	6.12	10.04	Coloured	356	684	450W	A, A+, B, D, E, F, G	Chrome	239	462	300W	A, A+, B, D, E, F, G
1800	600	562	63-73	82-92	27	6.75	11.12	Coloured	414	794	450W	A, A+, B, D, E, F, G	Chrome	276	533	300W	A, A+, B, D, E, F, G

CORINIUM ROUND - THE MULTIRAIL RANGE


Corinium Round																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	458	106	85	12	3.9	5.07	Coloured	164	312	150W	A, A+, B, D, E, F, G	Chrome	109	207	100W	A, A+, B, D, E, F, G
800	600	558	106	85	12	4.3	5.72	Coloured	192	364	150W	A, A+, B, D, E, F, G	Chrome	127	242	100W	A, A+, B, D, E, F, G
1200	500	458	106	85	18	5.8	7.43	Coloured	250	474	300W	A, A+, B, D, E, F, G	Chrome	164	314	150W	A, A+, B, D, E, F, G
1200	600	558	106	85	18	6.4	8.41	Coloured	292	554	300W	A, A+, B, D, E, F, G	Chrome	192	366	300W	A, A+, B, D, E, F, G
1800	500	458	106	85	27	8.7	10.98	Coloured	380	721	600W	A, A+, B, D, E, F, G	Chrome	250	480	300W	A, A+, B, D, E, F, G
1800	600	558	106	85	27	9.6	12.45	Coloured	444	842	600W	A, A+, B, D, E, F, G	Chrome	292	560	300W	A, A+, B, D, E, F, G

TUSCAN ROUND - THE MULTIRAIL RANGE


Tuscan Round																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	458	106	85	7	3.1	4.04	Coloured	129	243	150W	A, A+, B, D, E, F, G	Chrome	83	159	100W	A, A+, B, D, E, F, G
800	600	558	106	85	7	3.3	4.42	Coloured	148	281	150W	A, A+, B, D, E, F, G	Chrome	96	184	100W	A, A+, B, D, E, F, G
1200	500	458	106	85	10	4.5	5.78	Coloured	193	366	300W	A, A+, B, D, E, F, G	Chrome	126	240	150W	A, A+, B, D, E, F, G
1200	600	558	106	85	10	4.8	6.33	Coloured	223	422	300W	A, A+, B, D, E, F, G	Chrome	145	277	150W	A, A+, B, D, E, F, G
1800	500	458	106	85	15	6.7	8.51	Coloured	290	548	450W	A, A+, B, D, E, F, G	Chrome	189	361	300W	A, A+, B, D, E, F, G
1800	600	558	106	85	15	7.2	9.32	Coloured	335	632	450W	A, A+, B, D, E, F, G	Chrome	218	417	300W	A, A+, B, D, E, F, G

Technical Tables & Drawings


TUSCAN




BIAVA ROUND



CORINIUM ROUND



TUSCAN ROUND



Technical Tables & Drawings

BIAVA TUBE ON TUBE - MULTIRAIL RANGE

Biava Tube on Tube																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	400	350	51-66	85-100	10	1.72	3.34	-	-	-	-	-	Chrome	81	148	100W	A, A+, B, D, E, F, G
600	500	450	51-66	85-100	10	1.95	3.74	-	-	-	-	-	Chrome	94	175	100W	A, A+, B, D, E, F, G
600	600	550	51-66	85-100	10	2.18	4.14	-	-	-	-	-	Chrome	109	199	150W	A, A+, B, D, E, F, G
1200	400	350	51-66	85-100	25	3.89	7.05	-	-	-	-	-	Chrome	177	328	150W	A, A+, B, D, E, F, G
1200	500	450	51-66	85-100	25	4.47	8.05	-	-	-	-	-	Chrome	209	388	300W	A, A+, B, D, E, F, G
1200	600	550	51-66	85-100	25	5.05	9.05	-	-	-	-	-	Chrome	240	450	300W	A, A+, B, D, E, F, G
1800	400	350	51-66	85-100	39	5.98	10.59	-	-	-	-	-	Chrome	278	514	300W	A, A+, B, D, E, F, G
1800	500	450	51-66	85-100	39	6.88	12.15	-	-	-	-	-	Chrome	329	608	450W	A, A+, B, D, E, F, G
1800	600	550	51-66	85-100	39	7.79	13.71	-	-	-	-	-	Chrome	366	696	450W	A, A+, B, D, E, F, G

BIAVA SQUARE - MULTIRAIL RANGE

Biava Square																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	400	360	61-76	82-100	9	2.77	4.56	-	-	-	-	-	Chrome	79	150	100W	A, A+, B, D, E, F, G
600	500	460	61-76	82-100	9	3.12	5.19	-	-	-	-	-	Chrome	94	178	150W	A, A+, B, D, E, F, G
600	600	560	61-76	82-100	9	3.47	5.83	-	-	-	-	-	Chrome	108	206	150W	A, A+, B, D, E, F, G
1200	400	360	61-76	82-100	23	6.17	9.77	-	-	-	-	-	Chrome	165	321	300W	A, A+, B, D, E, F, G
1200	500	460	61-76	82-100	23	7.07	11.39	-	-	-	-	-	Chrome	190	373	300W	A, A+, B, D, E, F, G
1200	600	560	61-76	82-100	23	7.97	13.02	-	-	-	-	-	Chrome	215	424	300W	A, A+, B, D, E, F, G
1800	400	360	61-76	82-100	33	9.06	14.05	-	-	-	-	-	Chrome	244	468	450W	A, A+, B, D, E, F, G
1800	500	460	61-76	82-100	33	10.35	16.38	-	-	-	-	-	Chrome	294	566	450W	A, A+, B, D, E, F, G
1800	600	560	61-76	82-100	33	11.65	18.71	-	-	-	-	-	Chrome	342	663	600W	A, A+, B, D, E, F, G

TUSCAN SQUARE - MULTIRAIL RANGE


Tuscan Square																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	470	95	80	7	2.1	4.6	Coloured	128	242	150W	A, A+, B, D, E, F, G	Chrome	83	159	100W	A, A+, B, D, E, F, G
800	600	570	95	80	7	2.3	4.9	Coloured	146	278	150W	A, A+, B, D, E, F, G	Chrome	96	183	100W	A, A+, B, D, E, F, G
1200	500	470	95	80	10	3.1	6.9	Coloured	193	366	300W	A, A+, B, D, E, F, G	Chrome	125	239	150W	A, A+, B, D, E, F, G
1200	600	570	95	80	10	3.4	7.1	Coloured	221	419	300W	A, A+, B, D, E, F, G	Chrome	143	275	150W	A, A+, B, D, E, F, G
1800	500	470	95	80	15	4.7	10.3	Coloured	290	548	450W	A, A+, B, D, E, F, G	Chrome	189	363	300W	A, A+, B, D, E, F, G
1800	600	570	95	80	15	5.1	11	Coloured	332	628	450W	A, A+, B, D, E, F, G	Chrome	217	416	300W	A, A+, B, D, E, F, G

TUSCAN SQUARE MULTIRAIL - MULTIRAIL RANGE


Tuscan Square Multirail																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	470	95	80	13	2.94	8.53	Coloured	171	334	150W	A, A+, B, D, E, F, G	Chrome	109	215	150W	A, A+, B, D, E, F, G
800	600	570	95	80	13	3.34	10.22	Coloured	200	391	300W	A, A+, B, D, E, F, G	Chrome	125	248	150W	A, A+, B, D, E, F, G
1200	500	470	95	80	22	4.75	11.9	Coloured	271	523	450W	A, A+, B, D, E, F, G	Chrome	171	335	300W	A, A+, B, D, E, F, G
1200	600	570	95	80	22	5.43	13.9	Coloured	318	613	450W	A, A+, B, D, E, F, G	Chrome	197	386	300W	A, A+, B, D, E, F, G
1800	500	470	95	80	31	6.85	16.89	Coloured	412	780	600W	A, A+, B, D, E, F, G	Chrome	262	509	450W	A, A+, B, D, E, F, G
1800	600	570	95	80	31	7.81	19.4	Coloured	482	913	600W	A, A+, B, D, E, F, G	Chrome	302	587	450W	A, A+, B, D, E, F, G

Technical Tables & Drawings


BIAVA TUBE ON TUBE




BIAVA SQUARE



TUSCAN SQUARE



TUSCAN SQUARE MULTIRAIL



Technical Tables & Drawings

LAUNTON - THE MULTIRAIL RANGE

Launton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1200	500	470	255-270	70-85	11	4	8.3	Coloured	183	349	150W	A, A+, B, D, E, F, G	Chrome	121	231	150W	A, A+, B, D, E, F, G
1200	600	570	255-270	70-85	11	4.4	9.3	Coloured	204	389	300W	A, A+, B, D, E, F, G	Chrome	136	258	150W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**

HADDENHAM - THE MULTIRAIL RANGE

Haddenham																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1200	500	455	255-270	70-85	25	6.1	9.5	Coloured	269	512	450W	A, A+, B, D, E, F, G	Chrome	178	339	150W	A, A+, B, D, E, F, G
1200	600	555	255-270	70-85	25	6.9	10.8	Coloured	305	581	450W	A, A+, B, D, E, F, G	Chrome	202	385	300W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**

DERWENT ALUMINIUM DRY ELEMENT - DRY ELEMENT RANGE


Derwent Aluminium Dry Element																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	Watts	BTU	Element Output	Element Type	Colour	Watts	BTU	Element Output	Element Type
1800	304	N/A	115	N/A	3	N/A	8.5	Coloured	600	2047	N/A	N/A	-	-	-	-	-
1800	404	N/A	115	N/A	4	N/A	11.3	Coloured	800	2730	N/A	N/A	-	-	-	-	-
1800	504	N/A	115	N/A	5	N/A	14	Coloured	1000	3412	N/A	N/A	-	-	-	-	-
1800	604	N/A	115	N/A	6	N/A	21	Coloured	1200	4094	N/A	N/A	-	-	-	-	-

BIAVA DRY ELEMENT - DRY ELEMENT RANGE


Biava Dry Element																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	Watts	BTU	Element Output	Element Type	Colour	Watts	BTU	Element Output	Element Type
700	500	N/A	99-115	N/A	12	N/A	5.3	Coloured	250	853	N/A	N/A	Chrome	250	853	N/A	N/A
700	600	N/A	99-115	N/A	12	N/A	5.5	Coloured	300	1024	N/A	N/A	Chrome	300	1024	N/A	N/A
1100	500	N/A	99-115	N/A	20	N/A	7.5	Coloured	400	1365	N/A	N/A	Chrome	400	1365	N/A	N/A
1100	600	N/A	99-115	N/A	20	N/A	8.4	Coloured	500	1706	N/A	N/A	Chrome	500	1706	N/A	N/A

Technical Tables & Drawings


LAUNTON




HADDENHAM



DERWENT DRY ELEMENT



BIAVA DRY ELEMENT



Technical Tables & Drawings

LODDON DRY ELEMENT - DRY ELEMENT RANGE

Loddon Dry Element																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	Watts	BTU	Element Output	Element Type	Colour	Watts	BTU	Element Output	Element Type
800*	500	N/A	100	N/A	9	N/A	6.65	Coloured	300	1024	N/A	N/A	Chrome	300	1024	N/A	N/A
800*	600	N/A	100	N/A	9	N/A	7.17	Coloured	350	1195	N/A	N/A	Chrome	350	1195	N/A	N/A
1200	500	N/A	100	N/A	15	N/A	10	Coloured	450	1536	N/A	N/A	Chrome	450	1536	N/A	N/A
1200	600	N/A	100	N/A	15	N/A	10.64	Coloured	500	1707	N/A	N/A	Chrome	500	1707	N/A	N/A

* The total height of this rail is 780mm

EMSBURY DRY ELEMENT - DRY ELEMENT RANGE

Emsbury Dry Element																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	Watts	BTU	Element Output	Element Type	Colour	Watts	BTU	Element Output	Element Type
800	500	N/A	92	N/A	8	N/A	4.9	Polished	150	512	N/A	N/A	-	-	-	-	-
800	600	N/A	92	N/A	8	N/A	5.69	Polished	200	683	N/A	N/A	-	-	-	-	-
1200	500	N/A	92	N/A	12	N/A	6.55	Polished	250	854	N/A	N/A	-	-	-	-	-
1200	600	N/A	92	N/A	12	N/A	7.44	Polished	300	1024	N/A	N/A	-	-	-	-	-

KENNET DRY ELEMENT - DRY ELEMENT RANGE

Kennet Dry Element																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	Watts	BTU	Element Output	Element Type	Colour	Watts	BTU	Element Output	Element Type
700*	500	N/A	130	N/A	3	N/A	7.47	Coloured	120	410	N/A	N/A	Chrome	120	410	N/A	N/A
700*	600	N/A	130	N/A	3	N/A	8.52	Coloured	150	512	N/A	N/A	Chrome	150	512	N/A	N/A
1200**	500	N/A	130	N/A	5	N/A	12.1	Coloured	200	683	N/A	N/A	Chrome	200	683	N/A	N/A
1200**	600	N/A	130	N/A	5	N/A	13.66	Coloured	230	785	N/A	N/A	Chrome	230	785	N/A	N/A


* Height shown excludes bottom control leg. Total height is 744.5mm ** Height shown excludes bottom control leg. Total height is 1253mm

WENDOVER STRAIGHT - STAINLESS STEEL RANGE


Wendover Straight Stainless Steel												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	450	90-115	75-100	12	3.08	5.20	Polished / Brushed	106	203	150W	A, A+, B, D, E, F, G
800	600	550	90-115	75-100	12	3.47	5.82	Polished / Brushed	126	241	150W	A, A+, B, D, E, F, G
1200	500	450	90-115	75-100	18	4.63	7.48	Polished / Brushed	163	313	300W	A, A+, B, D, E, F, G
1200	600	550	90-115	75-100	18	5.20	8.41	Polished / Brushed	194	371	300W	A, A+, B, D, E, F, G
1800	600	450	90-115	75-100	28	7.08	11.11	Polished / Brushed	254	489	450W	A, A+, B, D, E, F, G
1800	600	550	90-115	75-100	28	7.97	12.56	Polished / Brushed	301	580	450W	A, A+, B, D, E, F, G

Technical Tables & Drawings


LODDON DRY ELEMENT




EMSBURY DRY ELEMENT



KENNET DRY ELEMENT



WENDOVER STRAIGHT STAINLESS STEEL



Technical Tables & Drawings

VIOLLA II - STAINLESS STEEL RANGE

Violla II Stainless Steel

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
790	500	468	92-117	76-101	9	1.93	3.43	Polished / Brushed	90	172	100W	A, A+, B, D, E, F, G
790	600	568	92-117	76-101	9	2.13	3.76	Polished / Brushed	104	200	150W	A, A+, B, D, E, F, G
1210	500	468	92-117	76-101	15	3.08	5.18	Polished / Brushed	145	277	150W	A, A+, B, D, E, F, G
1210	600	568	92-117	76-101	15	3.42	5.73	Polished / Brushed	169	321	150W	A, A+, B, D, E, F, G
1630	500	468	92-117	76-101	19	4.03	6.61	Polished / Brushed	200	376	150W	A, A+, B, D, E, F, G
1630	600	568	92-117	76-101	19	4.46	7.30	Polished / Brushed	232	436	300W	A, A+, B, D, E, F, G

VELINO - STAINLESS STEEL RANGE

Velino Stainless Steel

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	465	290	97.5	11	2.94	4.70	Polished / Brushed	125	235	150W	A, A+, B, D, E, F, G
800	600	565	290	97.5	11	3.19	5.10	Polished / Brushed	143	268	150W	A, A+, B, D, E, F, G
1200	500	465	290	97.5	14	4.05	6.20	Polished / Brushed	167	317	150W	A, A+, B, D, E, F, G
1200	600	565	290	97.5	14	4.37	6.80	Polished / Brushed	189	358	300W	A, A+, B, D, E, F, G

RIZANO - STAINLESS STEEL RANGE

Rizano

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1000	500	50	95	65	15	3.5	7.5	Polished	133	262	300W	A, A+, B, D, E
1000	600	50	95	65	15	4.1	9.6	Polished	157	307	300W	A, A+, B, D, E

VIOLLA - STAINLESS STEEL RANGE

Violla Stainless Steel

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
590	1000	968	95	79	6	2.14	3.4	Polished	95	182	150W	A, A+, B, D, E, F, G
790	500	468	95	79	9	2	3.2	Polished	80	153	100W	A, A+, B, D, E, F, G
790	600	568	95	79	9	2.22	3.6	Polished	90	173	150W	A, A+, B, D, E, F, G
1210	500	468	95	79	15	3.2	5.2	Polished	124	237	150W	A, A+, B, D, E, F, G
1210	600	568	95	79	15	3.56	5.6	Polished	141	270	150W	A, A+, B, D, E, F, G
1630	500	468	95	79	19	4.18	6.6	Polished	158	302	150W	A, A+, B, D, E, F, G
1630	600	568	95	79	19	4.63	8	Polished	180	344	300W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**


BIAVA FLAT - STAINLESS STEEL RANGE

Biava Flat Stainless Steel


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1190	500	420	95	65	13	3.4	9.5	Polished	163	312	300W	A, A+, B, D, E
1190	600	520	95	65	13	4	10.3	Polished	190	359	450W	A, A+, B, D, E

Technical Tables & Drawings


VIOLLA II




VELINO




RIZANO



VIOLLA



BIAVA FLAT



Technical Tables & Drawings

ASCONA - STAINLESS STEEL RANGE

Ascona Stainless Steel

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
420	500	440	130	45	6	1.6	4.7	Polished	80	146	150W	A, A+, B, D, E

WARRINGTON TYPE 10 HORIZONTAL - DESIGNER RANGE

Warrington Type 10 - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	452	452	84	51	6	-	7.20	Coloured	169	321	N/A	N/A	-	-	-	-	-
600	604	604	84	51	8	-	9.50	Coloured	225	427	N/A	N/A	-	-	-	-	-
600	832	832	84	51	11	-	13.10	Coloured	310	588	N/A	N/A	-	-	-	-	-
600	1060	1060	84	51	14	-	16.60	Coloured	394	748	N/A	N/A	-	-	-	-	-
600	1212	1212	84	51	16	-	19.00	Coloured	450	854	N/A	N/A	-	-	-	-	-
600	1440	1440	84	51	19	-	23.00	Coloured	535	1015	N/A	N/A	-	-	-	-	-
600	1668	1668	84	51	22	-	26.60	Coloured	619	1175	N/A	N/A	-	-	-	-	-

WARRINGTON TYPE 10 VERTICAL - DESIGNER RANGE

Warrington Type 10 - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1500	300	300	84	51	4	3.65	10.78	Coloured	258	490	N/A	N/A	Chrome	151	293	N/A	N/A
1500	376	376	84	51	5	4.57	13.45	Coloured	322	612	N/A	N/A	Chrome	188	366	N/A	N/A
1500	452	452	84	51	6	5.48	16.12	Coloured	387	735	N/A	N/A	Chrome	226	439	N/A	N/A
1500	528	528	84	51	7	6.40	18.79	Coloured	451	857	N/A	N/A	Chrome	263	512	N/A	N/A
1500	604	604	84	51	8	7.31	21.47	Coloured	516	980	N/A	N/A	Chrome	301	585	N/A	N/A
1500	680	680	84	51	9	8.23	24.14	Coloured	580	1102	N/A	N/A	Chrome	N/A	N/A	N/A	N/A
1800	300	300	84	51	4	4.26	12.73	Coloured	322	616	N/A	N/A	Chrome	192*	383*	N/A	N/A
1800	376	376	84	51	5	5.33	15.90	Coloured	403	769	N/A	N/A	Chrome	240*	479*	N/A	N/A
1800	452	452	84	51	6	6.40	19.06	Coloured	483	923	N/A	N/A	Chrome	288*	575*	N/A	N/A
1800	528	528	84	51	7	7.47	22.22	Coloured	564	1077	N/A	N/A	Chrome	336*	670*	N/A	N/A
1800	604	604	84	51	8	8.54	25.38	Coloured	644	1231	N/A	N/A	Chrome	384*	766*	N/A	N/A
1800	680	680	84	51	9	-	28.50	Coloured	725	1385	N/A	N/A	Chrome	N/A	N/A	N/A	N/A

* Further heat output information available on eastbrooktrade.com **E&O A**

Warrington Type 10 - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1500	300	300	84	51	4	3.65	10.78	PVD Finish	151	293	N/A	N/A	-	-	-	-	-
1500	376	376	84	51	5	4.57	13.45	PVD Finish	188	366	N/A	N/A	-	-	-	-	-
1500	452	452	84	51	6	5.48	16.12	PVD Finish	226	439	N/A	N/A	-	-	-	-	-
1500	528	528	84	51	7	6.40	18.79	PVD Finish	263	512	N/A	N/A	-	-	-	-	-
1500	604	604	84	51	8	7.31	21.47	PVD Finish	301	585	N/A	N/A	-	-	-	-	-
1800	300	300	84	51	4	4.26	12.73	PVD Finish	192	383	N/A	N/A	-	-	-	-	-
1800	376	376	84	51	5	5.33	15.90	PVD Finish	240	479	N/A	N/A	-	-	-	-	-
1800	452	452	84	51	6	6.40	19.06	PVD Finish	288	575	N/A	N/A	-	-	-	-	-
1800	528	528	84	51	7	7.47	22.22	PVD Finish	336	670	N/A	N/A	-	-	-	-	-
1800	604	604	84	51	8	8.54	25.38	PVD Finish	384	766	N/A	N/A	-	-	-	-	-

PVD Finish is Brushed Brass. * Further heat output information available on eastbrooktrade.com **E&O A**


WARRINGTON TYPE 20 HORIZONTAL - DESIGNER RANGE

Warrington Type 20 - Horizontal


Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	456	456	84	51	12	-	13.2	Coloured	268	510	N/A	N/A	-	-	-	-	-
600	608	608	84	51	16	-	17.6	Coloured	358	680	N/A	N/A	-	-	-	-	-
600	836	836	84	51	22	-	24.2	Coloured	492	935	N/A	N/A	-	-	-	-	-
600	1064	1064	84	51	28	-	30.8	Coloured	626	1190	N/A	N/A	-	-	-	-	-
600	1216	1216	84	51	32	-	35.2	Coloured	715	1360	N/A	N/A	-	-	-	-	-
600	1444	1444	84	51	38	-	42.5	Coloured	849	1615	N/A	N/A	-	-	-	-	-
600	1672	1672	84	51	44	-	49.2	Coloured	983	1870	N/A	N/A	-	-	-	-	-

Technical Tables & Drawings


ASCONA




WARRINGTON TYPE 10 HORIZONTAL



WARRINGTON TYPE 10 VERTICAL



WARRINGTON TYPE 20 HORIZONTAL



Technical Tables & Drawings

WARRINGTON TYPE 20 VERTICAL - DESIGNER RANGE

Warrington Type 20 - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1500	304	304	84	51	8	7.06	20.77	Coloured	372	721	N/A	N/A					
1500	380	380	84	51	10	8.83	25.94	Coloured	466	902	N/A	N/A					
1500	456	456	84	51	12	10.60	31.10	Coloured	559	1082	N/A	N/A					
1500	532	532	84	51	14	12.37	36.27	Coloured	652	1262	N/A	N/A					
1500	608	608	84	51	16	14.13	41.44	Coloured	745	1443	N/A	N/A					
1500	684	684	84	51	18	15.90	46.60	Coloured	838	1623	N/A	N/A					
1800	304	304	84	51	8	-	24.50	Coloured	468	902	N/A	N/A	-	-	-	-	-
1800	380	380	84	51	10	-	30.60	Coloured	584	1127	N/A	N/A	-	-	-	-	-
1800	456	456	84	51	12	-	36.70	Coloured	701	1352	N/A	N/A	-	-	-	-	-
1800	532	532	84	51	14	-	42.80	Coloured	818	1578	N/A	N/A	-	-	-	-	-
1800	608	608	84	51	16	-	48.90	Coloured	935	1803	N/A	N/A	-	-	-	-	-
1800	684	684	84	51	18	-	55.40	Coloured	1052	2028	N/A	N/A	-	-	-	-	-

LEONARDO - DESIGNER RANGE

Leonardo

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	400	80	63-73	97-112	8	2.36	6.16	Chrome	68	135	150W	A, A+, B, D, E, F, G	-	-	-	-	-
600	500	80	63-73	97-112	8	2.71	8.95	Chrome	82	162	150W	A, A+, B, D, E, F, G	-	-	-	-	-
600	600	80	63-73	97-112	8	3.06	7.99	Chrome	95	189	150W	A, A+, B, D, E, F, G	-	-	-	-	-
688	500	80	63-73	97-112	9	3.07	7.87	Chrome	93	182	150W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	400	80	63-73	97-112	15	4.54	10.92	Chrome	128	255	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	500	80	63-73	97-112	15	5.2	12.63	Chrome	153	305	300W	A, A+, B, D, E, F, G	PVD Finish	184	366	300W	A, A+, B, D, E, F, G
1200	600	80	63-73	97-112	15	5.85	14.34	Chrome	175	350	300W	A, A+, B, D, E, F, G	PVD Finish	228	442	450W	A, A+, B, D, E, F, G
1450	500	80	63-73	97-112	18	6.25	15	Chrome	184	370	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1800	400	80	63-73	97-112	21	6.55	15.19	Chrome	192	389	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1800	500	80	63-73	97-112	21	7.47	17.59	Chrome	230	466	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1800	600	80	63-73	97-112	21	8.39	19.99	Chrome	276	540	600W	A, A+, B, D, E, F, G	-	-	-	-	-

PVD Finish is Brushed Brass.

BROCKWORTH ALL ELECTRIC - DESIGNER RANGE

Brockworth All Electric

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	Watts	BTU	Element Output	Element Type	Colour	Watts	BTU	Element Output	Element Type
1200	500	N/A	N/A	96-106	12	5.04	17.27	Coloured	700	2387	700W	Type B WiFi	-	-	-	-	-

STAVERTON TUBE ON TUBE STRAIGHT - DESIGNER RANGE

Staverton Tube on Tube - Straight

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	400	350	63-73	96-108	7	2.73	7.10	Coloured	139	260	150W	A, A+, B, D, E, F, G	Chrome	90	172	150W	A, A+, B, D, E, F, G
600	500	450	63-73	96-108	7	3.13	8.21	Coloured	166	310	150W	A, A+, B, D, E, F, G	Chrome	91	175	150W	A, A+, B, D, E, F, G
600	600	550	63-73	96-108	7	3.53	9.32	Coloured	193	358	300W	A, A+, B, D, E, F, G	Chrome	127	237	150W	A, A+, B, D, E, F, G
600	1000	950	73-83	96-108	7	5.13	13.76	-	-	-	-	-	Chrome	253*	485*	300W	A, A+, B, D, E, F, G
600	1200	1150	73-83	96-108	7	5.92	15.93	-	-	-	-	-	Chrome	217	405	300W	A, A+, B, D, E, F, G
800	1000	950	73-83	96-108	9	6.65	17.50	-	-	-	-	-	Chrome	200	389	450W	A, A+, B, D, E, F, G
800	1200	1150	73-83	96-108	9	7.67	20.23	-	-	-	-	-	Chrome	272	508	450W	A, A+, B, D, E, F, G
1200	400	350	63-73	96-108	12	5.01	11.95	Coloured	244	467	300W	A, A+, B, D, E, F, G	Chrome	146	283	300W	A, A+, B, D, E, F, G
1200	500	450	63-73	96-108	12	5.69	13.85	Coloured	295	556	450W	A, A+, B, D, E, F, G	Chrome	177	337	300W	A, A+, B, D, E, F, G
1200	600	550	63-73	96-108	12	6.38	15.75	Coloured	332	626	450W	A, A+, B, D, E, F, G	Chrome	215	412	300W	A, A+, B, D, E, F, G
1800	400	350	63-73	96-108	19	7.75	18.13	Coloured	373	702	600W	A, A+, B, D, E, F, G	Chrome	227	437	450W	A, A+, B, D, E, F, G
1800	500	450	63-73	96-108	19	8.82	21.14	Coloured	457	866	600W	A, A+, B, D, E, F, G	Chrome	243	470	450W	A, A+, B, D, E, F, G
1800	600	550	63-73	96-108	19	9.90	24.15	Coloured	515	975	750W	A, A+, B, D, E, F, G	Chrome	306	584	600W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**

STAVERTON TUBE ON TUBE STRAIGHT - DESIGNER RANGE


Staverton Tube on Tube - Straight

Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	500	450	63-73	96-108	12	5.69	13.85	PVD Finish	252	482	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	600	550	63-73	96-108	12	6.38	15.75	PVD Finish	290	555	300W	A, A+, B, D, E, F, G	-	-	-	-	-


PVD Finish is Brushed Brass. * Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


WARRINGTON TYPE 20 VERTICAL




LEONARDO



BROCKWORTH ALL ELECTRIC



STAVERTON TUBE ON TUBE - STRAIGHT



Technical Tables & Drawings

STAVERTON TUBE ON TUBE CURVED - DESIGNER RANGE

Staverton Tube on Tube - Curved																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	500	450	63-73	128-143	9	3.17	7.95	-	-	-	-	-	Chrome	100	190	150W	A, A+, B, D, E, F, G
600	600	550	63-73	128-143	9	3.57	8.98	-	-	-	-	-	Chrome	110	207	150W	A, A+, B, D, E, F, G
1200	500	450	63-73	128-143	17	6.12	14.36	-	-	-	-	-	Chrome	191	365	300W	A, A+, B, D, E, F, G
1200	600	550	63-73	128-143	17	6.87	16.3	-	-	-	-	-	Chrome	212	404	450W	A, A+, B, D, E, F, G
1800	500	450	63-73	128-143	25	9.07	20.77	-	-	-	-	-	Chrome	291	560	450W	A, A+, B, D, E, F, G
1800	600	550	63-73	128-143	25	10.17	23.63	-	-	-	-	-	Chrome	318	613	600W	A, A+, B, D, E, F, G

BIAVA CORINIUM - DESIGNER RANGE

Biava Corinium																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	500	470	225	43-58	8	3.87	6.2	-	-	-	-	-	Chrome	121	231	150W	A, A+, C, E, H
1200	600	570	225	43-58	8	4.13	6.55	-	-	-	-	-	Chrome	135	254	150W	A, A+, C, E, H

DEFFORD - DESIGNER RANGE

Defford																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	455	95	80	10	2.8	7.2	Coloured	169	322	150W	A, A+, B, D, E, F, G	Chrome	102	198	150W	A, A+, B, D, E, F, G
800	600	555	95	80	10	3	8.3	Coloured	195	371	150W	A, A+, B, D, E, F, G	Chrome	117	226	150W	A, A+, B, D, E, F, G
1200	500	455	95	80	16	4.3	11.2	Coloured	252	479	300W	A, A+, B, D, E, F, G	Chrome	151	293	150W	A, A+, B, D, E, F, G
1200	600	555	95	80	16	4.7	12.7	Coloured	291	553	450W	A, A+, B, D, E, F, G	Chrome	173	335	150W	A, A+, B, D, E, F, G
1800	500	455	95	80	22	6.2	15.1	Coloured	374	710	600W	A, A+, B, D, E, F, G	Chrome	225	438	300W	A, A+, B, D, E, F, G
1800	600	555	95	80	22	6.7	17.4	Coloured	432	819	600W	A, A+, B, D, E, F, G	Chrome	258	501	300W	A, A+, B, D, E, F, G

STAVERTON - DESIGNER RANGE

Staverton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	400	350	66-81	80-100	8	2.23	9.02	Coloured	113	213	150W	A, A+, B, D, E, F, G	Chrome	67	129	100W	A, A+, B, D, E, F, G
600	500	450	66-81	80-100	8	2.58	5.94	Coloured	136	257	150W	A, A+, B, D, E, F, G	Chrome	80	153	150W	A, A+, B, D, E, F, G
600	600	550	66-81	80-100	8	2.93	6.85	Coloured	159	299	150W	A, A+, B, D, E, F, G	Chrome	93	174	150W	A, A+, B, D, E, F, G
1200	400	350	66-81	80-100	16	4.45	9.61	Coloured	217	411	300W	A, A+, B, D, E, F, G	Chrome	141	268	150W	A, A+, B, D, E, F, G
1200	500	450	66-81	80-100	16	5.15	11.43	Coloured	261	495	300W	A, A+, B, D, E, F, G	Chrome	166	316	300W	A, A+, B, D, E, F, G
1200	600	550	66-81	80-100	16	5.85	13.26	Coloured	304	576	450W	A, A+, B, D, E, F, G	Chrome	187	371	300W	A, A+, B, D, E, F, G
1800	400	350	66-81	80-100	24	6.68	14.19	Coloured	325	621	450W	A, A+, B, D, E, F, G	Chrome	212	400	300W	A, A+, B, D, E, F, G
1800	500	450	66-81	80-100	24	7.73	16.93	Coloured	391	748	600W	A, A+, B, D, E, F, G	Chrome	250	472	450W	A, A+, B, D, E, F, G
1800	600	550	66-81	80-100	24	8.78	19.67	Coloured	455	871	600W	A, A+, B, D, E, F, G	Chrome	289	540	600W	A, A+, B, D, E, F, G


STAVERTON - DESIGNER RANGE

Staverton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	500	450	66-81	80-100	16	5.15	11.43	PVD Finish	226	433	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	600	550	66-81	80-100	16	5.85	13.26	PVD Finish	281	539	300W	A, A+, B, D, E, F, G	-	-	-	-	-


PVD Finish is Brushed Brass.

Technical Tables & Drawings


STAVERTON TUBE ON TUBE - CURVED




BIAVA CORINIUM



DEFFORD



STAVERTON



Technical Tables & Drawings

MEZZO TONDO - DESIGNER RANGE

Mezzo Tondo																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1600	320	286	63-73	247-257	26	5.11	10.03	-	-	-	-	-	Chrome	238	453	N/A	N/A

PESARO - DESIGNER RANGE

Pesaro																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1005	550	80	65-80	115-130	12	4.09	5.88	-	-	-	-	-	Chrome	111	212	150W	A,A+,B,D,E,F,G

SANTERO - DESIGNER RANGE

Santero																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	455	95	80	7	3.9	9.1	Coloured	181	342	150W	A, A+, B, D, E, F, G	Chrome	101	196	150W	A, A+, B, D, E, F, G
800	600	555	95	80	7	4.5	9.5	Coloured	214	405	150W	A, A+, B, D, E, F, G	Chrome	117	228	150W	A, A+, B, D, E, F, G
1200	500	455	95	80	10	5.7	11.7	Coloured	266	504	300W	A, A+, B, D, E, F, G	Chrome	152	295	150W	A, A+, B, D, E, F, G
1200	600	555	95	80	10	6.5	14	Coloured	315	597	300W	A, A+, B, D, E, F, G	Chrome	177	343	150W	A, A+, B, D, E, F, G
1800	500	455	95	80	15	8.6	16.5	Coloured	392	742	450W	A, A+, B, D, E, F, G	Chrome	227	436	300W	A, A+, B, D, E, F, G
1800	600	555	95	80	15	9.8	19.7	Coloured	464	879	600W	A, A+, B, D, E, F, G	Chrome	263	507	450W	A, A+, B, D, E, F, G

HURLEY - DESIGNER RANGE

Hurley																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	60	104	79	9	2.9	9.7	Coloured	145	289	150W	A, A+, B, D, E, F, G	Chrome	92	186	150W	A, A+, B, D, E, F, G
800	600	60	104	79	9	3.6	11.2	Coloured	163	324	150W	A, A+, B, D, E, F, G	Chrome	103	208	150W	A, A+, B, D, E, F, G
1000	500	60	104	79	12	3.01	11.5	Coloured	185	366	150W	A, A+, B, D, E, F, G	Chrome	115	232	100W	A, A+, B, D, E, F, G
1000	600	60	104	79	12	3.32	12.8	Coloured	205	405	150W	A, A+, B, D, E, F, G	Chrome	129	260	100W	A, A+, B, D, E, F, G
1200	500	60	104	79	15	4.3	14.5	Coloured	219	432	300W	A, A+, B, D, E, F, G	Chrome	138	278	150W	A, A+, B, D, E, F, G
1200	600	60	104	79	15	5.7	16	Coloured	245	485	300W	A, A+, B, D, E, F, G	Chrome	155	311	150W	A, A+, B, D, E, F, G
1500	500	60	104	79	18	4.52	16.7	Coloured	272	537	300W	A, A+, B, D, E, F, G	Chrome	172	344	150W	A, A+, B, D, E, F, G
1500	600	60	104	79	18	4.98	18.6	Coloured	306	603	300W	A, A+, B, D, E, F, G	Chrome	192	386	150W	A, A+, B, D, E, F, G
1800	500	60	104	79	21	6.8	18.5	Coloured	325	639	450W	A, A+, B, D, E, F, G	Chrome	204	408	300W	A, A+, B, D, E, F, G
1800	600	60	104	79	21	7.5	20	Coloured	365	718	600W	A, A+, B, D, E, F, G	Chrome	229	457	300W	A, A+, B, D, E, F, G


Technical Tables & Drawings

MEZZO TONDO

Front view

Side view

Perspective view




PESARO

Front view

Side view

Perspective view




SANTERO

Front view

Side view

Perspective view




HURLEY

Front view

Side view

Perspective view



Technical Tables & Drawings

HELMSLEY - DESIGNER RANGE

Helmsley																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	50	106	79	9	3.51	10.3	Coloured	183	347	300W	A, A+, B, D, E, F, G	-	-	-	-	-
800	600	50	106	79	9	3.98	14.5	Coloured	212	403	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1150	500	50	106	79	12	4.81	16.9	Coloured	250	480	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1150	600	50	106	79	12	5.43	19.2	Coloured	289	556	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1400	500	50	106	79	15	5.95	20.6	Coloured	300	581	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1400	600	50	106	79	15	6.74	23.3	Coloured	347	673	600W	A, A+, B, D, E, F, G	-	-	-	-	-
1640	500	50	106	79	18	7.09	24.1	Coloured	350	684	600W	A, A+, B, D, E, F, G	-	-	-	-	-
1640	600	50	106	79	18	8.03	28.1	Coloured	405	793	600W	A, A+, B, D, E, F, G	-	-	-	-	-

PLATANI - DESIGNER RANGE

Platani																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	50	115	80	6	3.1	5.6	Coloured	142	270	150W	A, A+, B, D, E, F, G	Chrome	88	171	100W	A, A+, B, D, E, F, G
800	600	50	115	80	6	3.4	7.9	Coloured	163	309	150W	A, A+, B, D, E, F, G	Chrome	101	195	100W	A, A+, B, D, E, F, G
1150	500	50	115	80	8	4.2	9.4	Coloured	195	371	150W	A, A+, B, D, E, F, G	Chrome	122	236	150W	A, A+, B, D, E, F, G
1150	600	50	115	80	8	4.7	10.6	Coloured	223	425	150W	A, A+, B, D, E, F, G	Chrome	139	270	150W	A, A+, B, D, E, F, G
1800	500	50	115	80	12	6.4	14.6	Coloured	291	557	450W	A, A+, B, D, E, F, G	Chrome	184	358	150W	A, A+, B, D, E, F, G
1800	600	50	115	80	12	7.2	15.6	Coloured	334	639	450W	A, A+, B, D, E, F, G	Chrome	210	409	300W	A, A+, B, D, E, F, G

REINBACH - DESIGNER RANGE


Reinbach																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
270	500	50	125	80	5	2.2	4.4	Coloured	83	158	100W	A, A+, B	-	-	-	-	-
800	500	50	125	80	12	5.5	10.4	Coloured	194	372	150W	A, A+, B, D, E, F, G	-	-	-	-	-
800	600	50	125	80	12	6.4	11.9	Coloured	228	439	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	500	50	125	80	16	7.6	13.6	Coloured	273	530	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	600	50	125	80	16	8.7	15.6	Coloured	322	625	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1800	500	50	125	80	24	11.4	21.1	Coloured	397	780	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1800	600	50	125	80	24	13.1	23.7	Coloured	468	920	600W	A, A+, B, D, E, F, G	-	-	-	-	-

MARLOW - DESIGNER RANGE


Marlow																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
850	500	418	127	85	6	4.9	8.5	Coloured	168	318	N/A	N/A	Chrome	106	203	N/A	N/A
850	600	518	127	85	6	5.6	10	Coloured	190	360	N/A	N/A	Chrome	121	232	N/A	N/A
1150	500	418	127	85	8	6.6	11	Coloured	225	426	N/A	N/A	Chrome	141	272	N/A	N/A
1150	600	518	127	85	8	7.5	13	Coloured	255	483	N/A	N/A	Chrome	161	311	N/A	N/A
1750	500	418	127	85	12	10	16.5	Coloured	338	640	N/A	N/A	Chrome	213	411	N/A	N/A
1750	600	518	127	85	12	11.3	18.5	Coloured	383	726	N/A	N/A	Chrome	243	469	N/A	N/A

Technical Tables & Drawings


HELMSLEY




PLATANI



REINBACH



MARLOW



Technical Tables & Drawings

MARLOW E-STYLE - DESIGNER RANGE

Marlow E-Style																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
850	500	50	127	85	6	4.9	8.5	Coloured	154	294	N/A	N/A	Chrome	98	191	N/A	N/A
850	600	50	127	85	6	5.6	10	Coloured	176	335	N/A	N/A	Chrome	211	216	N/A	N/A
1150	500	50	127	85	8	6.6	11	Coloured	206	394	N/A	N/A	Chrome	131	256	N/A	N/A
1150	600	50	127	85	8	7.5	13	Coloured	234	449	N/A	N/A	Chrome	149	290	N/A	N/A
1750	500	50	127	85	12	10	16.5	Coloured	310	598	N/A	N/A	Chrome	198	386	N/A	N/A
1750	600	50	127	85	12	11.3	18.5	Coloured	354	681	N/A	N/A	Chrome	224	437	N/A	N/A

CONWY - DESIGNER RANGE

Conwy																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	220	180	84-94	64-74	3	3.8	7.3	Coloured	128	270	100W	A,A+,B,D,E,F,G	Chrome	75	144	100W	A,A+,B,D,E,F,G

PORTCHESTER - DESIGNER RANGE

Portchester																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Tappings from wall - A (mm)	Distance from wall - D (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	225	180	89-99	67-77	3	3.70	6.7	Coloured	121	227	100W	A,A+,B,D,E,F,G	Chrome	79	156	100W	A,A+,B,D,E,F,G


LAMBOURNE VERTICAL - DESIGNER RANGE

Lambourne Vertical																	
Height H (mm)	Width W (mm)	Tappings C1* - C2** (mm)	Distance from wall - D (mm)	Tappings from wall - A1*- A2** (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	420	420 / 240	127	85 / 106	7	9.36	13.82	Coloured	267	513	N/A	N/A	Chrome	172	336	N/A	N/A
1200	540	540 / 360	127	85 / 106	9	12.04	17.31	Coloured	344	662	N/A	N/A	Chrome	223	433	N/A	N/A
1800	420	420 / 240	127	85 / 106	7	14.38	20.32	Coloured	360	700	N/A	N/A	Chrome	261	513	N/A	N/A
1800	540	540 / 360	127	85 / 106	9	18.48	25.6	Coloured	464	903	N/A	N/A	Chrome	337	661	N/A	N/A


* Tappings C1/A1 : Tappings for side installation ** Tappings C2/A2 : Tappings for bottom installation

Technical Tables & Drawings


MARLOW E-STYLE




CONWY



PORTCHESTER



LAMBOURNE - VERTICAL



Technical Tables & Drawings

MURANO VERTICAL - DESIGNER RANGE

Murano - Vertical																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	310	310	86	50	12	6.9	13.8	Coloured	388	749	N/A	N/A	-	-	-	-	-
1800	410	410	86	50	16	9.2	18.4	Coloured	533	1029	N/A	N/A	-	-	-	-	-
1800	510	510	86	50	20	11.5	23.4	Coloured	683	1319	N/A	N/A	-	-	-	-	-

MURANO HORIZONTAL - DESIGNER RANGE

Murano - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	800	755	117	81	20	5.6	10.8	Coloured	377	695	300W	A, A+, B, D, F, G	-	-	-	-	-
600	1000	955	117	81	20	6.8	13.5	Coloured	482	887	450W	A, A+, B, D, F, G	-	-	-	-	-
600	1200	1155	117	81	20	8	15.9	Coloured	589	1084	450W	A, A+, B, D, F, G	-	-	-	-	-
600	1400	1355	117	81	20	9.2	18.1	Coloured	697	1283	600W	A+, B, D, F, G	-	-	-	-	-

RYTON - DESIGNER RANGE

Ryton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
800	500	470	95-110	75-90	6	3.3	4.84	Coloured	106	201	150W	A, A+, B, D, E, F, G	Chrome	71	134	100W	A, A+, B, D, E, F, G
800	600	570	95-110	75-90	6	3.7	5.7	Coloured	117	222	150W	A, A+, B, D, E, F, G	Chrome	77	147	100W	A, A+, B, D, E, F, G
1200	500	470	95-110	75-90	9	4.5	6.7	Coloured	158	301	150W	A, A+, B, D, E, F, G	Chrome	105	200	150W	A, A+, B, D, E, F, G
1200	600	570	95-110	75-90	9	5	7.8	Coloured	174	332	150W	A, A+, B, D, E, F, G	Chrome	116	220	150W	A, A+, B, D, E, F, G
1600	500	470	95-110	75-90	12	5.75	8.6	Coloured	210	401	300W	A, A+, B, D, E, F, G	Chrome	140	266	150W	A, A+, B, D, E, F, G
1600	600	570	95-110	75-90	12	6.3	9.9	Coloured	232	442	300W	A, A+, B, D, E, F, G	Chrome	154	293	150W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**


KENILWORTH - DESIGNER RANGE

Kenilworth																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
800	500	468	92-107	76-91	6	2.5	4.06	Coloured	105	200	150W	A, A+, B, D, E, F, G	Chrome	70	133	100W	A, A+, B, D, E, F, G
800	600	568	92-107	76-91	6	2.8	5.3	Coloured	117	223	150W	A, A+, B, D, E, F, G	Chrome	78	148	100W	A, A+, B, D, E, F, G
1200	500	468	92-107	75-91	9	3.4	5.6	Coloured	158	300	150W	A, A+, B, D, E, F, G	Chrome	105	199	150W	A, A+, B, D, E, F, G
1200	600	568	92-107	76-91	9	3.85	6.8	Coloured	175	334	150W	A, A+, B, D, E, F, G	Chrome	116	221	150W	A, A+, B, D, E, F, G
1600	500	468	92-107	76-91	12	4.4	7.05	Coloured	210	400	300W	A, A+, B, D, E, F, G	Chrome	139	265	150W	A, A+, B, D, E, F, G
1600	600	568	92-107	76-91	12	4.9	8.45	Coloured	233	444	300W	A, A+, B, D, E, F, G	Chrome	154	294	150W	A, A+, B, D, E, F, G


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


MURANO - VERTICAL




MURANO - HORIZONTAL



RYTON



KENILWORTH



Technical Tables & Drawings

LOXLEY - DESIGNER RANGE

Loxley																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
800	500	441	93	76	6	2.1	3.5	Coloured	81	154	100W	A, A+, B, D, F, G	Chrome	54	103	N/A	N/A
800	600	541	93	76	6	2.28	5.25	Coloured	91	172	100W	A, A+, B, D, F, G	Chrome	60	114	N/A	N/A
1200	500	441	93	76	9	3.06	6	Coloured	121	231	150W	A, A+, B, D, E, F, G	Chrome	81	154	100W	A, A+, B, D, F, G
1200	600	541	93	76	9	3.33	7.3	Coloured	135	257	150W	A, A+, B, D, E, F, G	Chrome	90	170	100W	A, A+, B, D, F, G

* Further heat output information available on eastbrooktrade.com **E&O A**

ESHTON - DESIGNER RANGE

Eshton																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
800	500	441	93	77	6	2.55	4	Coloured	104	197	150W	A, A+, B, D, E, F, G	Chrome	69	131	100W	A, A+, B, D, F, G
800	600	541	93	77	6	3.11	4.17	Coloured	116	220	150W	A, A+, B, D, E, F, G	Chrome	77	146	100W	A, A+, B, D, F, G
1200	500	441	93	77	9	3.45	5.4	Coloured	155	296	150W	A, A+, B, D, E, F, G	Chrome	103	196	150W	A, A+, B, D, E, F, G
1200	600	541	93	77	9	3.72	5.8	Coloured	172	328	150W	A, A+, B, D, E, F, G	Chrome	115	218	150W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&O A**

RUBANO - VERTICAL - DESIGNER RANGE

Rubano - Vertical												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	383	383	114	74	6	18.1	35.7	Coloured	580	1122	300W	A, A+, C*, H*
1800	503	503	114	74	8	24.1	47.2	Coloured	773	1496	600W	A+, C**, H**

* Element Type C and H 300W can be used ** Element Type C and H 900W can be used

RUBANO - HORIZONTAL - DESIGNER RANGE



Rubano - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	383	383	114	74	6	7.1	11.2	Coloured	199	386	300W	A, A+, C*, H*
600	623	623	114	74	10	11.7	18.1	Coloured	331	643	450W	A, A+, C, E**, H
600	803	803	114	74	13	15.2	23.5	Coloured	430	836	600W	A, A+, C, E, H
600	1103	1103	114	74	18	21.1	33.3	Coloured	596	1157	900W	A, A+, C, H

* Element Type C and H only 300W can be used ** Element Type E only 300E can be used

Technical Tables & Drawings



LOXLEY

ESHTON



RUBANO - VERTICAL

RUBANO - HORIZONTAL



Technical Tables & Drawings

ROWSHAM - DESIGNER RANGE

Rowsham - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	580	580	110	54	15	7.03	12	Coloured	265	505	N/A	N/A	-	-	-	-	-
600	780	780	110	54	20	9.39	15	Coloured	369	702	N/A	N/A	-	-	-	-	-
600	980	980	110	54	25	11.74	19	Coloured	475	905	N/A	N/A	-	-	-	-	-
600	1180	1180	110	54	30	14.09	23	Coloured	584	1113	N/A	N/A	-	-	-	-	-

ROWSHAM - DESIGNER RANGE

Rowsham - Vertical																		
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
1800	300	300	110	54	8	10.3	16	Coloured	419	822	N/A	N/A	-	-	-	-	-	
1800	380	380	110	54	10	12.89	19	Coloured	545	1069	N/A	N/A	-	-	-	-	-	
1800	500	500	110	54	13	16.76	25	Coloured	739	1451	N/A	N/A	-	-	-	-	-	

ROWSHAM TOWEL RAIL - DESIGNER RANGE

Rowsham Towel Rail																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	468	139	83	13	5.5	8.5	Coloured	250	465	300W	A, A+, B, D, E, F, G	-	-	-	-	-
800	600	568	139	83	13	6.4	9.6	Coloured	270	502	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	500	468	139	83	22	9.1	14	Coloured	371	695	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	600	568	139	83	22	10.6	15.5	Coloured	401	750	600W	A, A+, B, D, E, F, G	-	-	-	-	-
1800	500	468	139	83	30	12.6	19.4	Coloured	562	1061	600W	A, A+, B, D, E, F, G	-	-	-	-	-
1800	600	568	139	83	30	14.7	21.6	Coloured	606	1145	750W	A, A+, B, D, E, F, G	-	-	-	-	-


WINGRAVE FLAT PANEL - FLAT PANEL RANGE

Wingrave Flat Panel												
Height H (mm)	Width W (mm)	Tappings C1/C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1200	310	255/50	96	73	26	4.8	9.7	Coloured	196	374	150W	A, A+, B, D, E, F, G
1200	410	355/50	96	73	26	5.6	11.5	Coloured	247	471	300W	A, A+, B, D, E, F, G
1200	510	455/50	96	73	26	6.5	13.4	Coloured	298	569	300W	A, A+, B, D, E, F, G
1200	610	555/50	96	73	26	7.3	15.4	Coloured	350	667	450W	A, A+, B, D, E, F, G
1800	310	255/50	96	73	38	7	14.1	Coloured	289	551	300W	A, A+, B, D, E, F, G
1800	410	355/50	96	73	38	8.3	16.9	Coloured	364	694	450W	A, A+, B, D, E, F, G
1800	510	455/50	96	73	38	9.5	19.8	Coloured	439	837	450W	A, A+, B, D, E, F, G
1800	610	555/50	96	73	38	10.8	22.7	Coloured	514	980	600W	A, A+, B, D, E, F, G


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


ROWSHAM - HORIZONTAL




ROWSHAM - VERTICAL



ROWSHAM TOWEL RAIL



WINGRAVE FLAT PANEL



Technical Tables & Drawings

TUNSTALL - DESIGNER RANGE

Tunstall - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	280	280	93	52	4	6.08	10.7	Coloured	235	459	N/A	N/A	Chrome	133	254	N/A	N/A
1800	350	350	93	52	5	8.07	12.72	Coloured	303	592	N/A	N/A	Chrome	177	337	N/A	N/A
1800	420	420	93	52	6	9.14	15.4	Coloured	373	729	N/A	N/A	Chrome	222	424	N/A	N/A
1800	490	490	93	52	7	11.29	17.3	Coloured	445	870	N/A	N/A	Chrome	270	515	N/A	N/A
1800	560	560	93	52	8	12.91	19.5	Coloured	518	1013	N/A	N/A	Chrome	320	609	N/A	N/A
1800	630	630	93	52	9	13.73	22.5	Coloured	593	1159	N/A	N/A	Chrome	371	707	N/A	N/A

Tunstall - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	471	471	93	52	8	4.68	8.1	Coloured	161	311	N/A	N/A	-	-	-	-	-
600	589	589	93	52	10	5.37	10.3	Coloured	207	402	N/A	N/A	-	-	-	-	-
600	648	648	93	52	11	6.43	10.8	Coloured	231	448	N/A	N/A	-	-	-	-	-
600	825	825	93	52	14	7.53	13.8	Coloured	304	590	N/A	N/A	-	-	-	-	-
600	1002	1002	93	52	17	9.15	16.5	Coloured	380	737	N/A	N/A	-	-	-	-	-
600	1061	1061	93	52	18	10.53	16.93	Coloured	406	787	N/A	N/A	-	-	-	-	-
600	1179	1179	93	52	20	10.77	19.2	Coloured	458	887	N/A	N/A	-	-	-	-	-

Tunstall Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
560	1000	954	124	83	8	4.72	12.3	Coloured	292	550	300W	A, A+, B, D, E, F, G	Chrome	175	340	150W	A, A+, B, D, E, F, G
800	500	454	124	83	9	4.45	8.9	Coloured	192	362	150W	A, A+, B, D, E, F, G	Chrome	115	224	150W	A, A+, B, D, E, F, G
800	600	554	124	83	9	5.18	10.1	Coloured	222	418	300W	A, A+, B, D, E, F, G	Chrome	132	257	150W	A, A+, B, D, E, F, G
1200	500	454	124	83	13	6.51	12.6	Coloured	279	528	300W	A, A+, B, D, E, F, G	Chrome	175	340	150W	A, A+, B, D, E, F, G
1200	600	554	124	83	13	7.56	14.3	Coloured	322	610	450W	A, A+, B, D, E, F, G	Chrome	200	389	300W	A, A+, B, D, E, F, G
1600	500	454	124	83	17	8.56	16.4	Coloured	367	699	450W	A, A+, B, D, E, F, G	Chrome	234	456	300W	A, A+, B, D, E, F, G
1600	600	554	124	83	17	9.94	18.6	Coloured	423	807	600W	A, A+, B, D, E, F, G	Chrome	268	522	300W	A, A+, B, D, E, F, G


TUNSTALL - DESIGNER RANGE

Tunstall Double - Vertical


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	280	280	104	65	8	16.9	25.9	Coloured	378	743	N/A	N/A	-	-	-	-	-
1800	350	350	104	65	10	14.5	30.1	Coloured	472	929	N/A	N/A	-	-	-	-	-
1800	420	420	104	65	12	25.3	35.8	Coloured	567	1114	N/A	N/A	-	-	-	-	-
1800	490	490	104	65	14	20.2	41.1	Coloured	661	1300	N/A	N/A	-	-	-	-	-
1800	560	560	104	65	16	23.1	47.1	Coloured	756	1486	N/A	N/A	-	-	-	-	-
1800	630	630	104	65	18	38	51	Coloured	850	1671	N/A	N/A	-	-	-	-	-

Technical Tables & Drawings


TUNSTALL TOWEL RAIL




TUNSTALL - VERTICAL



TUNSTALL - HORIZONTAL



TUNSTALL DOUBLE - VERTICAL



Technical Tables & Drawings

TUNSTALL - DESIGNER RANGE

Tunstall Double - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	471	471	104	65	16	8.1	17.2	Coloured	282	550	N/A	N/A					
600	589	589	104	65	20	14.6	21.8	Coloured	353	687	N/A	N/A	-	-	-	-	-
600	648	648	104	65	22	11.1	23.7	Coloured	388	756	N/A	N/A					
600	825	825	104	65	28	20.5	29.5	Coloured	494	962	N/A	N/A	-	-	-	-	-
600	1002	1002	104	65	34	24.8	36.6	Coloured	600	1168	N/A	N/A	-	-	-	-	-
600	1061	1061	104	65	36	18.3	38.6	Coloured	635	1237	N/A	N/A					
600	1179	1179	104	65	40	29.2	43.6	Coloured	705	1375	N/A	N/A	-	-	-	-	-

Tunstall Double Towel Rail																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
560	1000	954	109-114	70-75	16	19.1	27.9	Coloured	438	824	600W	A, A+, B, D, E, F, G	-	-	-	-	-
800	500	454	109-114	70-75	18	11.5	20.8	Coloured	283	534	300W	A, A+, B, D, E, F, G	-	-	-	-	-
800	600	554	109-114	70-75	18	13.5	21.8	Coloured	331	635	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	500	454	109-114	70-75	26	16.7	29.1	Coloured	396	771	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1200	600	554	109-114	70-75	26	19.6	30.2	Coloured	463	901	600W	A, A+, B, D, E, F, G	-	-	-	-	-
1600	500	454	109-114	70-75	34	21.9	36.9	Coloured	539	1032	600W	A, A+, B, D, E, F, G	-	-	-	-	-
1600	600	554	109-114	70-75	34	25.8	37.9	Coloured	622	1192	750W	A, A+, B, D, E, F, G	-	-	-	-	-

Tunstall Mirror																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	380	380	79	40	4	8.6	23.7	Coloured	294	560	N/A	N/A	-	-	-	-	-
1800	500	500	79	40	6	12.9	28.3	Coloured	440	839	N/A	N/A	-	-	-	-	-

* Further heat output information available on eastbrooktrade.com **E&OA**

Tunstall Double Mirror																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	380	380	104	65	8	16.9	33.7	Coloured	459	875	N/A	N/A	-	-	-	-	-
1800	500	500	104	65	12	25.3	44.1	Coloured	688	1313	N/A	N/A	-	-	-	-	-

* Further heat output information available on eastbrooktrade.com **E&OA**


DEDDINGTON - DESIGNER RANGE

Deddington - Vertical																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	310	310	100	60	4	4.2	15.3	Coloured	320	636	N/A	N/A	Chrome	194	386	N/A	N/A
1800	390	390	100	60	5	5.2	17.8	Coloured	403	800	N/A	N/A	Chrome	241	479	N/A	N/A
1800	470	470	100	60	6	6.3	22.4	Coloured	485	963	N/A	N/A	Chrome	287	571	N/A	N/A
1800	550	550	100	60	7	7.3	24.9	Coloured	567	1127	N/A	N/A	Chrome	333	662	N/A	N/A
1800	630	630	100	60	8	8.4	29.6	Coloured	650	1291	N/A	N/A	Chrome	378	752	N/A	N/A


Technical Tables & Drawings

TUNSTALL DOUBLE HORIZONTAL


Perspective view



Front view




Side view



Bottom view

TUNSTALL DOUBLE TOWEL RAIL



Front view



Side view




Perspective view



Bottom view

TUNSTALL MIRROR



Front view



Side view




Perspective view



Bottom view

TUNSTALL DOUBLE MIRROR



Front view



Side view




Perspective view



Bottom view

DEDDINGTON VERTICAL



Front view



Side view



Perspective view



Bottom view

Technical Tables & Drawings

DEDDINGTON - DESIGNER RANGE

Deddington - Horizontal																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	390	390	100	60	5	2.1	6.7	Coloured	145	291	N/A	N/A	Chrome	102	197	N/A	N/A
600	470	470	100	60	6	2.5	8	Coloured	175	351	N/A	N/A	Chrome	122	234	N/A	N/A
600	550	550	100	60	7	2.9	9.4	Coloured	205	410	N/A	N/A	Chrome	141	272	N/A	N/A
600	630	630	100	60	8	3.4	11.9	Coloured	235	470	N/A	N/A	Chrome	160	309	N/A	N/A
600	790	790	100	60	10	4.3	14.7	Coloured	294	589	N/A	N/A	Chrome	198	382	N/A	N/A
600	950	950	100	60	12	5.1	17.6	Coloured	354	708	N/A	N/A	Chrome	236	454	N/A	N/A
600	1110	1110	100	60	14	6	18.8	Coloured	413	827	N/A	N/A	Chrome	273	526	N/A	N/A
600	1270	1270	100	60	16	6.9	23.5	Coloured	473	946	N/A	N/A	Chrome	310	597	N/A	N/A

Deddington Towel Rails																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
800	500	470	100	60	8	3.3	11	Coloured	215	405	150W	A, A+, B, D, E, F, G	Chrome	132	253	150W	A, A+, B, D, E, F, G
800	600	570	100	60	8	3.7	12.4	Coloured	250	472	300W	A, A+, B, D, E, F, G	Chrome	151	291	150W	A, A+, B, D, E, F, G
1200	500	470	100	60	11	4.6	15.1	Coloured	306	578	300W	A, A+, B, D, E, F, G	Chrome	189	362	300W	A, A+, B, D, E, F, G
1200	600	570	100	60	11	5.2	17.3	Coloured	356	672	300W	A, A+, B, D, E, F, G	Chrome	217	416	300W	A, A+, B, D, E, F, G
1800	500	470	100	60	15	6.5	20.6	Coloured	435	822	450W	A, A+, B, D, E, F, G	Chrome	268	513	300W	A, A+, B, D, E, F, G
1800	600	570	100	60	15	7.3	23.6	Coloured	506	956	450W	A, A+, B, D, E, F, G	Chrome	308	589	450W	A, A+, B, D, E, F, G




ADDINGTON II - DESIGNER RANGE

Addington II Type 10 - Vertical / Horizontal																		
Height H (mm)	Width W (mm)	Vertical Installation Tappings C1 (mm)	Horizontal Installation Tappings C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
500	522	522	450	66	40	7	2.83	7.75	Coloured	143	277	150W	A,A+,C,E,H	Chrome	94	182	100W	A
500	596	596	450	66	40	8	3.24	8.86	Coloured	163	316	150W	A,A+,C,E,H	Chrome	107	208	150W	A,A+
600	300	300	550	66	40	4	1.83	5.15	Coloured	92	179	150W	A,A+	Chrome	61	118	N/A	N/A
600	374	374	550	66	40	5	2.29	6.44	Coloured	115	223	150W	A,A+	Chrome	76	147	100W	A
600	448	448	550	66	40	6	2.74	7.72	Coloured	138	268	150W	A,A+,C,E,H	Chrome	91	176	150W	A,A+
600	522	522	550	66	40	7	3.20	9.01	Coloured	161	313	150W	A,A+,C,E,H	Chrome	106	206	150W	A,A+
600	596	596	550	66	40	8	3.65	10.29	Coloured	184	357	300W	A,A+,C,E,H	Chrome	121	235	150W	A,A+
600	670	670	550	66	40	9	4.11	11.58	Coloured	207	402	300W	A,A+,C,E,H	Chrome	136	264	150W	A,A+
600	818	818	550	66	40	11	5.02	14.15	Coloured	253	491	450W	A,A+,C,E,H	Chrome	166	323	150W	A,A+
600	1040	1040	550	66	40	14	6.39	18.01	Coloured	322	624	450W	A,A+,C,E,H	Chrome	212	411	300W	A,A+,C,E,H
600	1188	1188	550	66	40	16	7.30	20.58	Coloured	367	714	600W	A,A+,C,E,H	Chrome	242	469	300W	A,A+,C,E,H
600	1262	1262	550	66	40	17	7.75	21.86	Coloured	390	758	600W	A,A+,C,E,H	Chrome	257	499	300W	A,A+,C,E,H
800	522	522	750	66	40	7	3.93	11.52	Coloured	198	384	300W	A,A+,C,H	Chrome	130	253	150W	A,A+
800	596	596	750	66	40	8	4.49	13.17	Coloured	226	439	300W	A,A+,C,H	Chrome	149	289	150W	A,A+
1000	522	522	950	66	40	7	4.66	14.04	Coloured	235	456	300W	A,A+,C,H	Chrome	154	300	300W	A,A+,C,E,H
1000	596	596	950	66	40	8	5.32	16.04	Coloured	268	520	450W	A,A+,C,H	Chrome	176	342	300W	A,A+,C,E,H
1200	522	522	1150	66	40	7	5.39	16.55	Coloured	271	527	450W	A,A+,C,H	Chrome	179	347	300W	A,A+,C,E,H
1200	596	596	1150	66	40	8	6.16	18.91	Coloured	310	602	450W	A+,C,H	Chrome	204	396	300W	A,A+,C,E,H
1400	522	522	1350	66	40	7	6.12	19.06	Coloured	308	598	450W	A+,C,H	Chrome	203	394	300W	A,A+,C,E,H
1400	596	596	1350	66	40	8	7.00	21.79	Coloured	352	684	450W	A+,C,H	Chrome	232	450	300W	A,A+,C,E,H
1800	300	300	1750	66	40	4	4.34	13.77	Coloured	218	424	N/A	N/A	Chrome	144	279	N/A	N/A
1800	374	374	1750	66	40	5	5.42	17.21	Coloured	273	530	N/A	N/A	Chrome	179	349	N/A	N/A
1800	448	448	1750	66	40	6	6.50	20.65	Coloured	327	636	450W	A, A+	Chrome	215	418	300W	A+
1800	522	522	1750	66	40	7	7.58	24.09	Coloured	382	741	600W	A+	Chrome	251	488	300W	A+
1800	596	596	1750	66	40	8	8.67	27.53	Coloured	436	847	600W	A+	Chrome	287	557	450W	A+
1800	670	670	1750	66	40	9	9.75	30.97	Coloured	491	953	600W	A+	Chrome	323	627	450W	A+

* Further heat output information available on eastbrooktrade.com E&OA

** In horizontal installation, the above Heights become Widths and above Widths become Heights

Technical Tables & Drawings

**DEDDINGTON
HORIZONTAL**

**DEDDINGTON
TOWEL RAIL**

**ADDINGTON II TYPE 10
VERTICAL / HORIZONTAL**


Technical Tables & Drawings

ADDINGTON II - DESIGNER RANGE

Addington II Type 20 - Vertical / Horizontal

Height H (mm)	Width W (mm)	Vertical Installation Tappings C1 (mm)	Horizontal Installation Tappings C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	300	300	550	89	63	8	3.08	9.46	Coloured	155	301	100W	A
600	374	374	550	89	63	10	3.85	11.82	Coloured	194	377	300W	A,A+
600	448	448	550	89	63	12	4.62	14.19	Coloured	233	452	300W	A,A+,C,E,H
600	522	522	550	89	63	14	5.39	16.55	Coloured	271	527	450W	A,A+,C,E,H
600	596	596	550	89	63	16	6.16	18.91	Coloured	310	602	450W	A,A+,C,E,H
600	670	670	550	89	63	18	6.93	21.28	Coloured	349	677	600W	A,A+,C,E,H
600	818	818	550	89	63	22	8.47	26.00	Coloured	426	828	600W	A,A+,C,E,H
600	1040	1040	550	89	63	28	10.77	33.09	Coloured	542	1053	900W	A,A+,C,E,H
600	1188	1188	550	89	63	32	12.31	37.81	Coloured	620	1204	1000W	A,A+,C,E,H
600	1262	1262	550	89	63	34	13.08	40.18	Coloured	659	1279	1000W	A,A+,C,E,H
1800	300	300	1750	89	63	8	8.10	26.70	Coloured	408	792	N/A	N/A
1800	374	374	1750	89	63	10	10.12	33.37	Coloured	509	989	N/A	N/A
1800	448	448	1750	89	63	12	12.14	40.05	Coloured	611	1187	450W	A+
1800	522	522	1750	89	63	14	14.16	46.72	Coloured	713	1385	600W	A+
1800	596	596	1750	89	63	16	16.19	53.39	Coloured	815	1582	600W	A+
1800	670	670	1750	89	63	18	18.21	60.06	Coloured	917	1780	600W	A+

*In horizontal installation, the above Heights become Widths and above Widths become Heights

Addington II Type 10 Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
790	400	350	66	40	8	3.19	7.97	Coloured	161	312	150W	A, A+, B, E	Chrome	106	205	150W	A, A+, B, E
790	500	450	66	40	8	3.61	9.40	Coloured	182	353	300W	A, A+, B, E	Chrome	120	232	150W	A, A+, B, E
790	600	550	66	40	8	4.03	10.84	Coloured	203	394	300W	A, A+, B, E	Chrome	133	259	150W	A, A+, B, E
1110	400	350	66	40	10	4.22	10.30	Coloured	213	413	300W	A, A+, B, E	Chrome	140	272	150W	A, A+, B, E
1110	500	450	66	40	10	4.75	12.10	Coloured	239	464	300W	A, A+, B, E	Chrome	157	305	150W	A, A+, B, E
1110	600	550	66	40	10	5.27	13.89	Coloured	265	515	450W	A, A+, B, E	Chrome	175	339	300W	A, A+, B, E
1750	400	350	66	40	14	6.29	14.97	Coloured	317	615	450W	A, A+, B, E	Chrome	208	405	300W	A, A+, B, E
1750	500	450	66	40	14	7.02	17.49	Coloured	354	687	600W	A, A+, B, E	Chrome	233	452	300W	A, A+, B, E
1750	600	550	66	40	14	7.75	20.00	Coloured	390	758	600W	A, A+, B, E	Chrome	257	499	300W	A, A+, B, E

Addington II Type 20 Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1110	500	450	89	63	20	7.36	21.08	Coloured	370	719	600W	A, A+, B, E
1750	500	450	89	63	28	10.68	30.06	Coloured	538	1044	750W	A, A+, B, E

*Further heat output information available on eastbrooktrade.com E&OA

ADDINGTON - DESIGNER RANGE


Addington Type 10 - Vertical / Horizontal

Height H (mm)	Width W (mm)	Vertical Installation Tappings C1 (mm)	Horizontal Installation Tappings C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
500	514	514	450	69	40	7	2.63	6.95	Coloured	172	328	150W	A,A+,B,C,E
500	588	588	450	69	40	8	3	7.93	Coloured	196	375	300W	A,A+,B,C,E
600	292	292	550	69	40	4	1.7	4.6	Coloured	117	223	150W	A,A+
600	366	366	550	69	40	5	2.1	5.8	Coloured	146	278	150W	A,A+
600	440	440	550	69	40	6	2.5	6.9	Coloured	175	334	150W	A,A+,B,C,E
600	514	514	550	69	40	7	2.97	8.04	Coloured	204	390	300W	A,A+,B,C,E
600	588	588	550	69	40	8	3.4	9.18	Coloured	233	446	300W	A,A+,B,C,E
600	662	662	550	69	40	9	3.8	10.3	Coloured	262	501	300W	A,A+,B,C,E
600	810	810	550	69	40	11	4.7	12.6	Coloured	320	612	450W	A+,B,C,E
600	1032	1032	550	69	40	14	6	16	Coloured	408	780	600W	A,A+,B,C,E
600	1180	1180	550	69	40	16	6.8	18.3	Coloured	466	892	600W	A,A+,B,C,E
600	1254	1254	550	69	40	17	7.2	19.4	Coloured	495	947	600W	A,A+,B,C,E
800	514	514	750	69	40	7	3.67	10.22	Coloured	266	509	300W	A,A+,B,C
800	588	588	750	69	40	8	4.19	11.67	Coloured	304	581	450W	A,A+,B,C
1000	514	514	950	69	40	7	4.36	12.41	Coloured	326	624	450W	A,A+,B,C
1000	588	588	950	69	40	8	4.99	14.17	Coloured	360	689	450W	A,A+,B,C
1200	514	514	1150	69	40	7	5.06	14.59	Coloured	383	732	450W	A,A+,B,C
1200	588	588	1150	69	40	8	5.78	16.66	Coloured	437	837	600W	A+,B,C
1400	514	514	1350	69	40	7	5.75	16.78	Coloured	437	837	600W	A+,B,C
1400	588	588	1350	69	40	8	6.57	19.16	Coloured	500	957	600W	A+,B,C
1800	292	292	1750	69	40	4	4.08	12.12	Coloured	309	590	N/A	N/A
1800	366	366	1750	69	40	5	5.1	15.13	Coloured	386	739	N/A	N/A
1800	440	440	1750	69	40	6	6.12	18.14	Coloured	463	886	450W	A, A+, B
1800	514	514	1750	69	40	7	7.14	21.14	Coloured	540	1034	600W	A+, B
1800	588	588	1750	69	40	8	8.16	24.15	Coloured	617	1181	600W	A+, B


*In horizontal installation, the above Heights become Widths and above Widths become Heights

Technical Tables & Drawings


ADDINGTON II TYPE 20 VERTICAL / HORIZONTAL




ADDINGTON TYPE 10 TOWEL RAIL



ADDINGTON TYPE 20 TOWEL RAIL



ADDINGTON TYPE 10 VERTICAL / HORIZONTAL



Technical Tables & Drawings

ADDINGTON - DESIGNER RANGE

Addington Type 10 Towel Rail																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
790	400	350	69	40	8	3.2	8.5	Coloured	156	298	150W	A, A+, B, D, E, F, G	-	-	-	-	-
790	500	450	69	40	8	3.6	10	Coloured	195	373	150W	A, A+, B, D, E, F, G	-	-	-	-	-
790	600	550	69	40	8	4	11.3	Coloured	234	447	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1110	400	350	69	40	10	4.2	11	Coloured	205	392	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1110	500	450	69	40	10	4.7	12.75	Coloured	257	491	300W	A, A+, B, D, E, F, G	-	-	-	-	-
1110	600	550	69	40	10	5.3	14.5	Coloured	308	589	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1750	400	350	69	40	14	6.3	16	Coloured	306	585	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1750	500	450	69	40	14	7	18.5	Coloured	382	730	450W	A, A+, B, D, E, F, G	-	-	-	-	-
1750	600	550	69	40	14	7.7	21	Coloured	458	875	600W	A, A+, B, D, E, F, G	-	-	-	-	-

*Further heat output information available on eastbrooktrade.com **E&OA**

Addington Type 20 - Vertical / Horizontal													
Height H (mm)	Width W (mm)	Vertical Installation Tappings C1 (mm)	Horizontal Installation Tappings C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	292	292	550	93	64	8	2.9	8.4	Coloured	166	318	150W	A, A+
600	366	366	550	93	64	10	3.7	10.4	Coloured	208	398	300W	A, A+
600	440	440	550	93	64	12	4.4	12.5	Coloured	250	478	300W	A, A+, B, C
600	514	514	550	93	64	14	5.2	14.6	Coloured	291	557	300W	A, A+, B, C
600	588	588	550	93	64	16	5.9	16.7	Coloured	333	637	450W	A, A+, B, C
600	662	662	550	93	64	18	6.6	18.7	Coloured	374	716	450W	A, A+, B, C
600	810	810	550	93	64	22	8.1	22.9	Coloured	458	876	600W	A, A+, B, C, E
600	1032	1032	550	93	64	28	10.3	29.1	Coloured	583	1115	750W	A, A+, B, C, E
600	1180	1180	550	93	64	32	11.8	33.2	Coloured	666	1273	900W	A, A+, B, C, E
600	1254	1254	550	93	64	34	12.5	35.3	Coloured	707	1353	1000W	A, A+, B, C, E
1800	366	366	1750	93	64	10	9.63	29.17	Coloured	551	1054	300W	A, A+, B
1800	440	440	1750	93	64	12	11.56	34.98	Coloured	661	1265	450W	A, A+, B
1800	514	514	1750	93	64	14	13.49	40.8	Coloured	772	1476	600W	A+, B
1800	588	588	1750	93	64	16	15.41	46.62	Coloured	882	1687	600W	A+, B

*In horizontal installation, the above Heights become Widths and above Widths become Heights


Addington Type 21 - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
558	600	550	115	75	16	6.75	20.48	Coloured	412	789	600W	A+
558	800	750	115	75	16	8.52	26.86	Coloured	549	1051	600W	A+
558	1000	950	115	75	16	10.28	33.23	Coloured	702	1344	600W	A+
588	1200	1150	115	75	16	12.04	39.6	Coloured	822	1573	600W	A+

Addington Type 22 - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
292	1200	1150	135	85	8	5.8	21.7	Coloured	706	1351	N/A	N/A
558	600	550	135	85	16	6.8	22.5	Coloured	519	993	600W	A+
558	800	750	135	85	16	8.4	29.5	Coloured	692	1325	600W	A+
588	1000	950	135	85	16	10	36.4	Coloured	870	1665	600W	A+
588	1200	1150	135	85	16	12.6	43.4	Coloured	1045	1998	600W	A+


Technical Tables & Drawings

ADDINGTON TYPE 20 VERTICAL / HORIZONTAL



Perspective view



Front view




Side view



Bottom view

ADDINGTON TYPE 10 TOWEL RAIL


Front view



Side view




Perspective view




Bottom view

ADDINGTON TYPE 21 HORIZONTAL


Perspective view



Front view




Side view




Bottom view

ADDINGTON TYPE 22 HORIZONTAL



Perspective view



Front view



Side view



Bottom view

Technical Tables & Drawings

ADDINGTON - DESIGNER RANGE

Addington Type 20 Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1110	500	450	93	64	20	4.7	16.75	Coloured	346	661	450W	A, A+, B, D, E, F, G
1750	500	450	93	64	28	10.6	29.7	Coloured	485	927	600W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**

Addington Type 21 Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1110	500	450	115	75	20	5.7	18.88	Coloured	440	841	600W	A, A+, B, D, E, F, G
1750	500	450	115	75	28	12.1	35.65	Coloured	603	1152	900W	A, A+, B, D, E, F, G

* Further heat output information available on eastbrooktrade.com **E&OA**

KINGSWOOD SLIMLINE - ALUMINIUM RANGE

Kingswood Slimline Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1800	310	310	70/90	50/70	3	0.96	6.91	Coloured	275	571	N/A	N/A	-	-	-	-	-
1800	410	410	70/90	50/70	4	1.28	9.03	Coloured	367	761	N/A	N/A	-	-	-	-	-
1800	510	510	70/90	50/70	5	1.60	10.98	Coloured	459	951	N/A	N/A	-	-	-	-	-
1800	610	610	70/90	50/70	6	1.92	13.02	Coloured	550	1141	N/A	N/A	-	-	-	-	-

* Further heat output information available on eastbrooktrade.com **E&OA**

Kingswood Slimline Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	410	410	70/90	50/70	4	0.56	3.57	Coloured	170	335	N/A	N/A	-	-	-	-	-
600	510	510	70/90	50/70	5	0.70	4.38	Coloured	213	418	N/A	N/A	-	-	-	-	-
600	610	610	70/90	50/70	6	0.84	5.19	Coloured	255	502	N/A	N/A	-	-	-	-	-
600	810	810	70/90	50/70	8	1.12	6.78	Coloured	340	669	N/A	N/A	-	-	-	-	-
600	1010	1010	70/90	50/70	10	1.40	8.40	Coloured	425	836	N/A	N/A	-	-	-	-	-
600	1210	1210	70/90	50/70	12	1.68	10.01	Coloured	510	1004	N/A	N/A	-	-	-	-	-
600	1410	1410	70/90	50/70	14	1.96	11.65	Coloured	595	1171	N/A	N/A	-	-	-	-	-

* Further heat output information available on eastbrooktrade.com **E&OA**


Kingswood Slimline Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
820	500	471	108-128	90-110	6	0.78	5.37	Coloured	188	351	150W	A, A+	-	-	-	-	-
820	600	571	108-128	90-110	6	0.84	6.05	Coloured	225	421	150W	A, A+	-	-	-	-	-
1220	500	471	108-128	90-110	8	1.04	7.44	Coloured	259	492	300W	A, A+	-	-	-	-	-
1220	600	571	108-128	90-110	8	1.12	8.37	Coloured	311	590	300W	A, A+	-	-	-	-	-
1820	500	471	108-128	90-110	12	1.56	10.86	Coloured	386	734	600W	A, A+	-	-	-	-	-
1820	600	571	108-128	90-110	12	1.68	12.23	Coloured	464	880	750W	A, A+	-	-	-	-	-


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


ADDINGTON TYPE 20 TOWEL RAIL




ADDINGTON TYPE 21 TOWEL RAIL



KINGSWOOD SLIMLINE



KINGSWOOD SLIMLINE - TOWEL RAIL



Technical Tables & Drawings

QUEENSWOOD VERTICAL / HORIZONTAL - ALUMINIUM RANGE

Queenswood Vertical / Horizontal																		
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
600	485	485	94	59	5	1.3	6.1	Coloured	292	582	450W	A, A+	-	-	-	-	-	
600	582	582	94	59	6	1.6	7.3	Coloured	351	699	450W	A, A+	-	-	-	-	-	
600	679	679	94	59	7	1.9	8.5	Coloured	409	815	600W	A+	-	-	-	-	-	
600	873	873	94	59	9	2.4	10.9	Coloured	526	1048	900W	A+	-	-	-	-	-	
600	873	1067	94	59	11	3	13.3	Coloured	643	1281	900W	A+	-	-	-	-	-	
600	1261	1261	94	59	13	3.5	15.5	Coloured	760	1513	1200W	A, A+	-	-	-	-	-	
600	1455	1455	94	59	15	4.1	17.9	Coloured	877	1746	1200W	A, A+	-	-	-	-	-	
600	1649	1649	94	59	17	4.6	20.3	Coloured	993	1979	1200W	A, A+	-	-	-	-	-	
1800	291	291	94	59	3	1.4	10	Coloured	429	867	N/A	N/A	-	-	-	-	-	
1800	388	388	94	59	4	1.9	13.3	Coloured	572	1156	N/A	N/A	-	-	-	-	-	
1800	485	485	94	59	5	2.4	16.5	Coloured	715	1446	N/A	N/A	-	-	-	-	-	
1800	582	582	94	59	6	2.9	20	Coloured	858	1735	N/A	N/A	-	-	-	-	-	

MERSEY VERTICAL - ALUMINIUM RANGE


Mersey Vertical																	
Height H (mm)	Width W (mm)	Tappings C1/C2 (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	280	280	76	38	3	-	6.64	Coloured	314	612	N/A	N/A	-	-	-	-	-
1800	375	375	76	38	4	-	8.75	Coloured	418	816	N/A	N/A	-	-	-	-	-
1800	470	470	76	38	5	-	10.86	Coloured	523	1019	N/A	N/A	-	-	-	-	-
1800	565	565	76	38	6	-	12.98	Coloured	627	1223	N/A	N/A	-	-	-	-	-
1800	660	660	76	38	7	-	15.09	Coloured	732	1427	N/A	N/A	-	-	-	-	-

TRENT VERTICAL - ALUMINIUM RANGE


Trent Vertical																	
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	280	280	76	38	3	-	6.58	Coloured	301	597	N/A	N/A	-	-	-	-	-
1800	375	375	76	38	4	-	8.68	Coloured	401	796	N/A	N/A	-	-	-	-	-
1800	470	470	76	38	5	-	10.77	Coloured	501	995	N/A	N/A	-	-	-	-	-
1800	565	565	76	38	6	-	12.87	Coloured	602	1194	N/A	N/A	-	-	-	-	-
1800	660	660	76	38	7	-	14.97	Coloured	702	1393	N/A	N/A	-	-	-	-	-

Technical Tables & Drawings


QUEENSWOOD VERTICAL




QUEENSWOOD HORIZONTAL



MERSEY VERTICAL



TRENT VERTICAL



Technical Tables & Drawings

ADDINGTON ALUMINIUM - ALUMINIUM RANGE

Addington Aluminium Type10 - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
500	514	514	76.5	45	7	1.14	5.83	Coloured	171	339	150W	A
500	588	588	76.5	45	8	1.3	6.66	Coloured	196	387	150W	A
600	292	292	76.5	45	4	0.76	3.81	Coloured	137*	253*	150W	A
600	366	366	76.5	45	5	0.96	4.6	Coloured	171*	316*	150W	A
600	440	440	76.5	45	6	1.15	5.66	Coloured	205*	379*	150W	A
600	514	514	76.5	45	7	1.34	6.42	Coloured	239*	442*	300W	A
600	588	588	76.5	45	8	1.53	7.39	Coloured	273*	506*	300W	A
600	662	662	76.5	45	9	1.72	8.26	Coloured	307*	569*	300W	A
600	810	810	76.5	45	11	2.1	10.1	Coloured	376*	695*	300W	A
600	1032	1032	76.5	45	14	2.67	12.86	Coloured	478*	884*	600W	A
600	1180	1180	76.5	45	16	3.06	15.1	Coloured	546*	1011*	600W	A
600	1254	1254	76.5	45	17	3.25	15.96	Coloured	580*	1074*	600W	A
600	1402	1402	76.5	45	19	4.18	17.86	Coloured	648*	1200*	750W	A
600	1624	1624	76.5	45	21	4.84	20.71	Coloured	751*	1389*	900W	A
600	1772	1772	76.5	45	23	5.28	22.61	Coloured	819*	1516*	900W	A
800	514	514	76.5	45	7	1.74	8.02	Coloured	256	521	300W	A
800	588	588	76.5	45	8	1.98	9.16	Coloured	292	595	300W	A
1000	514	514	76.5	45	7	2.13	9.43	Coloured	312*	635*	300W	A
1000	588	588	76.5	45	8	2.43	10.74	Coloured	356*	726*	300W	A
1200	514	514	76.5	45	7	2.53	10.72	Coloured	346*	681*	300W	A
1200	588	588	76.5	45	8	2.89	12.23	Coloured	395*	779*	600W	A
1400	514	514	76.5	45	7	2.93	12.13	Coloured	402	792	600W	A
1400	588	588	76.5	45	8	3.34	13.88	Coloured	459	905	600W	A
1800	292	292	76.5	45	4	2.12	8.65	Coloured	294	606	600W	A
1800	366	366	76.5	45	5	2.66	10.19	Coloured	367	758	600W	A
1800	440	440	76.5	45	6	3.19	12.85	Coloured	441	909	600W	A
1800	514	514	76.5	45	7	3.72	15.05	Coloured	514	1060	900W	A
1800	588	588	76.5	45	8	4.25	17.09	Coloured	587	1212	900W	A
1800	662	662	76.5	45	9	4.79	19.13	Coloured	661	1363	900W	A


* Further heat output information available on eastbrooktrade.com **E&OA**

Addington Aluminium Type20 - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	292	292	96.5	65	8	0.76	5.09	Coloured	186*	352*	150W	A
600	366	366	96.5	65	10	0.96	6.34	Coloured	232*	440*	300W	A
600	440	440	96.5	65	12	1.15	7.53	Coloured	278*	528*	300W	A
600	514	514	96.5	65	14	1.34	8.54	Coloured	325*	616*	300W	A
600	588	588	96.5	65	16	1.53	9.79	Coloured	371*	704*	300W	A
600	662	662	96.5	65	18	1.72	11.34	Coloured	417*	792*	300W	A
600	810	810	96.5	65	22	2.1	13.42	Coloured	510*	968*	600W	A
600	1032	1032	96.5	65	28	2.67	17.53	Coloured	649*	1232*	600W	A
600	1180	1180	96.5	65	32	3.06	19.49	Coloured	742*	1408*	900W	A
600	1254	1254	96.5	65	34	3.25	20.68	Coloured	788*	1496*	900W	A
600	1402	1402	96.5	65	38	4.18	23.06	Coloured	881*	1672*	900W	A
600	1624	1624	96.5	65	42	4.84	26.63	Coloured	1020*	1936*	900W	A
600	1772	1772	96.5	65	46	5.28	29.01	Coloured	1112*	2112*	900W	A
1800	366	366	96.5	65	10	2.66	15.89	Coloured	452	910	600W	A
1800	440	440	96.5	65	12	3.19	18.82	Coloured	543	1092	900W	A
1800	514	514	96.5	65	14	3.72	21.94	Coloured	633	1274	900W	A
1800	588	588	96.5	65	16	4.25	25.18	Coloured	724	1455	900W	A
1800	662	662	96.5	65	18	4.79	28.42	Coloured	814	1637	900W	A


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


ADDINGTON ALUMINIUM TYPE 10 HORIZONTAL




ADDINGTON ALUMINIUM TYPE 10 VERTICAL



ADDINGTON ALUMINIUM TYPE 20 HORIZONTAL



ADDINGTON ALUMINIUM TYPE 20 VERTICAL



Technical Tables & Drawings

CHARLTON - ALUMINIUM RANGE

Charlton - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	280	280	71/91	33/53	3	0.6	3.75	Coloured	123	240	150W	A, A+, F, G
1200	280	280	71/91	33/53	3	1.2	4.6	Coloured	238	461	300W	A, A+, F, G
1200	375	375	71/91	33/53	4	1.6	6.1	Coloured	315	611	300W	A, A+, F, G
1200	470	470	71/91	33/53	5	2	7.7	Coloured	392	760	450W	A, A+, F, G
1200	565	565	71/91	33/53	6	2.4	9.2	Coloured	468	908	600W	A, A+, F, G
1800	280	280	71/91	33/53	3	1.8	8.1	Coloured	345	667	450W	A, A+, F, G
1800	375	375	71/91	33/53	4	2.4	10.3	Coloured	457	884	600W	A, A+, F, G
1800	470	470	71/91	33/53	5	3	12.8	Coloured	569	1099	750W	A, A+, F, G
1800	565	565	71/91	33/53	6	3.5	14.8	Coloured	679	1313	1000W	A, A+, F, G

Charlton - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	470	470	71/91	33/53	5	1.1	5.7	Coloured	203	396	300W	A, A+, C, H
600	660	660	71/91	33/53	7	1.5	7.8	Coloured	282	550	450W	A, A+, C, H
600	850	850	71/91	33/53	9	2	9.5	Coloured	360	701	600W	A, A+, C, H
600	1040	1040	71/91	33/53	11	2.4	11.5	Coloured	437	852	750W	A, A+, C, H
600	1230	1230	71/91	33/53	13	2.9	13.5	Coloured	514	1002	900W	A, A+, C, H
600	1420	1420	71/91	33/53	15	3.3	12.3	Coloured	590	1151	900W	A, A+, C, H

WITHINGTON - ALUMINIUM RANGE

Withington - Vertical


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	280	280	71/91	33/53	3	0.6	3.75	Coloured	122	240	150W	A, A+, F, G
1200	280	280	71/91	33/53	3	1.2	4.3	Coloured	223	439	300W	A, A+, F, G
1200	375	375	71/91	33/53	4	1.6	5.8	Coloured	296	583	300W	A, A+, F, G
1200	470	470	71/91	33/53	5	2	7.3	Coloured	368	724	450W	A, A+, F, G
1200	565	565	71/91	33/53	6	2.4	8.8	Coloured	440	865	600W	A, A+, F, G
1800	280	280	71/91	33/53	3	1.8	8	Coloured	322	636	450W	A, A+, F, G
1800	375	375	71/91	33/53	4	2.4	10.2	Coloured	427	844	600W	A, A+, F, G
1800	470	470	71/91	33/53	5	3	12.7	Coloured	531	1049	750W	A, A+, F, G
1800	565	565	71/91	33/53	6	3.5	14.8	Coloured	634	1253	1000W	A, A+, F, G

Withington - Horizontal


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	470	470	71/91	33/53	5	1.1	5.7	Coloured	202	395	300W	A, A+, C, H
600	660	660	71/91	33/53	7	1.5	7.8	Coloured	280	548	450W	A, A+, C, H
600	850	850	71/91	33/53	9	2	9.5	Coloured	358	700	600W	A, A+, C, H
600	1040	1040	71/91	33/53	11	2.4	11.5	Coloured	434	850	750W	A, A+, C, H
600	1230	1230	71/91	33/53	13	2.9	13.5	Coloured	511	1000	900W	A, A+, C, H
600	1420	1420	71/91	33/53	15	3.3	13	Coloured	587	1148	900W	A, A+, C, H

Technical Tables & Drawings


CHARLTON - VERTICAL




CHARLTON - HORIZONTAL



WITHINGTON - VERTICAL



WITHINGTON - HORIZONTAL



Technical Tables & Drawings

MALMESBURY - ALUMINIUM RANGE

Malmesbury - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	185	185	71/91	33/53	2	0.8	2.9	Coloured	153	296	150W	A, A+, F, G
1200	280	280	71/91	33/53	3	1.2	4.4	Coloured	226	437	300W	A, A+, F, G
1200	375	375	71/91	33/53	4	1.6	5.7	Coloured	297	576	300W	A, A+, F, G
1200	470	470	71/91	33/53	5	2	7.3	Coloured	368	713	450W	A, A+, F, G
1200	565	565	71/91	33/53	6	2.4	8.3	Coloured	437	848	600W	A, A+, F, G
1800	185	185	71/91	33/53	2	1.18	5.6	Coloured	220	429	300W	A, A+, F, G
1800	280	280	71/91	33/53	3	1.8	7.9	Coloured	325	634	450W	A, A+, F, G
1800	375	375	71/91	33/53	4	2.4	10.1	Coloured	428	835	600W	A, A+, F, G
1800	470	470	71/91	33/53	5	3	12.6	Coloured	530	1033	750W	A, A+, F, G
1800	565	565	71/91	33/53	6	3.5	13.8	Coloured	630	1229	1000W	A, A+, F, G

Malmesbury - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
500	375	375	79/99	33/53	4	0.94	4.3	Coloured	140	269	150W	A, A+, C, H
500	470	470	79/99	33/53	5	1.18	5.1	Coloured	173	333	150W	A, A+, C, H
500	565	565	79/99	33/53	6	1.41	6	Coloured	205	396	300W	A, A+, C, H
600	375	375	79/99	33/53	4	1.75	4.6	Coloured	163	314	150W	A, A+, C, H
600	470	470	79/99	33/53	5	2.17	5.7	Coloured	202	389	300W	A, A+, C, H
600	565	565	79/99	33/53	6	2.5	6.6	Coloured	240	462	300W	A, A+, C, H
600	850	850	79/99	33/53	9	3.75	9.5	Coloured	352	680	450W	A, A+, C, H
600	1040	1040	79/99	33/53	11	4.58	11.3	Coloured	426	822	600W	A, A+, C, H
600	1230	1230	79/99	33/53	13	5.42	13	Coloured	499	963	750W	A, A+, C, H
600	1420	1420	79/99	33/53	15	3.3	12.6	Coloured	572	1103	900W	A, A+, C, H

ROSANO - ALUMINIUM RANGE

Rosano - Vertical

Height H (mm)	Width W (mm)	Tappings C1 / C2** (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	280	280/190	70/90	35/55	3	0.58	4.6	Coloured	141	263	150W	A, A+
1800	280	280/190	70/90	35/55	3	1.75	10	Coloured	432	800	450W	A, A+
1800	375	375/285	70/90	35/55	4	2.33	13.1	Coloured	576	1067	750W	A, A+
1800	470	470/380	70/90	35/55	5	2.91	16.2	Coloured	720	1334	900W	A, A+
1800	565	565/475	70/90	35/55	6	3.52	19.5	Coloured	864	1600	1000W	A, A+

* Further heat output information available on eastbrooktrade.com **E&OA**

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.


Rosano - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	470	470	70/90	35/55	5	0.96	6.7	Coloured	235	438	300W	A, A+, C, H
600	660	660	70/90	35/55	7	1.34	9.1	Coloured	329	613	450W	A, A+, C, H
600	850	850	70/90	35/55	9	1.73	11.5	Coloured	423	788	600W	A, A+, C, H
600	1040	1040	70/90	35/55	11	2.11	13.9	Coloured	517	963	750W	A, A+, C, H
600	1230	1230	70/90	35/55	13	2.5	16.3	Coloured	611	1138	900W	A, A+, C, H


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


MALMESBURY - VERTICAL




MALMESBURY - HORIZONTAL



ROSANO - VERTICAL



ROSANO - HORIZONTAL



Technical Tables & Drawings

PERETTI - ALUMINIUM RANGE

Peretti - Vertical

Height H (mm)	Width W (mm)	Tappings C1 / C2** (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	280	280/190	70/90	35/55	3	0.58	4.6	Coloured	145	267	150W	A, A+	Polished	140	259	150W	A, A+, B
1800	280	280/190	70/90	35/55	3	1.75	10	Coloured	432	800	450W	A, A+	Polished	420	776	450W	A, A+, B
1800	375	375/285	70/90	35/55	4	2.33	13.1	Coloured	576	1067	750W	A, A+	Polished	559	1035	750W	A, A+, B
1800	470	470/380	70/90	35/55	5	2.91	16.2	Coloured	720	1334	900W	A, A+	Polished	699	1294	900W	A, A+, B
1800	565	565/475	70/90	35/55	6	3.52	19.5	Coloured	864	1600	1000W	A, A+	Polished	839	1552	1000W	A, A+, B

* Further heat output information available on eastbrooktrade.com **E&OA**

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.

Peretti - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	470	470	70/90	35/55	5	0.96	6.7	Coloured	241	445	300W	A, A+, C, H	Polished	233	432	300W	A, A+, C, H
600	660	660	70/90	35/55	7	1.34	9.1	Coloured	337	623	450W	A, A+, C, H	Polished	327	604	450W	A, A+, C, H
600	850	850	70/90	35/55	9	1.73	11.5	Coloured	433	801	600W	A, A+, C, H	Polished	420	777	600W	A, A+, C, H
600	1040	1040	70/90	35/55	11	2.11	13.9	Coloured	529	979	750W	A, A+, C, H	Polished	513	949	750W	A, A+, C, H
600	1230	1230	70/90	35/55	13	2.5	16.3	Coloured	625	1156	900W	A, A+, C, H	Polished	606	1122	900W	A, A+, C, H

* Further heat output information available on eastbrooktrade.com **E&OA**

SANDHURST - ALUMINIUM RANGE

Sandhurst - Vertical

Height H (mm)	Width W (mm)	Tappings C1 / C2** (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1800	275	275/210	105	65	4	1.6	7.5	Coloured	376	716	450W	A, A+	Polished	364	695	450W	A, A+
1800	415	415/350	105	65	6	2.4	11.2	Coloured	563	1074	750W	A, A+	Polished	546	1042	750W	A, A+
1800	485	485/420	105	65	7	2.8	13.1	Coloured	657	1253	900W	A, A+	Polished	637	1215	900W	A, A+

* Further heat output information available on eastbrooktrade.com **E&OA**

** Tappings C1 : Side connection, Tappings C2 : Bottom connection.

Sandhurst - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	485	485	105	65	7	1.12	12.4	Coloured	219	418	300W	A, A+
600	625	625	105	65	9	1.44	15.9	Coloured	282	537	450W	A, A+
600	835	835	105	65	12	1.91	21.2	Coloured	376	716	450W	A, A+
600	1045	1045	105	65	15	2.39	26.5	Coloured	469	895	600W	A, A+
600	1255	1255	105	65	18	2.86	31.8	Coloured	563	1074	750W	A, A+

* Further heat output information available on eastbrooktrade.com **E&OA**


BERKELEY - ALUMINIUM RANGE

Berkeley - Horizontal


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
603	600	600	70	50	6	1.3	5.7	Coloured	186	342	N/A	N/A
603	800	800	70	50	6	1.7	5.8	Coloured	244	449	N/A	N/A
603	1000	1000	70	50	6	2	6.33	Coloured	302	555	N/A	N/A
603	1200	1200	70	50	6	2.4	7.22	Coloured	359	660	N/A	N/A
603	1400	1400	70	50	6	2.8	8.8	Coloured	415	763	N/A	N/A
603	1600	1600	70	50	6	3.1	9.6	Coloured	472	866	N/A	N/A
603	1800	1800	70	50	6	3.5	10.5	Coloured	527	969	N/A	N/A
603	2000	2000	70	50	6	3.8	11.3	Coloured	583	1071	N/A	N/A

Technical Tables & Drawings


PERETTI - VERTICAL




PERETTI - HORIZONTAL



SANDHURST - VERTICAL



BERKELEY - HORIZONTAL



Technical Tables & Drawings

TORDINO - ALUMINIUM RANGE

Tordino - Vertical												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	280	280	80/100	31/51	3	1.7	6.5	Coloured	359	686	450W	A, A+, F, G
1800	375	375	80/100	31/51	4	2.3	8.6	Coloured	477	912	600W	A, A+, F, G
1800	470	470	80/100	31/51	5	2.9	10.4	Coloured	595	1136	750W	A, A+, F, G
1800	565	565	80/100	31/51	6	3.5	12.5	Coloured	712	1360	1000W	A, A+, F, G

Tordino - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	470	470	80/100	31/51	5	1.1	4.3	Coloured	208	409	300W	A, A+, C, H
600	660	660	80/100	31/51	7	1.5	6	Coloured	290	569	450W	A, A+, C, H
600	850	850	80/100	31/51	9	2	7.8	Coloured	371	728	600W	A, A+, C, H
600	1040	1040	80/100	31/51	11	2.4	9.5	Coloured	451	887	750W	A, A+, C, H
600	1230	1230	80/100	31/51	13	2.8	11.2	Coloured	531	1044	900W	A, A+, C, H

GUARDIA - ALUMINIUM RANGE

Guardia - Vertical												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1200	280	280	110	65	3	1.14	9.16	Coloured	344	668	N/A	N/A
1200	375	375	110	65	4	1.52	12.12	Coloured	458	890	N/A	N/A
1200	470	470	110	65	5	1.9	15.05	Coloured	572	1113	N/A	N/A
1200	565	565	110	65	6	2.27	18.24	Coloured	687	1335	N/A	N/A
1800	280	280	110	65	3	1.75	14.2	Coloured	488	946	N/A	N/A
1800	375	375	110	65	4	2.33	18.7	Coloured	650	1261	N/A	N/A
1800	470	470	110	65	5	2.91	23.1	Coloured	813	1576	N/A	N/A
1800	565	565	110	65	6	3.5	27.8	Coloured	975	1892	N/A	N/A
1800	660	660	110	65	7	3.85	28.95	Coloured	1137	2207	N/A	N/A


* Further heat output information available on eastbrooktrade.com **E&OA**

Guardia - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	470	470	110	65	5	0.96	9	Coloured	336	637	300W	A, A+, C, H
600	660	660	110	65	7	1.34	12.2	Coloured	470	892	450W	A, A+, C, H
600	850	850	110	65	9	1.73	15.6	Coloured	604	1146	600W	A, A+, C, H
600	1040	1040	110	65	11	2.11	19	Coloured	738	1401	900W	A, A+, H
600	1230	1230	110	65	13	2.5	22.3	Coloured	873	1655	1000W	A, A+
600	1420	1420	110	65	15	2.88	25.8	Coloured	1007	1910	1000W	A, A+
600	1610	1610	110	65	17	3.74	26.9	Coloured	1141	2165	1200W	A, A+
600	1800	1800	110	65	19	4.18	28.8	Coloured	1275	2419	1200W	A, A+


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


TORDINO - VERTICAL




TORDINO - HORIZONTAL



GUARDIA - HORIZONTAL



GUARDIA - VERTICAL



Technical Tables & Drawings

HADLEIGH - ALUMINIUM RANGE

Hadleigh - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1200	275	275	98	65	4	1.52	9.56	Coloured	267	533	N/A	N/A
1200	415	415	98	65	6	2.27	14.17	Coloured	400	799	N/A	N/A
1200	485	485	98	65	7	2.65	15.82	Coloured	467	932	N/A	N/A
1200	555	555	98	65	8	3.03	17.92	Coloured	533	1065	N/A	N/A
1800	275	275	98	65	4	1.6	12.2	Coloured	350	689	N/A	N/A
1800	415	415	98	65	6	2.4	18.3	Coloured	524	1033	N/A	N/A
1800	485	485	98	65	7	2.8	21.3	Coloured	611	1205	N/A	N/A
1800	555	555	98	65	8	4.39	26.18	Coloured	699	1377	N/A	N/A

* Further heat output information available on eastbrooktrade.com **E&OA**

Hadleigh - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	485	485	98	65	7	1.12	8.9	Coloured	304	588	400W	A, A+, C, H
600	625	625	98	65	9	1.44	11.4	Coloured	391	755	450W	A, A+, C, H
600	835	835	98	65	12	1.91	15.2	Coloured	521	1007	600W	A, A+, C, H
600	1045	1045	98	65	15	2.39	19	Coloured	651	1259	900W	A, A+, C, H
600	1255	1255	98	65	18	2.86	22.8	Coloured	781	1510	1000W	A, A+, C, H
600	1395	1395	98	65	20	4.18	24.61	Coloured	867	1678	1200W	A, A+, C, H

* Further heat output information available on eastbrooktrade.com **E&OA**

VESIMA - ALUMINIUM RANGE

Vesima - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1800	303	303	85/105	60/80	3	1.75	10.9	Coloured	452	852	600W	A
1800	403	403	85/105	60/80	4	2.34	14.2	Coloured	603	1135	900W	A
1800	503	503	85/105	60/80	5	2.92	17.6	Coloured	754	1419	900W	A
1800	603	603	85/105	60/80	6	3.3	20.99	Coloured	904	1703	900W	A

* Further heat output information available on eastbrooktrade.com **E&OA**


Vesima - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	503	503	85/105	60/80	5	0.97	7.1	Coloured	279	526	300W	A, C, H
600	603	603	85/105	60/80	6	1.16	8.4	Coloured	335	631	300W	A, C, H
600	803	803	85/105	60/80	8	1.55	10.9	Coloured	447	841	600W	A, C, H
600	1003	1003	85/105	60/80	10	1.94	13.5	Coloured	558	1051	900W	A, C, H
600	1203	1203	85/105	60/80	12	2.33	16.1	Coloured	670	1262	1000W	A, C, H
600	1403	1403	85/105	60/80	14	2.93	18.54	Coloured	781	1472	1200W	A, C, H


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


HADLEIGH - VERTICAL




HADLEIGH - HORIZONTAL



VESIMA - VERTICAL



VESIMA - HORIZONTAL



Technical Tables & Drawings

PRESTON - ALUMINIUM RANGE

Preston - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	185	185	71-91	33-53	2	1.2	5.8	Coloured	154	296	150W	A, A+, F, G
1800	185	185	71-91	33-53	2	1.2	5.6	Coloured	222	427	300W	A, A+, F, G

BERLINI - ALUMINIUM RANGE

Berlini - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
1200	185	185	70/90	35/55	2	0.78	5.6	Coloured	183	338	150W	A, A+	Polished	178	328	150W	A, A+
1800	185	185	70/90	35/55	2	1.16	6.6	Coloured	275	508	300W	A, A+	Polished	267	492	300W	A, A+

* Further heat output information available on eastbrooktrade.com **E&OA**

FAIRFORD - ALUMINIUM RANGE

Fairford - Vertical


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1200	375	375	79/99	33/53	4	1.6	7.2	Coloured	302	596	450W	A, A+, F, G
1200	565	565	79/99	33/53	6	2.4	11	Coloured	454	897	750W	A, A+, F, G
1800	375	375	79/99	33/53	4	2.33	9.9	Coloured	449	892	750W	A, A+, F, G
1800	565	565	79/99	33/53	6	3.5	13.8	Coloured	676	1343	1000W	A, A+, F, G

Fairford - Horizontal


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	375	375	79/99	33/53	4	0.87	4.5	Coloured	157	308	300W	A, A+
600	565	565	79/99	33/53	6	1.3	6.7	Coloured	236	464	300W	A, A+, C, H
600	945	945	79/99	33/53	10	2.18	10.1	Coloured	395	775	600W	A, A+, C, H
600	1325	1325	79/99	33/53	14	3.06	13.9	Coloured	553	1086	900W	A, A+, C, H

Technical Tables & Drawings


PRESTON - VERTICAL




BERLINI - VERTICAL



FAIRFORD - VERTICAL



FAIRFORD - HORIZONTAL



Technical Tables & Drawings

BURFORD - ALUMINIUM RANGE

Burford - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	275	275	108/128	33/53	4	2.28	10.4	Coloured	373	756	600W	A, A+, B, F, G
1800	345	345	108/128	33/53	5	2.85	12.9	Coloured	464	939	750W	A, A+, B, F, G
1800	415	415	108/128	33/53	6	3.42	15.3	Coloured	553	1122	1000W	A, A+, B, F, G
1800	485	485	108/128	33/53	7	3.99	17.7	Coloured	643	1302	1200W	A, A+, B, F, G

Burford - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	485	485	108/128	33/53	7	1.43	7.3	Coloured	246	478	300W	A, A+, C, H
600	625	625	108/128	33/53	9	1.84	9.2	Coloured	313	609	450W	A, A+, C, H
600	835	835	108/128	33/53	12	2.45	12	Coloured	414	804	600W	A, A+, C, H
600	1045	1045	108/128	33/53	15	3.07	14.8	Coloured	513	997	750W	A, A+, C, H
600	1185	1185	108/128	33/53	17	3.47	16.7	Coloured	579	1125	900W	A, A+, C, H

KELMSCOTT - ALUMINIUM RANGE

Kelmscott - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	275	275	83/103	33/53	4	2.28	8.2	Coloured	360	740	600W	A, A+, B, F, G
1800	345	345	83/103	33/53	5	2.85	10.1	Coloured	450	924	750W	A, A+, B, F, G
1800	415	415	83/103	33/53	6	3.42	12	Coloured	538	1107	1000W	A, A+, B, F, G
1800	485	485	83/103	33/53	7	3.99	13.8	Coloured	627	1289	1200W	A, A+, B, F, G

Kelmscott - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	485	485	83/103	33/53	7	1.43	6	Coloured	245	476	300W	A, A+, C, H
600	625	625	83/103	33/53	9	1.84	7.5	Coloured	314	610	450W	A, A+, C, H
600	835	835	83/103	33/53	12	2.45	9.8	Coloured	417	809	600W	A, A+, C, H
600	1045	1045	83/103	33/53	15	3.07	12	Coloured	519	1008	750W	A, A+, C, H
600	1185	1185	83/103	33/53	17	3.47	13.5	Coloured	587	1140	900W	A, A+, C, H







WITNEY - ALUMINIUM RANGE

Witney - Vertical

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1800	280	280	136	53	6	3.34	14.4	Coloured	503	985	750W	A, A+, B, F, G
1800	375	375	136	53	8	4.46	18.9	Coloured	662	1297	1000W	A, A+, B, F, G
1800	470	470	136	53	10	5.57	23.4	Coloured	819	1604	1200W	A, A+, B, F, G

Witney - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
600	470	470	136	53	10	1.9	7.5	Coloured	328	646	300W	A, A+, C, H
600	660	660	136	53	14	2.7	10.5	Coloured	451	889	600W	A, A+, C, H
600	850	850	136	53	18	3.5	13.5	Coloured	573	1128	900W	A, A+, C, H
600	1040	1040	136	53	22	4.2	16.6	Coloured	692	1364	1000W	A, A+, C, H
600	1230	1230	136	53	26	5	19.6	Coloured	811	1597	1200W	A, A+, C, H



Technical Tables & Drawings

PELAGO - ALUMINIUM RANGE

Pelago Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	500	475	88-118	75-105	5	0.73	2.3	Coloured	126	231	150W	A, A+	Polished	122	224	150W	A, A+
600	600	575	88-118	75-105	5	0.8	2.6	Coloured	149	272	150W	A, A+	Polished	145	264	150W	A, A+
1200	500	475	88-118	75-105	9	1.37	4.3	Coloured	237	449	300W	A, A+	Polished	230	435	300W	A, A+
1200	600	575	88-118	75-105	9	1.51	4.8	Coloured	270	505	450W	A, A+	Polished	262	490	450W	A, A+
1800	500	475	88-118	75-105	14	2.1	6.5	Coloured	362	685	600W	A, A+	Polished	351	664	600W	A, A+
1800	600	575	88-118	75-105	14	2.31	7.3	Coloured	417	771	600W	A, A+	Polished	405	748	600W	A, A+

* Further heat output information available on eastbrooktrade.com **E&OA**

VELOR - ALUMINIUM RANGE

Velor Towel Rail

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts*	▲T50 Watts*	Element Output	Element Type
600	500	475	100-130	80-110	8	0.7	3.4	Coloured	142	271	150W	A, D, E
600	600	575	100-130	80-110	8	0.8	3.8	Coloured	168	320	150W	A, D, E
1200	500	475	100-130	80-110	21	1.81	7.8	Coloured	312	565	300W	A, D, E
1200	600	575	100-130	80-110	21	2.1	8.9	Coloured	374	678	300W	A, D, E
1800	500	475	100-130	80-110	31	2.67	11.4	Coloured	460	834	600W	A, D, E
1800	600	575	100-130	80-110	31	3.1	13.1	Coloured	552	1001	600W	A, D, E

* Further heat output information available on eastbrooktrade.com **E&OA**

WINDRUSH - TRADITIONAL RANGE

Windrush

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
950	500	356	142	105	-	2.1	5.7	Chrome	74	137	100W	A, A+
950	600	470	142	105	-	2.27	6.4	Chrome	75	139	100W	A, A+
1195	500	370	130	105	-	2.7	7.4	Chrome	93	176	150W	A, A+, E
1195	600	470	130	105	-	3	7.8	Chrome	101	189	150W	A, A+, E
1550	500	370	130	105	-	3.5	8.7	Chrome	117	223	150W	A, A+, E
1550	600	470	130	105	-	3.8	9.25	Chrome	126	237	150W	A, A+, E

STOUR - TRADITIONAL RANGE

Stour


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
690	500	426	125	53	-	1.3	5.5	Coloured	183	343	150W	E	Chrome	69	129	150W	E
690	600	526	125	53	-	2.1	5.6	Coloured	116	216	100W	A, A+, E	Chrome	79	149	100W	A, A+, E
1195	500	426	130	53	-	3.3	8.1	Coloured	166	310	100W	A, A+, E	Chrome	106	201	100W	A, A+, E
1195	600	526	130	53	-	3.7	8.47	Coloured	183	343	150W	A, A+, E	Chrome	118	223	150W	A, A+, E
1550	500	426	130	53	-	3.8	9.4	Coloured	210	391	150W	A, A+, E	Chrome	131	247	150W	A, A+, E
1550	600	526	130	53	-	4.1	9.86	Coloured	229	430	150W	A, A+, E	Chrome	146	276	150W	A, A+, E

Stour


Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
690	500	426	125	53	-	1.3	5.5	PVD Finish	97	183	150W	E	-	-	-	-	-
690	600	526	125	53	-	2.1	5.6	PVD Finish	105	197	100W	A, A+, E	-	-	-	-	-
1195	500	426	130	53	-	3.3	8.1	PVD Finish	153	288	100W	A, A+, E	-	-	-	-	-
1195	600	526	130	53	-	3.7	8.47	PVD Finish	170	319	150W	A, A+, E	-	-	-	-	-
1550	500	426	130	53	-	3.8	9.4	PVD Finish	184	347	150W	A, A+, E	-	-	-	-	-
1550	600	526	130	53	-	4.1	9.86	PVD Finish	213	401	150W	A, A+, E	-	-	-	-	-

Technical Tables & Drawings


PELAGO TOWEL RAIL




VELOR TOWEL RAIL



WINDRUSH



STOUR



Technical Tables & Drawings

PAINSWICK - TRADITIONAL RANGE

Painswick												
Height H (mm)	Width W (mm)	Tappings C (mm)	Depth - D (mm)	Tappings from floor- A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
778	686	556	254	100	-	3.51	11.5	Chrome	148	279	N/A	N/A

FROME - TRADITIONAL RANGE

Frome												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
940	474	344	130	105	-	4.9	7.45	Chrome	112	212	150W	A, A+, C, E, H

THAMES - TRADITIONAL RANGE


Thames												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
1444	630	500	187	150	-	8.7	21.3	Chrome	345	654	450W	A, A+, C, H

LEADON - TRADITIONAL RANGE


Leadon												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
940	700	570	260	137	-	9	20.2	Chrome	322	602	450W	A, A+, C, H

Technical Tables & Drawings


PAINSWICK




FROME



THAMES



LEADON



Technical Tables & Drawings

SHERBOURNE - TRADITIONAL RANGE

Sherbourne													
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
940	600	470	142	105	-	3.5	7.24	Chrome	112	210	150W	A, A+, C, E, H	

COLN - TRADITIONAL RANGE

Coln													
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
510	680	676	260	50	-	5.82	16.3	Chrome	247	468	300W	A, A+, C, H	

*On dual fuel installation, please use only Type A or Type A+ element

TWYVER - TRADITIONAL RANGE

Twyver													
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
952	684	547	158	108	-	3.3	14.6	Chrome	334	644	N/A	N/A	

AVON - TRADITIONAL RANGE


Avon													
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
960	429	300	160	110	-	4.30	15.50	Chrome / Coloured	159	302	150W	A, A+, C, H	
960	500	370	185	135	-	5.50	15.70	Chrome / Coloured	205	384	300W	A, A+, C, H	

Avon													
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
960	429	300	160	110	-	4.30	15.50	PVD Finish / Coloured	182	342	150W	A, A+, C, H	
960	500	370	185	135	-	5.50	15.70	PVD Finish / Coloured	227	428	300W	A, A+, C, H	


* PVD finish is Brushed Brass.

Technical Tables & Drawings


SHERBOURNE




COLN



TWYVER



AVON



Technical Tables & Drawings

ISBOURNE - TRADITIONAL RANGE

Isbourne												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
940	507	377	260	121	-	5.65	14.03	Chrome / Coloured	207*	392*	300W	A, A+, C, H
940	600	467	260	121	-	6.62	16.70	Chrome / Coloured	274	521	450W	A, A+, C, H

* Further heat output information available on eastbrooktrade.com **E&OA**

Isbourne												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
940	507	377	260	121	-	5.65	14.03	PVD Finish / Coloured	207	392	300W	A, A+, C, H
940	600	467	260	121	-	6.62	16.70	PVD Finish / Coloured	275	522	450W	A, A+, C, H

* PVD Finish is Brushed Brass.

IMPERIA 2 COLUMN - TRADITIONAL RANGE


Imperia 2 Column - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
300	830	830	92	58	18	7.68	9.58	Coloured	234	432	300W	A, A+, C, H
300	1010	1010	92	58	22	9.39	13.15	Coloured	286	528	450W	A, A+, C, H
300	1145	1145	92	58	25	10.53	14.95	Coloured	325	600	450W	A, A+, C, E*, H
300	1370	1370	92	58	30	12.6	16.25	Coloured	390	720	450W	A, A+, C, E*, H
300	1460	1460	92	58	32	13.66	16.72	Coloured	416	768	600W	A, A+, C, E*, H
300	1640	1640	92	58	36	15.37	18.76	Coloured	468	864	750W	A, A+, C, E*, H
450	605	605	92	58	13	7.03	9.76	Coloured	247	468	300W	A, A+, C, H
450	830	830	92	58	18	9.74	13.36	Coloured	342	648	450W	A, A+, C, E*, H
450	1010	1010	92	58	22	11.9	16.24	Coloured	418	792	600W	A, A+, C, E, H
450	1145	1145	92	58	25	13.53	18.4	Coloured	475	900	750W	A, A+, C, E, H
450	1460	1460	92	58	32	17.32	23.44	Coloured	608	1152	900W	A, A+, C, E, H
600	425	425	92	58	9	5.74	11.57	Coloured	225	423	300W	A, A+, C, H
600	470	470	92	58	10	6.38	12.72	Coloured	250	470	300W	A, A+, C, H
600	515	515	92	58	11	7.01	13.93	Coloured	275	517	300W	A, A+, C, H
600	560	560	92	58	12	7.65	15.09	Coloured	300	564	300W	A, A+, C, H
600	605	605	92	58	13	7.6	16.7	Bare Metal** / Coloured	325	611	450W	A, A+, C, H
600	830	830	92	58	18	10.6	20.49	Bare Metal** / Coloured	450	846	600W	A, A+, C, E*, H
600	1010	1010	92	58	22	14.03	26.68	Bare Metal** / Coloured	550	1034	750W	A, A+, C, H
600	1145	1145	92	58	25	14.9	28.1	Bare Metal** / Coloured	625	1175	900W	A, A+, H
600	1460	1460	92	58	32	20.41	32.46	Bare Metal** / Coloured	800	1504	1000W	A+
600	1640	1640	92	58	36	23.6	36.4	Coloured	900	1692	1200W	A, A+, H
600	1820	1820	92	58	40	26.22	37.6	Coloured	1000	1880	1200W	A, A+, H
1800	290	290	92	58	6	9.03	22.27	Coloured	414	804	N/A	N/A
1800	380	380	92	58	8	11.6	26.31	Bare Metal** / Coloured	552	1072	N/A	N/A
1800	470	470	92	58	10	14.6	27	Bare Metal** / Coloured	690	1340	N/A	N/A
1800	515	515	92	58	11	17.27	30.95	Coloured	759	1474	N/A	N/A
1800	560	560	92	58	12	18.84	31.72	Bare Metal** / Coloured	828	1608	N/A	N/A
1800	605	605	92	58	13	20.41	34.33	Coloured	897	1742	N/A	N/A
1800	650	650	92	58	14	21.98	36.94	Coloured	966	1876	N/A	N/A

* 600W Type E Element can be fitted


** Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


ISBOURNE



IMPERIA 2 COLUMN VERTICAL



IMPERIA 2 COLUMN HORIZONTAL



Technical Tables & Drawings

IMPERIA 3 COLUMN - TRADITIONAL RANGE

Imperia 3 Column - Vertical / Horizontal													
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
300	830	830	122	72	18	10.73	13.27	Coloured	293	562	450W	A, A+, C, E*, H	
300	1010	1010	122	72	22	13.12	18.15	Coloured	358	708	600W	A, A+, C, E*, H	
300	1145	1145	122	72	25	11.88	20.65	Coloured	407	830	600W	A, A+, C, E*, H	
300	1370	1370	122	72	30	14.21	24.6	Coloured	488	1026	750W	A, A+, C, E*, H	
300	1460	1460	122	72	32	19.08	25.9	Coloured	520	1126	750W	A, A+, C, E*, H	
300	1640	1640	122	72	36	21.47	26.13	Coloured	585	1303	900W	A, A+, C, E*, H	
450	605	605	122	72	13	9.98	13.79	Coloured	299	585	450W	A, A+	
450	830	830	122	72	18	13.82	18.94	Coloured	414	810	600W	A, A+, C, H	
450	1010	1010	122	72	22	16.89	23.06	Coloured	506	990	750W	A, A+, C, H	
450	1145	1145	122	72	25	19.19	26.15	Coloured	575	1125	900W	A, A+, C, H	
450	1460	1460	122	72	32	24.57	33.36	Coloured	736	1440	1200W	A+, H	
600	425	425	122	72	9	7.2	16.31	Coloured	270	522	450W	A, A+	
600	470	470	122	72	10	8	17.99	Coloured	300	580	450W	A, A+, C, H	
600	515	515	122	72	11	8.8	19.71	Coloured	330	638	450W	A, A+, C, H	
600	560	560	122	72	12	9.6	21.39	Coloured	360	696	600W	A+, C, H	
600	605	605	122	72	13	11	21.63	Bare Metal** / Coloured	390	754	600W	A, A+, C, H	
600	830	830	122	72	18	15.3	26.85	Bare Metal** / Coloured	540	1044	900W	A+, C, H	
600	1010	1010	122	72	22	17.6	32.35	Bare Metal** / Coloured	660	1276	1000W	A, A+, C, H	
600	1145	1145	122	72	25	21.3	36.9	Bare Metal** / Coloured	750	1450	1200W	A, A+, H	
600	1460	1460	122	72	32	25.61	47.05	Bare Metal** / Coloured	960	1856	1200W	A+, H	
600	1640	1640	122	72	36	33.81	53.4	Coloured	1080	2088	1200W	A+, H	
600	1820	1820	122	72	40	37.57	54.2	Coloured	1200	2320	1200W	A+, H	
1800	290	290	122	72	6	12.6	32.06	Coloured	500	994	N/A	N/A	
1800	380	380	122	72	8	17.4	38.77	Bare Metal** / Coloured	667	1326	N/A	N/A	
1800	470	470	122	72	10	21.9	39.2	Bare Metal** / Coloured	834	1657	N/A	N/A	
1800	515	515	122	72	11	25.42	44.8	Coloured	917	1823	N/A	N/A	
1800	560	560	122	72	12	27.73	46.78	Bare Metal** / Coloured	1001	1988	N/A	N/A	
1800	605	605	122	72	13	30.04	50.645	Coloured	1084	2154	N/A	N/A	
1800	650	650	122	72	14	32.35	54.51	Coloured	1168	2320	N/A	N/A	

* 600W Type E Element can be fitted

** Further heat output information available on eastbrooktrade.com E&OA


IMPERIA 4 COLUMN - TRADITIONAL RANGE

Imperia 4 Column - Horizontal													
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type	
300	830	830	160	90	18	13.72	18.76	Coloured	378	781	600W	A, A+, C, E*, H	
300	1010	1010	160	90	22	16.77	22.84	Coloured	462	878	750W	A, A+, C, E*, H	
300	1145	1145	160	90	25	19.06	25.9	Coloured	525	998	750W	A, A+, C, E*, H	
300	1370	1370	160	90	30	22.87	31	Coloured	630	1197	900W	A, A+, C, E*, H	
300	1460	1460	160	90	32	24.39	33.04	Coloured	672	1277	1000W	A, A+, H	
300	1640	1640	160	90	36	27.44	37.12	Coloured	756	1436	1200W	A, A+, H	
600	425	425	160	90	9	10.97	18.6	Coloured	361	688	450W	A, A+, C, H	
600	830	830	160	90	18	21.95	35.95	Coloured	722	1375	1000W	A, A+, H	
600	1010	1010	160	90	22	26.83	43.1	Coloured	882	1681	1200W	A, A+	
600	1145	1145	160	90	25	30.49	48.85	Coloured	1003	1910	1200W	A, A+	
600	1460	1460	160	90	32	39.03	62.6	Coloured	1283	2445	N/A	N/A	
600	1640	1640	160	90	36	43.9	71.7	Coloured	1444	2750	N/A	N/A	


* 600W Type E Element can be fitted

Technical Tables & Drawings


IMPERIA 3 COLUMN VERTICAL



IMPERIA 3 COLUMN HORIZONTAL



IMPERIA 4 COLUMN HORIZONTAL



Technical Tables & Drawings

IMPERIA 6 COLUMN - TRADITIONAL RANGE

Imperia 6 Column - Horizontal

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
300	830	830	243	133	18	20.79	26.14	Coloured	535	1008	900W	A, A+, C, H
300	1010	1010	243	133	22	25.41	31.86	Coloured	654	1232	1000W	A, A+, C, H
300	1145	1145	243	133	25	28.88	36.15	Coloured	743	1400	1200W	A, A+, H
300	1370	1370	243	133	30	34.66	43.3	Coloured	892	1680	1200W	A, A+, H
600	425	425	243	133	9	16.57	24.61	Coloured	478	993	600W	H
600	605	605	243	133	13	23.93	35.37	Coloured	691	1434	900W	C, H
600	830	830	243	133	18	33.14	48.82	Coloured	956	1986	1200W	A, A+, H
600	1010	1010	243	133	22	40.5	59.58	Coloured	1169	2427	1200W	A, A+, H
600	1145	1145	243	133	25	46.03	67.65	Coloured	1328	2758	N/A	N/A
600	1370	1370	243	133	30	55.23	81.1	Coloured	1594	3310	N/A	N/A
600	1460	1460	243	133	32	58.91	86.48	Coloured	1700	3530	N/A	N/A

IMPERIA 6 COLUMN BENCH - TRADITIONAL RANGE

Imperia 6 Column Bench - Horizontal

Total Height H (mm)	Total Width W (mm)	Radiator Height (mm)	Radiator Width (mm)	Tappings C (mm)	Tappings from floor - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
480	850	290	700	620	130	6	12.41	30.5	Coloured	335	645	N/A	N/A
480	1200	290	1050	970	130	6	17.22	42.0	Coloured	505	974	N/A	N/A

IMPERIA MULTIRAIL 2 COLUMN - TRADITIONAL RANGE


Imperia Multirail 2 Column

Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
612	800	724	98-108	63-67	8	6.73	10.95	Coloured	259*	495*	300W	A, A+, B, D, E, F, G
612	1000	924	98-108	63-67	8	7.88	13.19	Coloured	321*	613*	300W	A, A+, B, D, E, F, G
832	500	424	98-108	63-67	13	7.82	11.53	Coloured	278	532	300W	A, A+, B, D, E, F, G
832	600	524	98-108	63-67	13	8.76	13.35	Coloured	320	613	300W	A, A+, B, D, E, F, G
1140	500	424	98-108	63-67	20	11.78	17.04	Coloured	385	737	450W	A, A+, B, D, E, F, G
1140	600	524	98-108	63-67	20	13.22	19.84	Coloured	443	849	600W	A, A+, B, D, E, F, G
1430	500	424	98-108	63-67	24	14.28	20.20	Coloured	487	937	600W	A, A+, B, D, E, F, G
1430	600	524	98-108	63-67	24	16.02	23.56	Coloured	561	1079	600W	A, A+, B, D, E, F, G


* Further heat output information available on eastbrooktrade.com **E&OA**

Technical Tables & Drawings


IMPERIA 6 COLUMN HORIZONTAL



IMPERIA 6 COLUMN BENCH HORIZONTAL



IMPERIA MULTIRAIL 2 COLUMN



Technical Tables & Drawings

RIVASSA - TRADITIONAL RANGE

Rivassa 2 Column - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
300	1148	1148	93	58	25	9.25	17.5	Coloured	322	619	450W	A, A+, C, E*, H
300	1373	1373	93	58	30	11.1	20.8	Coloured	386	743	600W	A, A+, C, E*, H
600	428	428	93	58	9	5.4	10.5	Coloured	218	420	300W	A, A+, C, H
600	473	473	93	58	10	6	11.7	Coloured	242	467	300W	A, A+, C, H
600	518	518	93	58	11	6.6	12.8	Coloured	266	514	300W	A, A+, C, H
600	563	563	93	58	12	7.2	14	Coloured	290	560	450W	A, A+, C, H
600	608	608	93	58	13	7.8	18.2	Coloured	314	607	450W	A, A+, C, H
600	833	833	93	58	18	10.8	23.9	Coloured	435	841	600W	A, A+, C, E*, H
600	1010	1010	93	58	22	13.2	28.5	Coloured	532	1027	750W	A, A+, C, H
600	1148	1148	93	58	25	15.1	31.8	Coloured	605	1168	900W	A, A+, H
600	1460	1460	93	58	32	19.2	39.7	Coloured	774	1494	1200W	A, A+, H
1800	293	293	93	58	6	8.9	22.9	Coloured	421	826	N/A	N/A
1800	383	383	93	58	8	11.8	29.7	Coloured	561	1101	N/A	N/A
1800	473	473	93	58	10	14.8	36.9	Coloured	702	1377	N/A	N/A

*600w Type E Element can be fitted

Rivassa 3 Column - Vertical / Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
300	1148	1148	122	72	25	14.1	25.2	Coloured	404	785	600W	A, A+, C, E*, H
300	1373	1373	122	72	30	16.8	30.2	Coloured	484	942	750W	A, A+, C, E*, H
600	428	428	122	72	9	7.7	15.2	Coloured	279	543	450W	A, A+, C, H
600	473	473	122	72	10	8.6	16.8	Coloured	310	604	450W	A, A+, C, H
600	518	518	122	72	11	9.5	18.5	Coloured	341	664	450W	A, A+, C, H
600	563	563	122	72	12	10.3	20.1	Coloured	372	724	600W	A, A+, C, H
600	608	608	122	72	13	11.2	24.4	Coloured	403	785	600W	A, A+, C, H
600	833	833	122	72	18	15.5	32.8	Coloured	558	1086	900W	A, A+, C, H
600	1010	1010	122	72	22	18.9	40.3	Coloured	682	1328	1000W	A, A+, C, H
600	1148	1148	122	72	25	21.5	45.6	Coloured	776	1509	1200W	A, A+, H
600	1460	1460	122	72	32	27.5	58.1	Coloured	993	1931	1200W	A, A+, H
1800	293	293	122	72	6	13.2	33	Coloured	528	1030	N/A	N/A
1800	383	383	122	72	8	17.6	43.6	Coloured	705	1374	N/A	N/A
1800	473	473	122	72	10	22.1	53.9	Coloured	881	1717	N/A	N/A

*600w Type E Element can be fitted


Rivassa 4 Column - Horizontal												
Height H (mm)	Width W (mm)	Tappings C (mm)	Distance from Wall - D (mm)	Tappings from wall - A (mm)	Tube Qty	Water Content L	Weight KG	Colour	▲T30 Watts	▲T50 Watts	Element Output	Element Type
300	1010	1010	155	85	22	16.2	30.6	Coloured	447	876	600W	A, A+, C, E*, H
300	1373	1373	155	85	30	22.2	42.65	Coloured	610	1195	1000W	A, A+, H
300	1505	1505	155	85	33	24.4	46.1	Coloured	671	1315	1000W	A, A+, H
600	425	425	155	85	9	10.8	24.2	Coloured	211	412	450W	A, A+
600	605	605	155	85	13	15.6	34.2	Coloured	304	595	750W	A, A+, C, H
600	785	785	155	85	17	20.4	43.5	Coloured	398	778	900W	A, A+, H
600	1010	1010	155	85	22	26.4	55.5	Coloured	515	1007	1200W	A, A+
600	1190	1190	155	85	26	31.2	66.3	Coloured	608	1190	1200W	A, A+

*600w Type E Element can be fitted


Technical Tables & Drawings

RIVASSA 2 COLUMN HORIZONTAL


Perspective view



Front view




Side view




Bottom view

RIVASSA 3 COLUMN HORIZONTAL


Perspective view



Front view




Side view




Bottom view

RIVASSA 4 COLUMN HORIZONTAL



Perspective view



Front view



Side view



Bottom view

[illegible][illegible]

[illegible][illegible]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

Notes

[illegible]

Eastbrook Co Terms & Conditions

We deliver all goods on our own dedicated transport fleet to ensure a speedy and problem-free service, however, in the unlikely event that goods are delivered wrong or damaged, it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

1. DEFINITIONS

In these terms and conditions, the following words shall have the following meanings:
'Buyer' shall mean any person, Eastbrook or company, to whom Eastbrook supplies Goods or Services or with whom Eastbrook enters into negotiations for the supply of Goods or Services.
'Eastbrook' shall mean Brian Michael Douuss and Nicolas Brian Douuss (each a "Partner" together the "Partners") trading as "Eastbrook Co." or "Woodstock".
'Goods' shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by Eastbrook to the Buyer.
'Services' shall mean services are supplied by or which are the subject of negotiations/ or supply by Eastbrook to the Buyer.

2. MAKING THE CONTRACT

Eastbrook's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on Eastbrook's behalf

Any estimate/quotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that Eastbrook has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by Eastbrook and a contract will only be formed when Eastbrook has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.

All orders are placed under these terms and conditions alone.

These terms and conditions exclude any other terms and conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained in any offer acceptance or counter-offer made by the Buyer.

No variation of these terms and conditions is permitted unless expressly accepted by a Partner of Eastbrook in writing.

3. CANCELLATION

No cancellation by the Buyer is permitted except where expressly agreed by a Partner of Eastbrook in writing.

The Buyer will in the event of agreed cancellation by the Buyer indemnify Eastbrook fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to Eastbrook Forthwith.

4. PRICE

All prices quoted are those ruling at the date of dispatch or supply.

Unless otherwise stated all prices quoted are nett, exclusive of VAT, and in the case of Goods ex works.

Eastbrook reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services.

5. TERMS OF PAYMENT

All sums become due and payable under these terms and conditions not later than 14 days from date of invoice.

Time for payment shall be of the essence.

The Buyer shall have no right to set off, statutory or otherwise.

If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so) he will be deemed to have repudiated the Contract.

Eastbrook reserves the right at any time at its discretion to demand security for payment before continuing with or delivering any Order, supplying any Goods or Services.

6. DELIVERY

Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of Eastbrook or as the case may be the premises of the suppliers to Eastbrook in circumstances where the Goods are delivered direct from such suppliers.

Time of delivery is not of the essence.

Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.

Eastbrook reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment.

When delivery is to be by instalments or Eastbrook exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments for whatever reason this will not entitle the Buyer to treat the contract as repudiated and/or to damages.

Deviations in quantity between the Goods delivered and Goods ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered.

7. SUPPLY OF SERVICES

Time for the supply of Services is not of the essence.

Eastbrook shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any part thereof on the due date.

Eastbrook reserves the right to supply Services by instalments and to tender a separate invoice in respect of each instalment.

When the supply of Services is to be by instalments or Eastbrook exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.

Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied.

8. RISK AND THE PASSING OF PROPERTY IN GOODS

Risk in the Goods shall pass to the Buyer when the Goods are delivered. Notwithstanding risk in the Goods passing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:-

payment being received by Eastbrook for the Goods and Services and no other amounts then being outstanding from the Buyer to Eastbrook in respect of other Goods or Services supplied by Eastbrook

the Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's customers; and

Eastbrook waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.

The Buyer is licensed by Eastbrook to use or to agree to sell the Goods

delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for Eastbrook and are not mixed with other moneys or paid into an overdraft bank account and shall at all times be identifiable as Eastbrook's moneys.

Until title to the Goods passes:
The Buyer will hold the Goods as fiduciary agent and bailee for Eastbrook;

The Goods shall, subject to clause 8.3, be kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to Eastbrook;

Eastbrook may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default for longer than 14 days in the payment of any sum whatsoever due to Eastbrook (whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if Eastbrook has bona fide doubts as to the solvency of the Buyer;

The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceeding under foreign law.

upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4, the Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of Eastbrook and Eastbrook shall be entitled to enter upon any premises of the Buyer for the purpose of removing such Goods.

Eastbrook shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law.

9. LIEN AND STOPPAGE

Until such time as the title in the Goods has passed to the Buyer Eastbrook has the right to withhold delivery if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law.

When the title in the Goods has passed to the Buyer and the time for payment has failed due but payment has not been made or if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law Eastbrook has

a lien on the Goods so long as Eastbrook is in possession of them

a right of stoppage in transit

a right of resale

For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to Eastbrook by ss.38-48 of the Sale of Goods Act 1979.

10. INSPECTION/SHORTAGES

The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith after supply.

Eastbrook shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not presented to Eastbrook within 7 days of delivery or supply detailing the alleged defect or shortage.

In all cases where defects or shortages in respect of Goods are complained of Eastbrook shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to Eastbrook before any use is made thereof or any alteration or modification is made thereto by the Buyer.

Subject to clauses 10.2 and 10.3 Eastbrook shall make good any defect or shortage in the Goods and where appropriate replace any Goods damaged in transit as soon as it is reasonably able to do so, but otherwise shall be under no liability whatsoever or howsoever arising from such defect, shortage or damage.

Subject to clause 10.4 Eastbrook shall remedy any defect in the supply of Services as soon as it is reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect

11. WARRANTY

No representation or warranty is given as to the suitability or fitness of the Goods or Services for any particular purpose and the Buyer shall satisfy himself in this respect and shall be totally responsible therefore

If the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/or claim damages from Eastbrook Eastbrook reserves the right to repair or replace the Goods or perform the Services (or the relevant part thereof) again.

12. LIABILITY

Introduction

Nothing in this clause 12 shall be deemed to exclude or restrict Eastbrook's liability for death or personal injury resulting from Eastbrook's negligence.

Each of the sub-clauses in this clause 12 is to be treated as separate and independent.

Eastbrook is willing to undertake liability additional to that provided by this clause 12 in exchange for a higher price.

12.2 Exclusion

Eastbrook agrees that if any defect caused by faulty design, manufacture, materials or workmanship is discovered during the period of 3 months commencing with the date of delivery or supply, Eastbrook will remedy any defect at its own expense or, in the case of Goods, if it chooses to do so, replace them. Defects caused by abnormal use, misuse, neglect or wilful or accidental damage are not covered by this clause.

The Buyer cannot claim the benefit of clause 12.2.1 above unless:

he informs Eastbrook of the relevant defect in writing within 7 working days of discovering it; and

in the case of Goods, he returns the Goods to Eastbrook at his own expense.

The risk of accidental loss whilst any Goods are being returned to Eastbrook will be borne by the Buyer.

Notwithstanding clause 12.2.1 above, if the manufacturer of any Goods has provided any guarantee of such Goods for a period longer than three months (a "Manufacturer's Extended Guarantee"), Eastbrook shall use its reasonable endeavours to transfer to the Buyer the benefit of any such Manufacturer's Extended Guarantee in respect of the Goods, provided that Eastbrook may in its absolute discretion elect to do so only at the cost of the Buyer.

Any Manufacturer's Extended Guarantee is for the Buyer only who must complete a return and registration form within 30 days of purchase. Manufacturer's Extended Guarantees are not transferable to third parties and do not cover previously installed products such as ex showroom displays. Failure to complete and return a registration form to Eastbrook within the 30 day period will result in the guarantee on such Goods being limited to that stated in clause 12.2.1 above.

Manufacturer's Extended Guarantees cover Goods which are used for normal domestic use only and are not applicable to Goods which are used for commercial use (i.e. hotels, residential homes, leisure facilities etc.).

In the event that a manufacturer of Goods providing a Manufacturer's

Extended Guarantee pursuant to clause 12.2.3 above ceases trading and/ or no longer honours such guarantee, Eastbrook shall have no liability whatsoever to the Buyer with respect to such Manufacturer's Extended Guarantee.

If the benefit of a Manufacturer's Extended Guarantee is transferred to the Buyer, subject always to clause 12.2.1 above and further subject to the defect not being as a result of fair wear and tear, Eastbrook shall only be liable to provide replacement parts. For the avoidance of doubt, Eastbrook excludes any consequential costs involved in the fitting of such parts. Furthermore, with respect to the following these additional terms are applicable:

Perishable components such as non-glass or metallic parts (e.g. plastic parts, seals, wheels etc.) are excluded from a Manufacturer's Extended Guarantee.

Shower and bath screens: Glass and seals for such products are excluded from a Manufacturer's Extended Guarantee.

Towel rails and radiators: Such products must be individually earthed when installed for a Manufacturer's Extended Guarantee to apply.

If, in the sole opinion of Eastbrook, the Goods which are the subject of the Manufacturer's Extended Guarantee have been modified, misused or neglected or have been wilfully or accidentally damaged, Eastbrook shall not be liable under the Manufacturer's Extended Guarantee for the failure of the Goods.

No claim under a Manufacturer's Extended Guarantee will be accepted if Goods have been installed with a fault that would have been clearly visible before installation. A Manufacturer's Extended Guarantee does not cover any Goods which have been modified, altered, transformed or relocated in any way.

Claims under a Manufacturer's Extended Guarantee must be made by the Buyer within [7 working days] of the defect being discovered.

In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between Eastbrook and the Buyer to the extent permitted by law [except where the Buyer deals as consumer within section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract].

12.3 Exclusion of Consequential Loss

Eastbrook shall not be liable for any consequential or indirect loss suffered by the Buyer whether such loss arises from breach of a duty in contract or tort or in any other way (including loss arising from Eastbrook's negligence) including, without limitation to the generality of the foregoing:

- loss of profits;
- loss of contracts;
- damage to property of the Buyer or anyone else; or

personal injury to the Buyer or anyone else (except so far as such injury is attributable to Eastbrook's negligence).

Eastbrook's total liability for any one claim or for the total of all claims arising from Eastbrook's negligence or otherwise) shall not exceed the contract price of the Goods.

13. FORCE MAJEURE

Eastbrook shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside Eastbrook's control.

Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities.

Should Eastbrook be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.

If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the Buyer receives Eastbrook's notice, then either party may give written notice to the other cancelling the contract.

If the contract is cancelled in this way, Eastbrook will refund any payment which the Buyer has already made on account of the price (subject to deduction of any amount Eastbrook is entitled to claim from the Buyer) but Eastbrook will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.

14. SALES PROMOTION DOCUMENTATION

Whilst Eastbrook takes every precaution in the preparation of its catalogue, technical brochures, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by Eastbrook and Eastbrook shall not be bound thereby.

15. USE OF DATA

If the Buyer provides any data relating to the business of the Buyer to Eastbrook for any purpose, then the Buyer agrees that Eastbrook may hold such data and use it in relation to the supply of Goods, to process payment and to inform the Buyer (including all its staff) of other Goods or Services that Eastbrook may offer from time to time. Eastbrook will hold all data relating to the Buyer in accordance with our privacy policy and privacy statements in force from time to time and which is available on demand.

The Buyer agrees that Eastbrook may share any data referred to in clause 15.1 with third parties only where it is necessary for the provision of the Goods or Services supplied by Eastbrook and further that the Buyer shall hold Eastbrook harmless for the misuse of such data by those third parties.

In relation to any data supplied by the Buyer to Eastbrook regarding the Buyer's customers, the Buyer warrants and represents that they have obtained consent to share such data with Eastbrook (whether this relates to remedial services or the replacement of Goods or otherwise) and the Buyer agrees to indemnify and keep indemnified, Eastbrook from and against any losses, damages, liability, costs (including legal fees) and expenses incurred by Eastbrook as a result of or in connection with the Buyers breach of this Clause.

16. NOTICES

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overleaf or such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by post, 48 hours after posting.

17. ASSIGNMENT

Neither Eastbrook nor the Buyer shall assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other.

18. SEVERANCE

If any provision of this contract (or part of any provision) is or becomes illegal, invalid or unenforceable, the legality, validity and enforceability of any other provision of the Contract shall not be affected.

If any provision of the contract (or part of any provision) is or becomes illegal, invalid or unenforceable but would be legal, valid and enforceable if some part of it was deleted or modified, the provision or part-provision in question shall apply with such deletions or modifications as may be necessary to make the provision legal, valid and enforceable. In the event of such deletion or modification, the parties shall negotiate in good faith in order to agree the terms of a mutually acceptable alternative provision.

19. PROPER LAW AND JURISDICTION

The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the contract shall be submitted to the jurisdiction of the English Courts.

20. HEADINGS

The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.



Eastbrook Co.

Eastbrook Road,
Gloucester GL4 3DB
Tel: 01452 317800

www.eastbrooktrade.com

Eastbrook bathroom collection

Also Available: Issue 50
Volume 1 – Bathroom Brochure

Explore our range of baths,
vanity units, toilets, showers,
and more—everything for a
stylish, functional bathroom.

Contact Us

For Orders Only:
orders@eastbrookco.com

For Technical Enquiries:
technical@eastbrookco.com

For Sales / Enquiries:
sales@eastbrookco.com